

Customer :

LaBour/Taber

2005 Dr Martin Luther King Jr Street Indianapolis, In 46207-7026

Project :

Quote No. : US-2222-17

Page No. : 1

Contact :

Phone :

Fax :

Date : Wednesday, April 16, 2003

Pump Model: **LaBour - 1x1.5- 6 STP LVB**  
Type: **LVB - ANSI Standard End Suction**

Nom. Speed: **1750 RPM, 60 Hz Electric**  
Impeller Dia.: **6.06/3.5 inch**

Duty Flow : US gpm  
Duty Head : ft  
Efficiency : %

Temperature: **68 °F**  
Viscosity: **1.009 cP**  
Sp. Gravity: **1.000**

Power Required : hp  
NPSH Required : ft  
Peak Power: **0.98** hp  
Closed Valve Pressure **37.628** ft


Curve No.: **8196-001**

Impeller No.

Item : **1**

Your Ref.:

Tolerance : **Hyd Inst-Peerless Std**



Comments:

Performance curve represents typical performance. See Standard Hydraulic Performance document in the selective printing area of RAPID for testing tolerances & contractual guarantees.




Customer :

LaBour/Taber

2005 Dr Martin Luther King Jr Street Indianapolis, In 46207-7026

|   |   |   |              |
|---|---|---|--------------|
| <b>Project :</b>                              |   | <b>Contact :</b>                        |              |
| <b>Quote No. :</b> US-2222-17                 | <b>Page No. :</b> 1                         | <b>Phone :</b>                          | <b>Fax :</b> |
|   |   | <b>Date :</b> Wednesday, April 16, 2003 |              |
| <b>Pump Model:</b> LaBour - 1x1.5-6 STP LVBLF | <b>Nom. Speed:</b> 1750 RPM, 60 Hz Electric | <b>Duty Flow :</b>                      | US gpm       |
| <b>Type:</b> LVB - ANSI Standard End Suction  | <b>Impeller Dia.:</b> 6.06/4 inch           | <b>Duty Head :</b>                      | ft           |
|   | <b>Temperature:</b> 68 °F                   | <b>Efficiency :</b>                     | %            |
|   | <b>Viscosity:</b> 1.009 cP                  | <b>Power Required :</b>                 | hp           |
| <b>Curve No.:</b> 8196LF-002                  | <b>Sp. Gravity:</b> 1.000                   | <b>NPSH Required :</b>                  | ft           |
| <b>Impeller No.:</b>                          | <b>Fluid:</b> Water                         | <b>Peak Power:</b>                      | 0.69 hp      |
| <b>Item :</b> 1                               |   | <b>Closed Valve Pressure</b>            | 38.317 ft    |
| <b>Your Ref.:</b>                             | <b>Tolerance :</b> Hyd Inst-Peerless Std    |   |              |



Comments:

Performance curve represents typical performance. See Standard Hydraulic Performance document in the selective printing area of RAPID for testing tolerances & contractual guarantees.




Customer :

LaBour/Taber

2005 Dr Martin Luther King Jr Street Indianapolis, In 46207-7026

|  |   |   |              |
|--|---|---|--------------|
| <b>Project :</b>                             |   | <b>Contact :</b>                        |              |
| <b>Quote No. :</b> US-2222-17                | <b>Page No. :</b> 1                         | <b>Phone :</b>                          | <b>Fax :</b> |
|  |   | <b>Date :</b> Wednesday, April 16, 2003 |              |
| <b>Pump Model:</b> LaBour - 1x1.5- 6 STP LVB | <b>Nom. Speed:</b> 3550 RPM, 60 Hz Electric | <b>Duty Flow :</b>                      | US gpm       |
| <b>Type:</b> LVB - ANSI Standard End Suction | <b>Impeller Dia.:</b> 6.06/3.5 inch         | <b>Duty Head :</b>                      | ft           |
|  | <b>Temperature:</b> 68 °F                   | <b>Efficiency :</b>                     | %            |
|  | <b>Viscosity:</b> 1.009 cP                  | <b>Power Required :</b>                 | hp           |
| <b>Curve No.:</b> 8196-002                   | <b>Sp. Gravity:</b> 1.000                   | <b>NPSH Required :</b>                  | ft           |
| <b>Impeller No.:</b>                         | <b>Fluid:</b> Water                         | <b>Peak Power:</b>                      | 7.06 hp      |
| <b>Item :</b> 1                              |   | <b>Closed Valve Pressure</b>            | 154.842 ft   |
| <b>Your Ref.:</b>                            | <b>Tolerance :</b> Hyd Inst-Peerless Std    |   |              |



**Comments:**

Performance curve represents typical performance. See Standard Hydraulic Performance document in the selective printing area of RAPID for testing tolerances & contractual guarantees.




Customer :

LaBour/Taber

2005 Dr Martin Luther King Jr Street Indianapolis, In 46207-7026

|   |   |   |              |
|---|---|---|--------------|
| <b>Project :</b>                              |   | <b>Contact :</b>                        |              |
| <b>Quote No. :</b> US-2222-17                 | <b>Page No. :</b> 1                         | <b>Phone :</b>                          | <b>Fax :</b> |
|   |   | <b>Date :</b> Wednesday, April 16, 2003 |              |
| <b>Pump Model:</b> LaBour - 1x1.5-6 STP LVBLF | <b>Nom. Speed:</b> 3550 RPM, 60 Hz Electric | <b>Duty Flow :</b>                      | US gpm       |
| <b>Type:</b> LVB - ANSI Standard End Suction  | <b>Impeller Dia.:</b> 6.06/4 inch           | <b>Duty Head :</b>                      | ft           |
|   | <b>Temperature:</b> 68 °F                   | <b>Efficiency :</b>                     | %            |
|   | <b>Viscosity:</b> 1.009 cP                  | <b>Power Required :</b>                 | hp           |
| <b>Curve No.:</b> 8196LF-001                  | <b>Sp. Gravity:</b> 1.000                   | <b>NPSH Required :</b>                  | ft           |
| <b>Impeller No.:</b>                          | <b>Fluid:</b> Water                         | <b>Peak Power:</b>                      | 4.62 hp      |
| <b>Item :</b> 1                               |   | <b>Closed Valve Pressure</b>            | 157.922 ft   |
| <b>Your Ref.:</b>                             | <b>Tolerance :</b> Hyd Inst-Peerless Std    |   |              |



Comments:

Performance curve represents typical performance. See Standard Hydraulic Performance document in the selective printing area of RAPID for testing tolerances & contractual guarantees.

