


Customer :

LaBour/Taber

2005 Dr Martin Luther King Jr Street Indianapolis, In 46207-7026

Project :		Contact :	
Quote No. : US-2222-17	Page No. : 1	Phone :	Fax :
		Date : Wednesday, April 16, 2003	
Pump Model: LaBour - 1.5x3-8 STP LVB	Nom. Speed: 1750 RPM, 60 Hz Electric	Duty Flow :	US gpm
Type: LVB - ANSI Standard End Suction	Impeller Dia.: 8/5 inch	Duty Head :	ft
	Temperature: 68 °F	Efficiency :	%
	Viscosity: 1.009 cP	Power Required :	hp
Curve No.: 8196-007	Sp. Gravity: 1.000	NPSH Required :	ft
Impeller No.:	Fluid: Water	Peak Power:	3.31 hp
Item : 1		Closed Valve Pressure	70.437 ft
Your Ref.:	Tolerance : Hyd Inst-Peerless Std		



Comments:
Performance curve represents typical performance. See Standard Hydraulic Performance document in the selective printing area of RAPID for testing tolerances & contractual guarantees.



Customer :

LaBour/Taber

2005 Dr Martin Luther King Jr Street Indianapolis, In 46207-7026

Project :		Contact :	
Quote No. : US-2222-17	Page No. : 1	Phone :	Fax :
		Date : Wednesday, April 16, 2003	

Pump Model: LaBour - 1.5x3-8 STP LVB	Nom. Speed: 3550 RPM, 60 Hz Electric	Duty Flow :	US gpm
Type: LVB - ANSI Standard End Suction	Impeller Dia.: 8/5 inch	Duty Head :	ft
	Temperature: 68 °F	Efficiency :	%
	Viscosity: 1.009 cP	Power Required :	hp
Curve No.: 8196-008	Sp. Gravity: 1.000	NPSH Required :	ft
Impeller No.:	Fluid: Water	Peak Power:	26.21 hp
Item : 1		Closed Valve Pressure	289.857 ft
Your Ref.:	Tolerance : Hyd Inst-Peerless Std		

