


Customer :

LaBour-Taber

2005 Dr. Martin Luther King Jr. Street Indianapolis, Indiana

Project :		Contact :	
Quote No. : US-2222-17	Page No. : 1	Phone :	Fax :
		Date : Wednesday, April 16, 2003	
Pump Model: LaBour - 2x3-6 MTP LVB	Nom. Speed: 1750 RPM, 60 Hz Electric	Duty Flow :	US gpm
Type: LVB - ANSI Standard End Suction	Impeller Dia.: 5.88/4 inch	Duty Head :	ft
	Temperature: 68 °F	Efficiency :	%
	Viscosity: 1.009 cP	Power Required :	hp
Curve No.: 8196-011	Sp. Gravity: 1.000	NPSH Required :	ft
Impeller No.:	Fluid: Water	Peak Power:	2.37 hp
Item : 1		Closed Valve Pressure	40.8 ft
Your Ref.:	Tolerance : Hyd Inst-Peerless Std		



Comments:

Performance curve represents typical performance. See Standard Hydraulic Performance document in the selective printing area of RAPID for testing tolerances & contractual guarantees.

Customer :

LaBour-Taber

2005 Dr. Martin Luther King Jr. Street Indianapolis, Indiana

Project :

Quote No. : US-2222-17

Page No. : 1


Contact :

Phone :

Fax :

Date : Wednesday, April 16, 2003

Pump Model:	LaBour - 2x3-6 STP LVB	Nom. Speed:	1750 RPM, 60 Hz Electric	Duty Flow :	US gpm
Type:	LVB - ANSI Standard End Suction	Impeller Dia.:	6.06/4 inch	Duty Head :	ft
		Temperature:	68 °F	Efficiency :	%
		Viscosity:	1.009 cP	Power Required :	hp
Curve No.:	8196-010	Sp. Gravity:	1.000	NPSH Required :	ft
Impeller No.		Fluid:	Water	Peak Power:	2.39 hp
Item :	1			Closed Valve Pressure	37.63 ft
Your Ref.:		Tolerance :	Hyd Inst-Peerless Std		



Comments:

Performance curve represents typical performance. See Standard Hydraulic Performance document in the selective printing area of RAPID for testing tolerances & contractual guarantees.

Customer :

LaBour-Taber

2005 Dr. Martin Luther King Jr. Street Indianapolis, Indiana

Project :

Quote No. : US-2222-17

Page No. : 1

Contact :

Phone :

Fax :

Date : Wednesday, April 16, 2003

Pump Model: **LaBour - 2x3-6 MTP LVB**
Type: **LVB - ANSI Standard End Suction**

Nom. Speed: **3550 RPM, 60 Hz Electric**
Impeller Dia.: **5.88/4 inch**

Duty Flow : US gpm
Duty Head : ft
Efficiency : %

Temperature: **68 °F**
Viscosity: **1.009 cP**
Sp. Gravity: **1.000**

Power Required : hp
NPSH Required : ft

Curve No.: **8196-012**

Impeller No.


Item : **1**

Fluid: **Water**

Peak Power: **16.01 hp**
Closed Valve Pressure **168.959 ft**

Your Ref.:

Tolerance : **Hyd Inst-Peerless Std**



Comments:

Performance curve represents typical performance. See Standard Hydraulic Performance document in the selective printing area of RAPID for testing tolerances & contractual guarantees.

Customer :

LaBour-Taber

2005 Dr. Martin Luther King Jr. Street Indianapolis, Indiana

Project :

Quote No. : US-2222-17

Page No. : 1


Contact :

Phone :

Fax :

Date : Wednesday, April 16, 2003

Pump Model: LaBour - 2x3-6 STP LVB	Nom. Speed: 3550 RPM, 60 Hz Electric	Duty Flow : US gpm
Type: LVB - ANSI Standard End Suction	Impeller Dia.: 6.06/4 inch	Duty Head : ft
	Temperature: 68 °F	Efficiency : %
	Viscosity: 1.009 cP	Power Required : hp
Curve No.: 8196-009	Sp. Gravity: 1.000	NPSH Required : ft
Impeller No.	Fluid: Water	Peak Power: 18.95 hp
Item : 1		Closed Valve Pressure 154.851 ft
Your Ref.:	Tolerance : Hyd Inst-Peerless Std	



Comments:

Performance curve represents typical performance. See Standard Hydraulic Performance document in the selective printing area of RAPID for testing tolerances & contractual guarantees.