


Customer :

LaBour-Taber

2005 Dr. Martin Luther King Jr. Street Indianapolis, Indiana

Project :		Contact :	
Quote No. : US-2222-17	Page No. : 1	Phone :	Fax :
		Date : Wednesday, April 16, 2003	
Pump Model: LaBour - 3x4-8 MTP LVB	Nom. Speed: 1150 RPM, 60 Hz Electric	Duty Flow :	US gpm
Type: LVB - ANSI Standard End Suction	Impeller Dia.: 8.38/6 inch	Duty Head :	ft
	Temperature: 68 °F	Efficiency :	%
	Viscosity: 1.009 cP	Power Required :	hp
Curve No.: 8196-016	Sp. Gravity: 1.000	NPSH Required :	ft
Impeller No.:	Fluid: Water	Peak Power:	3.2 hp
Item : 1		Closed Valve Pressure	33.25 ft
Your Ref.:	Tolerance : Hyd Inst-Peerless Std		



Comments:


Performance curve represents typical performance. See Standard Hydraulic Performance document in the selective printing area of RAPID for testing tolerances & contractual guarantees.

Customer :

Labour-Taber

2005 Dr. Martin Luther King Jr. Street Indianapolis, Indiana

Project :		Contact :	
Quote No. : US-2222-17	Page No. : 1	Phone :	Fax :
		Date : Wednesday, April 16, 2003	
Pump Model: LaBour - 3x4-8 MTP LVB	Nom. Speed: 1750 RPM, 60 Hz Electric	Duty Flow :	US gpm
Type: LVB - ANSI Standard End Suction	Impeller Dia.: 8.38/6 inch	Duty Head :	ft
	Temperature: 68 °F	Efficiency :	%
	Viscosity: 1.009 cP	Power Required :	hp
Curve No.: 8196-015	Sp. Gravity: 1.000	NPSH Required :	ft
Impeller No.:	Fluid: Water	Peak Power:	11.26 hp
Item : 1		Closed Valve Pressure	76.997 ft
Your Ref.:	Tolerance : Hyd Inst-Peerless Std		



Comments:

Performance curve represents typical performance. See Standard Hydraulic Performance document in the selective printing area of RAPID for testing tolerances & contractual guarantees.