

Customer :

LaBour-Taber

2005 Dr. Martin Luther King Jr. Street Indianapolis, Indiana

Project :

Quote No. : US-2222-17

Page No. : 1

Contact :

Phone :

Fax :

Date : Wednesday, April 16, 2003

Pump Model: **LaBour - 2x3-10 LTP LVB**
Type: **LVB - ANSI Standard End Suction**

Nom. Speed: **1750 RPM, 60 Hz Electric**
Impeller Dia.: **10/6 inch**

Duty Flow : US gpm
Duty Head : ft
Efficiency : %

Temperature: **68 °F**
Viscosity: **1.009 cP**
Sp. Gravity: **1.000**

Power Required : hp
NPSH Required : ft

Curve No.: **8196-024**

Impeller No.


Item : **1**

Your Ref.:

Fluid: **Water**

Peak Power: **10.23 hp**
Closed Valve Pressure **110.545 ft**

Tolerance : **Hyd Inst-Peerless Std**



Comments:

Performance curve represents typical performance. See Standard Hydraulic Performance document in the selective printing area of RAPID for testing tolerances & contractual guarantees.

Customer :

LaBour-Taber

2005 Dr. Martin Luther King Jr. Street Indianapolis, Indiana

Project :

Quote No. : US-2222-17

Page No. : 1

Contact :

Phone :

Fax :

Date : Wednesday, April 16, 2003

Pump Model: **LaBour - 2x3-10 MTP LVB**
Type: **LVB - ANSI Standard End Suction**

Nom. Speed: **1750 RPM, 60 Hz Electric**
Impeller Dia.: **10/6 inch**

Duty Flow : US gpm
Duty Head : ft
Efficiency : %

Temperature: **68 °F**
Viscosity: **1.009 cP**
Sp. Gravity: **1.000**

Power Required : hp
NPSH Required : ft
Peak Power: **10.23 hp**
Closed Valve Pressure **110.545 ft**


Curve No.: **8196-024**

Impeller No.

Item : **1**

Your Ref.:

Tolerance : **Hyd Inst-Peerless Std**



Comments:

Performance curve represents typical performance. See Standard Hydraulic Performance document in the selective printing area of RAPID for testing tolerances & contractual guarantees.

Customer :

LaBour-Taber

2005 Dr. Martin Luther King Jr. Street Indianapolis, Indiana

Project :

Quote No. : US-2222-17

Page No. : 1

Contact :

Phone :

Fax :

Date : Wednesday, April 16, 2003

Pump Model: **LaBour - 2x3-10 LTP LVB**
Type: **LVB - ANSI Standard End Suction**

Nom. Speed: **3550 RPM, 60 Hz Electric**
Impeller Dia.: **10/6 inch**

Duty Flow : US gpm
Duty Head : ft
Efficiency : %

Temperature: **68 °F**
Viscosity: **1.009 cP**
Sp. Gravity: **1.000**

Power Required : hp
NPSH Required : ft
Peak Power: **85.39 hp**
Closed Valve Pressure **454.906 ft**


Curve No.: **8196-023**

Impeller No.

Item : **1**

Your Ref.:

Tolerance : **Hyd Inst-Peerless Std**



Comments:

Performance curve represents typical performance. See Standard Hydraulic Performance document in the selective printing area of RAPID for testing tolerances & contractual guarantees.

Customer :

LaBour-Taber

2005 Dr. Martin Luther King Jr. Street Indianapolis, Indiana

Project :

Quote No. : US-2222-17

Page No. : 1

Contact :

Phone :

Fax :

Date : Wednesday, April 16, 2003

Pump Model: **LaBour - 2x3-10 MTP LVB**
Type: **LVB - ANSI Standard End Suction**

Nom. Speed: **3550 RPM, 60 Hz Electric**
Impeller Dia.: **10/6 inch**

Duty Flow : US gpm
Duty Head : ft
Efficiency : %

Temperature: **68 °F**
Viscosity: **1.009 cP**
Sp. Gravity: **1.000**

Power Required : hp
NPSH Required : ft

Curve No.: **8196-023**

Impeller No.


Item : **1**

Your Ref.:

Fluid: **Water**

Peak Power: **85.39 hp**
Closed Valve Pressure **454.906 ft**

Tolerance : **Hyd Inst-Peerless Std**



Comments:

Performance curve represents typical performance. See Standard Hydraulic Performance document in the selective printing area of RAPID for testing tolerances & contractual guarantees.