


Customer :

LaBour/Taber

2005 Dr Martin Luther King Jr Street Indianapolis, In 46207-7026

Project :		Contact :	
Quote No. : US-2222-17	Page No. : 1	Phone :	Fax :
		Date : Wednesday, April 16, 2003	
Pump Model: LaBour - 1.5x3-13 LTP LVB	Nom. Speed: 1150 RPM, 60 Hz Electric	Duty Flow :	US gpm
Type: LVB - ANSI Standard End Suction	Impeller Dia.: 13/9 inch	Duty Head :	ft
	Temperature: 68 °F	Efficiency :	%
	Viscosity: 1.009 cP	Power Required :	hp
Curve No.: 8196-031	Sp. Gravity: 1.000	NPSH Required :	ft
Impeller No.:	Fluid: Water	Peak Power:	4.13 hp
Item : 1		Closed Valve Pressure	68.205 ft
Your Ref.:	Tolerance : Hyd Inst-Peerless Std		



Comments:

Performance curve represents typical performance. See Standard Hydraulic Performance document in the selective printing area of RAPID for testing tolerances & contractual guarantees.



Customer :

LaBour/Taber

2005 Dr Martin Luther King Jr Street Indianapolis, In 46207-7026

Project :

Quote No. : US-2222-17

Page No. : 1

Contact :

Phone :

Fax :

Date : Wednesday, April 16, 2003

Pump Model: **LaBour - 1.5x3-13 MTP LVB**
Type: **LVB - ANSI Standard End Suction**

Nom. Speed: **1750 RPM, 60 Hz Electric**
Impeller Dia.: **13/9 inch**

Duty Flow : US gpm
Duty Head : ft
Efficiency : %

Temperature: **68 °F**
Viscosity: **1.009 cP**
Sp. Gravity: **1.000**

Power Required : hp
NPSH Required : ft
Peak Power: **14.55 hp**

Curve No.: **8196-030**

Impeller No.


Item : **1**

Fluid: **Water**

Closed Valve Pressure **157.94 ft**

Your Ref.:

Tolerance : **Hyd Inst-Peerless Std**



Comments:

Performance curve represents typical performance. See Standard Hydraulic Performance document in the selective printing area of RAPID for testing tolerances & contractual guarantees.



Customer :

LaBour/Taber

2005 Dr Martin Luther King Jr Street Indianapolis, In 46207-7026

Project :

Quote No. : US-2222-17

Page No. : 1

Contact :

Phone :

Fax :

Date : Wednesday, April 16, 2003

Pump Model: **LaBour - 1.5x3-13 MTP LVB**
Type: **LVB - ANSI Standard End Suction**

Nom. Speed: **1150 RPM, 60 Hz Electric**
Impeller Dia.: **13/9 inch**

Duty Flow : US gpm
Duty Head : ft
Efficiency : %

Temperature: **68 °F**
Viscosity: **1.009 cP**
Sp. Gravity: **1.000**

Power Required : hp
NPSH Required : ft
Peak Power: **4.13 hp**

Curve No.: **8196-031**

Impeller No.


Item : **1**

Fluid: **Water**

Closed Valve Pressure **68.205 ft**

Your Ref.:

Tolerance : **Hyd Inst-Peerless Std**



Comments:

Performance curve represents typical performance. See Standard Hydraulic Performance document in the selective printing area of RAPID for testing tolerances & contractual guarantees.




Customer :

LaBour/Taber

2005 Dr Martin Luther King Jr Street Indianapolis, In 46207-7026

Project :		Contact :	
Quote No. : US-2222-17	Page No. : 1	Phone :	Fax :
		Date : Wednesday, April 16, 2003	

Pump Model: LaBour - 1.5x3-13 LTP LVB	Nom. Speed: 3550 RPM, 60 Hz Electric	Duty Flow :	US gpm
Type: LVB - ANSI Standard End Suction	Impeller Dia.: 13/9 inch	Duty Head :	ft
	Temperature: 68 °F	Efficiency :	%
	Viscosity: 1.009 cP	Power Required :	hp
Curve No.: 8196-029	Sp. Gravity: 1.000	NPSH Required :	ft
Impeller No.:	Fluid: Water	Peak Power:	121.42 hp
Item : 1		Closed Valve Pressure	649.94 ft
Your Ref.:	Tolerance : Hyd Inst-Peerless Std		



Comments:

Performance curve represents typical performance. See Standard Hydraulic Performance document in the selective printing area of RAPID for testing tolerances & contractual guarantees.



Customer :

LaBour/Taber

2005 Dr Martin Luther King Jr Street Indianapolis, In 46207-7026

Project :

Quote No. : US-2222-17

Page No. : 1

Contact :

Phone :

Fax :

Date : Wednesday, April 16, 2003

Pump Model: **LaBour - 1.5x3-13 LTP LVB**
Type: **LVB - ANSI Standard End Suction**

Nom. Speed: **1750 RPM, 60 Hz Electric**
Impeller Dia.: **13/9 inch**

Duty Flow : US gpm
Duty Head : ft
Efficiency : %

Temperature: **68 °F**
Viscosity: **1.009 cP**
Sp. Gravity: **1.000**

Power Required : hp
NPSH Required : ft
Peak Power: **14.55 hp**

Curve No.: **8196-030**

Impeller No.


Item : **1**

Fluid: **Water**

Closed Valve Pressure **157.94 ft**

Your Ref.:

Tolerance : **Hyd Inst-Peerless Std**



Comments:

Performance curve represents typical performance. See Standard Hydraulic Performance document in the selective printing area of RAPID for testing tolerances & contractual guarantees.

Customer :

LaBour/Taber

2005 Dr Martin Luther King Jr Street Indianapolis, In 46207-7026

Project :

Quote No. : US-2222-17

Page No. : 1

Contact :

Phone :

Fax :

Date : Wednesday, April 16, 2003

Pump Model: **LaBour - 1.5x3-13 MTP LVB**
Type: **LVB - ANSI Standard End Suction**

Nom. Speed: **3550 RPM, 60 Hz Electric**
Impeller Dia.: **13/9 inch**

Duty Flow : US gpm
Duty Head : ft
Efficiency : %

Temperature: **68 °F**
Viscosity: **1.009 cP**
Sp. Gravity: **1.000**

Power Required : hp
NPSH Required : ft
Peak Power: **121.42 hp**

Curve No.: **8196-029**


Impeller No.

Fluid: **Water**

Closed Valve Pressure **649.94 ft**

Item : **1**

Tolerance : **Hyd Inst-Peerless Std**



Comments:

Performance curve represents typical performance. See Standard Hydraulic Performance document in the selective printing area of RAPID for testing tolerances & contractual guarantees.