


Customer :

Peerless Pump Company
2005 Dr. Martin Luther King Jr. Street Indianapolis, Indiana


Project :		Contact :	
Quote No. : US-2222-17	Page No. : 1	Phone :	Fax :
		Date : Monday, April 14, 2003	
Pump Model: Peerless - 1.5x3-13 LTP 8196	Nom. Speed: 1150 RPM, 60 Hz Electric	Duty Flow :	US gpm
Type: 8196 - ANSI Standard End Suction	Impeller Dia.: 13/9 inch	Duty Head :	ft
	Temperature: 68 °F	Efficiency :	%
	Viscosity: 1.009 cP	Power Required :	hp
Curve No.: 8196-031	Sp. Gravity: 1.000	NPSH Required :	ft
Impeller No.:	Fluid: Water	Peak Power:	4.13 hp
Item : 1		Closed Valve Pressure	68.205 ft
Your Ref.:	Tolerance : Hyd Inst-Peerless Std		



Customer :

Peerless Pump Company
2005 Dr. Martin Luther King Jr. Street Indianapolis, Indiana

Project :		Contact :	
Quote No. : US-2222-17	Page No. : 1	Phone :	Fax :
		Date : Monday, April 14, 2003	
Pump Model: Peerless - 1.5x3-13 MTP 8196	Nom. Speed: 1750 RPM, 60 Hz Electric	Duty Flow :	US gpm
Type: 8196 - ANSI Standard End Suction	Impeller Dia.: 13/9 inch	Duty Head :	ft
	Temperature: 68 °F	Efficiency :	%
	Viscosity: 1.009 cP	Power Required :	hp
Curve No.: 8196-030	Sp. Gravity: 1.000	NPSH Required :	ft
Impeller No.:	Fluid: Water	Peak Power:	14.55 hp
Item : 1		Closed Valve Pressure	157.94 ft
Your Ref.:	Tolerance : Hyd Inst-Peerless Std		



Customer :


Peerless Pump Company
2005 Dr. Martin Luther King Jr. Street Indianapolis, Indiana

Project :
Quote No. : US-2222-17

Page No. : 1

Contact :
Phone :
Date : Monday, April 14, 2003
Fax :


Pump Model:	Peerless - 1.5x3-13 MTP 8196	Nom. Speed:	1150 RPM, 60 Hz Electric	Duty Flow :	US gpm
Type:	8196 - ANSI Standard End Suction	Impeller Dia.:	13/9 inch	Duty Head :	ft
		Temperature:	68 °F	Efficiency :	%
		Viscosity:	1.009 cP	Power Required :	hp
Curve No.:	8196-031	Sp. Gravity:	1.000	NPSH Required :	ft
Impeller No.:		Fluid:	Water	Peak Power:	4.13 hp
Item :	1			Closed Valve Pressure	68.205 ft
Your Ref.:		Tolerance :	Hyd Inst-Peerless Std		



Customer :

Peerless Pump Company
2005 Dr. Martin Luther King Jr. Street Indianapolis, Indiana

Project :		Contact :	
Quote No. : US-2222-17	Page No. : 1	Phone :	Fax :
		Date : Monday, April 14, 2003	
Pump Model: Peerless - 1.5x3-13 LTP 8196	Nom. Speed: 3550 RPM, 60 Hz Electric	Duty Flow :	US gpm
Type: 8196 - ANSI Standard End Suction	Impeller Dia.: 13/9 inch	Duty Head :	ft
	Temperature: 68 °F	Efficiency :	%
	Viscosity: 1.009 cP	Power Required :	hp
Curve No.: 8196-029	Sp. Gravity: 1.000	NPSH Required :	ft
Impeller No.:	Fluid: Water	Peak Power:	121.42 hp
Item : 1		Closed Valve Pressure	649.94 ft
Your Ref.:	Tolerance : Hyd Inst-Peerless Std		



Comments:


Performance curve represents typical performance. See Standard Hydraulic Performance document in the selective printing area of RAPID for testing tolerances & contractual guarantees.



Customer :

Peerless Pump Company
2005 Dr. Martin Luther King Jr. Street Indianapolis, Indiana

Project :		Contact :	
Quote No. : US-2222-17	Page No. : 1	Phone :	Fax :
		Date : Monday, April 14, 2003	
Pump Model: Peerless - 1.5x3-13 LTP 8196	Nom. Speed: 1750 RPM, 60 Hz Electric	Duty Flow :	US gpm
Type: 8196 - ANSI Standard End Suction	Impeller Dia.: 13/9 inch	Duty Head :	ft
	Temperature: 68 °F	Efficiency :	%
	Viscosity: 1.009 cP	Power Required :	hp
Curve No.: 8196-030	Sp. Gravity: 1.000	NPSH Required :	ft
Impeller No.:	Fluid: Water	Peak Power:	14.55 hp
Item : 1		Closed Valve Pressure	157.94 ft
Your Ref.:	Tolerance : Hyd Inst-Peerless Std		



Comments:
Performance curve represents typical performance. See Standard Hydraulic Performance document in the selective printing area of RAPID for testing tolerances & contractual guarantees.



Customer :

Peerless Pump Company
2005 Dr. Martin Luther King Jr. Street Indianapolis, Indiana

Project :		Contact :	
Quote No. : US-2222-17	Page No. : 1	Phone :	Fax :
		Date : Monday, April 14, 2003	
Pump Model: Peerless - 1.5x3-13 MTP 8196	Nom. Speed: 3550 RPM, 60 Hz Electric	Duty Flow :	US gpm
Type: 8196 - ANSI Standard End Suction	Impeller Dia.: 13/9 inch	Duty Head :	ft
	Temperature: 68 °F	Efficiency :	%
	Viscosity: 1.009 cP	Power Required :	hp
Curve No.: 8196-029	Sp. Gravity: 1.000	NPSH Required :	ft
Impeller No.:	Fluid: Water	Peak Power: 121.42 hp	
Item : 1		Closed Valve Pressure 649.94 ft	
Your Ref.:	Tolerance : Hyd Inst-Peerless Std		

