

HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller


<input type="checkbox"/> BOWL <input type="checkbox"/> FIELD	
PERFORMANCE	
CAPACITY	GPM
TOTAL DYNAMIC HEAD	FT
EFFICIENCY	
BRAKE HORSEPOWER	BHP

PEERLESS PUMP Peerless Pump Company
 Indianapolis, IN 46207-7026

LABORATORY PERFORMANCE	
SIZE	42 MFAH
RPM	705
CURVE NUMBER	2849817

DESCRIPTION: Hydro-Foil Pump with; Bowl **V 2756** ; Impeller **2629533** -
 Elbow above below base dia with x inner column
 Driver: _____

Customer _____
 Item _____
 Peerless Ref. No. _____ Pump No. _____



HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller


<input type="checkbox"/> BOWL	<input type="checkbox"/> FIELD
PERFORMANCE	
CAPACITY	
GPM	
TOTAL DYNAMIC HEAD	
FT	
EFFICIENCY	
BRAKE HORSEPOWER	
BHP	



LABORATORY PERFORMANCE	
SIZE	42 MFAH
RPM	590
CURVE NUMBER	2849816

DESCRIPTION: Hydro-Foil Pump with; Bowl **V 2756** ; Impeller **2629533** -
 Elbow above
 below base dia with x inner column
 Driver: _____

Customer _____
 Item _____
 Peerless Ref. No. _____ Pump No. _____



HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL <input type="checkbox"/> FIELD
PERFORMANCE
CAPACITY GPM
TOTAL DYNAMIC HEAD FT
EFFICIENCY
BRAKE HORSEPOWER BHP

PEERLESS PUMP Peerless Pump Company
 Indianapolis, IN 46207-7026

LABORATORY PERFORMANCE
SIZE 42 MFAH
RPM 440
CURVE NUMBER 2849815

DESCRIPTION: Hydro-Foil Pump with: Bowl V2756 ; Impeller 2629533 -
 above
 below base dia with x inner column


Driver: _____

Customer _____

Item _____

Peerless Ref. No. _____ Pump No. _____

HYDRO-FOIL PUMPS SECTION 340



HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL	<input type="checkbox"/> FIELD
PERFORMANCE	
CAPACITY	GPM
TOTAL DYNAMIC HEAD	FT
EFFICIENCY	
BRAKE HORSEPOWER	BHP

PEERLESS PUMP Peerless Pump Company
 Indianapolis, IN 46207-7026

LABORATORY PERFORMANCE	
SIZE	42 MFH
RPM	575
CURVE NUMBER	2848588

DESCRIPTION: Hydro-Foil Pump with; Bowl **V2756D** ; Impeller **2613971** -
 above
 Elbow below base dia with x inner column

Driver: _____

Customer _____

Item _____

Peerless Ref. No. _____ Pump No. _____