

VERTICAL TURBINE PUMPS  
Model 9LA - 3460 Rpm




Peerless Pump Company  
Ind. 46207-7025

2 POLE 60 HERTZ  
PERFORMANCE

EFFICIENCY ADJUSTMENT FOR STAGING	
STAGES	NUMBER OF POINTS
1	Lower 4
2	Lower 2
3	Lower 1

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSEPOWER CORRESPONDINGLY




Capacity \_\_\_\_\_ gpm  
Head \_\_\_\_\_ Feet  
BHP \_\_\_\_\_  
EFFICIENCY \_\_\_\_\_ %

DRIVER \_\_\_\_\_  
HEAD \_\_\_\_\_  
COLUMN \_\_\_\_\_

CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer
1	T84391	6-11/16	55739	
2	T84391	6-1/16	55753	
3				Peerless Ref. No:
				<b>Laboratory Performance</b>
SIZE 9LA		RPM 3460	BOWL 2604262 CIE	CURVE 4806273

**2 POLE 60 HERTZ PERFORMANCE**



Capacity \_\_\_\_\_ gpm

Head \_\_\_\_\_ Feet

BHP \_\_\_\_\_

EFFICIENCY \_\_\_\_\_ %

DRIVER \_\_\_\_\_

HEAD \_\_\_\_\_

COLUMN \_\_\_\_\_


CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer
1	T84323	6-11/16	55703	Item _____
2	T84323	6-1/16	55742	Peerless Ref. No: _____
3				<b>Laboratory Performance</b>
4				SIZE 9LA RPM 3460 BOWL 2604262 CURVE 4806274



Peerless Pump Company  
 Indianapolis, IN 46207-7025

**VERTICAL TURBINE PUMPS**  
**Model 9LA-1760 Rpm**


SECTION 140  
 Page 1760-23  
 October, 1974



<b>HYDRAULIC PERFORMANCE WARRANTY</b> Guaranteed at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer: _____
	1	T-84391	6 <sup>1</sup> / <sub>16</sub> "	27485	Item No: _____
	2	T-84391	6 <sup>3</sup> / <sub>16</sub> "	32010	Peerless Ref. No: _____
	3				
	4				
<b>Laboratory Performance</b>					BOWL T-84321-E CURVE 2842907
SIZE	9 LA	RPM	1760	CURVE	2842907

PUMP DESCRIPTION: Driver \_\_\_\_\_; Head \_\_\_\_\_; Column \_\_\_\_\_  
 GUARANTEED FIELD PERFORMANCE: Capacity \_\_\_\_\_ gpm; Head \_\_\_\_\_ ft; Eff \_\_\_\_\_%; BHP \_\_\_\_\_

**VERTICAL TURBINE PUMPS**  
 Model 9LA - 1760 Rpm



CHANGE EFFICIENCY AS FOLLOWS	NUMBER OF POINTS	FOR NUMBER OF STAGES
Lower	1	4
"	3	2
"	5	1

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY

HYDRAULIC PERFORMANCE WARRANTY	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer:											
Guaranteed at designated point only, and contingent on:  Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	1	T-84323	UNDERCUT ALL THE WAY 6 11/16"	32825	Item No: _____											
	2	T-84323	STANDARD FILING 6 11/16"	27497	Peerless Ref No: _____											
	3	T-84323	6 3/16"	31374	<b>Laboratory Performance</b>											
	4				<table border="1"> <tr> <td>SIZE</td> <td>9 LA</td> <td>RPM</td> <td>1760</td> <td>BOWL</td> <td>T-84321-E</td> </tr> <tr> <td></td> <td></td> <td>CURVE</td> <td>2842909</td> <td></td> <td></td> </tr> </table>	SIZE	9 LA	RPM	1760	BOWL	T-84321-E			CURVE	2842909	
SIZE	9 LA	RPM	1760	BOWL	T-84321-E											
		CURVE	2842909													

PUMP DESCRIPTION: Driver \_\_\_\_\_; Head \_\_\_\_\_; Column \_\_\_\_\_  
 GUARANTEED FIELD PERFORMANCE: Capacity \_\_\_\_\_ gpm; Head \_\_\_\_\_ ft; Eff \_\_\_\_\_ %; BHP \_\_\_\_\_

Horsepower for \_\_\_\_\_ Stages

Total Head in Feet for \_\_\_\_\_ Stages



Peerless Pump Company  
Indianapolis, IN 46207-7025


VERTICAL TURBINE PUMPS

Stages \_\_\_\_\_  
Horsepower \_\_\_\_\_

Section 140  
10-74

CHANGE EFFICIENCY AS FOLLOWS	NUMBER OF POINTS	FOR NUMBER OF STAGES
Lower	1	4
"	3	2
"	5	1

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY



HYDRAULIC PERFORMANCE WARRANTY at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____					
	1	T-84391	6 <sup>11</sup> / <sub>16</sub> "	27485	Item _____					
	2	T-84391	6 <sup>3</sup> / <sub>16</sub> "	32010	Peerless Ref. No: _____					
	3				<b>Laboratory Performance</b>					
4					SIZE	9 LA	RPM	2900	BOWL	T-84321-E
									CURVE	2847992

140-50Hz Page 17

PUMP DESCRIPTION: Driver \_\_\_\_\_; Head \_\_\_\_\_; Column \_\_\_\_\_  
 BOWL  FIELD  PERFORMANCE: Capacity \_\_\_\_\_ gpm; Head \_\_\_\_\_ ft; Eff \_\_\_\_\_ %; BHP \_\_\_\_\_

Total Head in Feet for \_\_\_\_\_ Stages

Stages \_\_\_\_\_  
Horsepower \_\_\_\_\_

VERTICAL TURBINE PUMPS




Peerless Pump Company  
Indianapolis, IN 46207-7025

CHANGE EFFICIENCY AS FOLLOWS	NUMBER OF POINTS	FOR NUMBER OF STAGES
Lower	1	4
"	3	2
"	5	1

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY

Total Head in Feet for \_\_\_\_\_ Stages

Horsepower for \_\_\_\_\_ Stages



HYDRAULIC PERFORMANCE WARRANTY at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____
	1	T-84323	UNDERCUT ALL THE WAY 6 <sup>1</sup> / <sub>16</sub> "	32825	Item _____
	2	T-84323	STANDARD FILING 6 <sup>1</sup> / <sub>16</sub> "	27497	Peerless Ref. No: _____
	3	T-84323	6 <sup>3</sup> / <sub>16</sub> "	31374	<b>Laboratory Performance</b>
4					SIZE 9 LA      RPM 2900      BOWL T-84321-E CURVE 2847990

PUMP DESCRIPTION: Driver \_\_\_\_\_; Head \_\_\_\_\_; Column \_\_\_\_\_  
 BOWL  PERFORMANCE: Capacity \_\_\_\_\_ gpm; Head \_\_\_\_\_ ft; Eff \_\_\_\_\_ %; BHP \_\_\_\_\_  
 FIELD



Peerless Pump Company  
Indianapolis, IN 46207-7025


VERTICAL TURBINE PUMPS

Horsepower for: \_\_\_\_\_ Stages \_\_\_\_\_

Section 140  
10-74

CHANGE EFFICIENCY AS FOLLOWS	NUMBER OF POINTS	FOR NUMBER OF STAGES*
Lower	1	4
"	3	2
"	5	1

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY



HYDRAULIC PERFORMANCE WARRANTY at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer: _____
	1	T-84391	6 <sup>11</sup> / <sub>16</sub> "	27485	Item No: _____
	2	T-84391	6 <sup>3</sup> / <sub>16</sub> "	32010	Peerless Ref. No: _____
	3				<b>Laboratory Performance</b>
4					SIZE 9 LA RPM 1460 BOWL T-84321-E CURVE 2842906

PUMP DESCRIPTION: Driver \_\_\_\_\_; Head \_\_\_\_\_; Column \_\_\_\_\_

FIELD PERFORMANCE: Capacity \_\_\_\_\_ gpm; Head \_\_\_\_\_ ft; Eff \_\_\_\_\_ %; BIIP \_\_\_\_\_