




Peerless Pump Company  
 Indianapolis, IN 46207-7025

VERTICAL TURBINE PUMPS  
 Model 10HH - 1760 Rpm

SECTION 140  
 Page 1760-33  
 October, 1974

Total Head in Feet for \_\_\_\_\_ Stages



CHANGE EFFICIENCY AS FOLLOWS	NUMBER OF POINTS	FOR NUMBER OF STAGES
Raise	1.3	4 & up
Raise	.7	3

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY

Horsepower for \_\_\_\_\_ Stages

HYDRAULIC PERFORMANCE WARRANTY  Guaranteed at designated point only, and contingent on:  Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE	IMPELLER	IMPELLER DIA.	FROM	Customer _____
	1	2622364	5 <sup>9</sup> / <sub>16</sub> " x 7 <sup>1</sup> / <sub>4</sub> "	45395	Item _____
	2	2622364	5 <sup>3</sup> / <sub>8</sub> " x 7 <sup>7</sup> / <sub>8</sub> "	45408	Peerless Ref. No: _____
	3	2622364	5 <sup>3</sup> / <sub>16</sub> " x 7 <sup>1</sup> / <sub>16</sub> "	45438	<b>Laboratory Performance</b>
	4	2622364	4 <sup>13</sup> / <sub>16</sub> " x 6 <sup>27</sup> / <sub>32</sub> "	45553	BOWL 2623236 CIE
	5	2622364	4 <sup>3</sup> / <sub>8</sub> " x 6 <sup>5</sup> / <sub>8</sub> "	45574	CURVE 2848894


PUMP DESCRIPTION: Driver \_\_\_\_\_; Head \_\_\_\_\_; Column \_\_\_\_\_  
 GUARANTEED BOWL  PERFORMANCE: Capacity \_\_\_\_\_ gpm; Head \_\_\_\_\_ ft; Eff \_\_\_\_\_ %; BHP \_\_\_\_\_  
 FIELD

VERTICAL TURBINE PUMPS  
Model 10HH - 1770 Rpm



Peerless Pump Company  
Indianapolis, IN 46207-7025

Total Head in Feet for \_\_\_\_\_ Stages



CHANGE EFFICIENCY AS FOLLOWS	NUMBER OF PONT'S	FOR NUMBER OF STAGES
LOWER	1	3
LOWER	2	1

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY

Horsepower for \_\_\_\_\_ Stages

HYDRAULIC PERFORMANCE WARRANTY	CURVE	IMPELLER	IMPELLER DIA.	FROM	Laboratory Performance		
	Guaranteed at designated point only, and contingent on:  Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	1	2626818	5 <sup>7</sup> / <sub>8</sub> " x 7 <sup>13</sup> / <sub>16</sub> "	44036	SIZE	10 HH
2		2626818	5 <sup>3</sup> / <sub>8</sub> " x 7 <sup>13</sup> / <sub>16</sub> "	44113	BOWL	2623236 CIE	
3		2626818	5 <sup>1</sup> / <sub>8</sub> " x 7 <sup>13</sup> / <sub>16</sub> "	44175	CURVE	2847501 R	
4		2626818	4 <sup>7</sup> / <sub>8</sub> " x 7 <sup>13</sup> / <sub>16</sub> "	44260			
5		2626818	4 <sup>5</sup> / <sub>8</sub> " x 7 <sup>13</sup> / <sub>16</sub> "	44382			

PUMP DESCRIPTION: Driver \_\_\_\_\_; Head \_\_\_\_\_; Column \_\_\_\_\_

GUARANTEED BOWL  PERFORMANCE: Capacity \_\_\_\_\_ gpm; Head \_\_\_\_\_ ft; Eff \_\_\_\_\_ %; BHP \_\_\_\_\_  
FIELD




Peerless Pump Company  
Indianapolis, IN 46207-7025

**VERTICAL TURBINE PUMPS**  
Model 10HH - 1160 Rpm

SECTION 140  
Page 1160-7  
October, 1974

Total Head in Feet for \_\_\_\_\_ Stages



Horsepower for \_\_\_\_\_ Stages

Head and Capacity Warranty Contingent on:	CURVE	IMPELLER	IMPELLER DIA.	FROM	Customer _____			
	1	2622864	5 <sup>9</sup> / <sub>16</sub> " x 7 <sup>1</sup> / <sub>4</sub> "	45395		Item _____		
Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	2	2622864	5 <sup>3</sup> / <sub>16</sub> " x 7 <sup>1</sup> / <sub>8</sub> "	45408	Peerless Ref. No: _____			
	3	2622864	5 <sup>3</sup> / <sub>16</sub> " x 7 <sup>1</sup> / <sub>16</sub> "	45438	<b>Laboratory Performance</b>			
	4	2622864	4 <sup>13</sup> / <sub>16</sub> " x 6 <sup>27</sup> / <sub>32</sub> "	45553	SIZE	10 HH	RPM	1160
	5	2622864	4 <sup>3</sup> / <sub>8</sub> " x 6 <sup>5</sup> / <sub>8</sub> "	45574	BOWL	2623236 CIE	CURVE	2848896


PUMP DESCRIPTION: Driver \_\_\_\_\_; Head \_\_\_\_\_; Column \_\_\_\_\_  
 BOWL  PERFORMANCE: Capacity \_\_\_\_\_ gpm; Head \_\_\_\_\_ ft; Eff \_\_\_\_\_ %; BHP \_\_\_\_\_  
 FIELD

VERTICAL TURBINE PUMPS  
Model 10HH - 1160 Rpm



Peerless Pump Company  
Indianapolis, IN 46207-7025

Total Head in Feet for \_\_\_\_\_ Stages



Horsepower for \_\_\_\_\_ Stages

CURVE	IMPELLER	IMPELLER DIA.	FROM	Laboratory Performance		
				SIZE	RPM	CURVE
1	2626818	5 <sup>7</sup> / <sub>8</sub> " x 7 <sup>13</sup> / <sub>16</sub> "	44036	10 HH	1175	2847502R
2	2626818	5 <sup>3</sup> / <sub>8</sub> " x 7 <sup>13</sup> / <sub>16</sub> "	44113			
3	2626818	5 <sup>1</sup> / <sub>8</sub> " x 7 <sup>13</sup> / <sub>16</sub> "	44175			
4	2626818	4 <sup>7</sup> / <sub>8</sub> " x 7 <sup>13</sup> / <sub>16</sub> "	44260			
5	2626818	4 <sup>5</sup> / <sub>8</sub> " x 7 <sup>13</sup> / <sub>16</sub> "	44382			

Customer \_\_\_\_\_  
Item \_\_\_\_\_  
Peerless Ref. No: \_\_\_\_\_  
BOWL 2623236 CIE

Head and Capacity Warranty  
Contingent on:

- Proper flow to pump suction
- Proper submergence
- Fluid free of gas, air & abrasives
- Proper lateral setting of impeller

PUMP DESCRIPTION: Driver \_\_\_\_\_; Head \_\_\_\_\_; Column \_\_\_\_\_

PERFORMANCE: Capacity \_\_\_\_\_ gpm; Head \_\_\_\_\_ ft; Eff \_\_\_\_\_ %; BHP \_\_\_\_\_






Peerless Pump Company  
Indianapolis, IN 46207-7025

Stages \_\_\_\_\_ for \_\_\_\_\_ Horsepower

VERTICAL TURBINE PUMPS



CHANGE EFFICIENCY AS FOLLOWS	NUMBER OF POINTS	FOR NUMBER OF STAGES
Raise	1.3	4 & up
Raise	.7	3

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY

HYDRAULIC PERFORMANCE WARRANTY at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE	IMPELLER	IMPELLER DIA.	FROM	Customer _____				
	1	2622864	5 <sup>9</sup> / <sub>16</sub> " x 7 <sup>1</sup> / <sub>4</sub> "	45395	Item _____				
	2	2622864	5 <sup>3</sup> / <sub>8</sub> " x 7 <sup>1</sup> / <sub>8</sub> "	45408	Peerless Ref. No: _____				
	3	2622864	5 <sup>3</sup> / <sub>16</sub> " x 7 <sup>1</sup> / <sub>16</sub> "	45438	<b>Laboratory Performance</b>				
	4	2622864	4 <sup>13</sup> / <sub>16</sub> " x 6 <sup>27</sup> / <sub>32</sub> "	45553	SIZE	10 HH	RPM	1460	BOWL
5	2622864	4 <sup>3</sup> / <sub>8</sub> " x 6 <sup>5</sup> / <sub>8</sub> "	45574	CURVE	2848895				

Total Head in Feet for \_\_\_\_\_ Stages

140-50HZ Page 45

PUMP DESCRIPTION: Driver \_\_\_\_\_; Head \_\_\_\_\_; Column \_\_\_\_\_  
 BOWL  FIELD  PERFORMANCE: Capacity \_\_\_\_\_ gpm; Head \_\_\_\_\_ ft; Eff \_\_\_\_\_ %; BHP \_\_\_\_\_

VERTICAL TURBINE PUMPS




Peerless Pump Company  
Indianapolis, IN 46207-7025

Horsepower for \_\_\_\_\_ Stages

CHANGE EFFICIENCY AS FOLLOWS	NUMBER OF POINTS	FOR NUMBER OF STAGES
LOWER	1	3
LOWER	2	1

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY




Total Head in Feet for \_\_\_\_\_ Stages

HYDRAULIC PERFORMANCE WARRANTY	CURVE	IMPELLER DIA.	FROM	Customer _____	
				Item _____	Peerless Ref. No: _____
at designated point only, and contingent on:  Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	1	2626818	5 <sup>7</sup> / <sub>8</sub> " x 7 <sup>13</sup> / <sub>16</sub> "	44036	<b>Laboratory Performance</b> BOWL 2623236 CIE CURVE 2847503R
	2	2626818	5 <sup>3</sup> / <sub>8</sub> " x 7 <sup>13</sup> / <sub>16</sub> "	44113	
	3	2626818	5 <sup>1</sup> / <sub>8</sub> " x 7 <sup>13</sup> / <sub>16</sub> "	44175	SIZE 10 HH      RPM 1470
	4	2626818	4 <sup>7</sup> / <sub>8</sub> " x 7 <sup>13</sup> / <sub>16</sub> "	44260	
	5	2626818	4 <sup>5</sup> / <sub>8</sub> " x 7 <sup>13</sup> / <sub>16</sub> "	44382	

PUMP DESCRIPTION: Driver \_\_\_\_\_; Head \_\_\_\_\_; Column \_\_\_\_\_  
 BOWL  PERFORMANCE: Capacity \_\_\_\_\_ gpm; Head \_\_\_\_\_ ft; Eff \_\_\_\_\_ %; BHP \_\_\_\_\_  
 FIELD

Total Head in Feet for \_\_\_\_\_ Stages



CHANGE EFFICIENCY AS FOLLOWS	NUMBER OF POINTS	FOR NUMBER OF STAGES
LOWER	1	3
LOWER	2	1
NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY		



Peerless Pump Company  
Indianapolis, IN 46207-7025

VERTICAL TURBINE PUMPS

Horsepower for \_\_\_\_\_ Stages

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

140-50Hz Page 103

NO.	NO.	DIA.	FROM
1	2626818	5 <sup>7</sup> / <sub>8</sub> " x 7 <sup>13</sup> / <sub>16</sub> "	44036
2	2626818	5 <sup>3</sup> / <sub>8</sub> " x 7 <sup>13</sup> / <sub>16</sub> "	44113
3	2626818	5 <sup>1</sup> / <sub>8</sub> " x 7 <sup>13</sup> / <sub>16</sub> "	44175
4	2626818	4 <sup>7</sup> / <sub>8</sub> " x 7 <sup>13</sup> / <sub>16</sub> "	44260
5	2626818	4 <sup>5</sup> / <sub>8</sub> " x 7 <sup>13</sup> / <sub>16</sub> "	44382

Customer _____	
Item _____	
Peerless Ref. No: _____	
<b>Laboratory Performance</b>	
SIZE 10 HH	RPM 970
BOWL 2623236 CIE	CURVE 2847504R

PUMP DESCRIPTION: Driver \_\_\_\_\_; Head \_\_\_\_\_; Column \_\_\_\_\_

BOWL PERFORMANCE: Capacity \_\_\_\_\_ gpm; Head \_\_\_\_\_ ft; Eff \_\_\_\_\_ %; BHP \_\_\_\_\_

FIELD

VERTICAL TURBINE PUMPS

Horsepower for \_\_\_\_\_ Stages




Peerless Pump Company  
Indianapolis, IN 46207-7025

CHANGE EFFICIENCY AS FOLLOWS	NUMBER OF POINTS	FOR NUMBER OF STAGES
Raise	1.3	4&up
Raise	.7	3

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY

Total Head in Feet for \_\_\_\_\_ Stages



SHUT OFF BHP

1.	1.4 BHP
2.	1.3 BHP
3.	1.2 BHP
4.	1.2 BHP
5.	1.0 BHP

SHUT OFF HEAD

1.	13.4 FT
2.	11.8 FT
3.	11.5 FT
4.	10.4 FT
5.	8.8 FT

HYDRAULIC PERFORMANCE WARRANTY	CURVE	IMPELLER	IMPELLER DIA.	FROM	Customer _____					
	at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	1	2622864	5 <sup>9</sup> / <sub>16</sub> " x 7 <sup>1</sup> / <sub>4</sub> "	45395	Item _____				
	2	2622864	5 <sup>3</sup> / <sub>8</sub> " x 7 <sup>1</sup> / <sub>8</sub> "	45408	Peerless Ref. No: _____					
	3	2622864	5 <sup>3</sup> / <sub>16</sub> " x 7 <sup>1</sup> / <sub>16</sub> "	45438	<b>Laboratory Performance</b>					
	4	2622864	4 <sup>13</sup> / <sub>16</sub> " x 6 <sup>27</sup> / <sub>32</sub> "	45553	SIZE	10 HH	RPM	970	BOWL	2623236 CIE
	5	2622864	4 <sup>3</sup> / <sub>8</sub> " x 6 <sup>5</sup> / <sub>8</sub> "	45574				CURVE	2849129	

PUMP DESCRIPTION: Driver \_\_\_\_\_; Head \_\_\_\_\_; Column \_\_\_\_\_  
 BOWL PERFORMANCE: Capacity \_\_\_\_\_ gpm; Head \_\_\_\_\_ ft; Eff \_\_\_\_\_ %; BHP \_\_\_\_\_  
 FIELD