




Peerless Pump Company
 Indianapolis, IN 46207-7025

VERTICAL TURBINE PUMPS
 Model 18HXB - 1760 Rpm

SECTION 140
 Page 1760-79
 October, 1974

Total Head in Feet for _____ Stages



Horsepower for _____ Stages

HYDRAULIC PERFORMANCE WARRANTY	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer: _____			
	Guaranteed at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	1	2617433	13" x 13 ³ / ₈ "	41456	Item No: _____		
2		2617433	12 ¹ / ₄ " x 13"		Peerless Ref. No: _____			
3		2617433	11 ¹ / ₄ " x 12"	26645	Laboratory Performance		BOWL	2605460-E
4		2617433	10 ¹ / ₂ " x 11 ¹ / ₄ "	27244	SIZE	18 HXB	RPM	1760
							CURVE	2846852

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 GUARANTEED FIELD PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____


VERTICAL TURBINE PUMPS
Model 18HXB - 1760 Rpm



Peerless Pump Company
Indianapolis, IN 46207-7025

CHANGE EFFICIENCY AS FOLLOWS	OF POINTS	FOR NUMBER OF STAGES
Lower	1	2
"	2	1

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY



HYDRAULIC PERFORMANCE WARRANTY Guaranteed at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer: _____
	1	2618937	11 ²⁹ / ₃₂ " x 13 ¹ / ₂ "	35935	Item No: _____
	2	2618937	11 ⁷ / ₁₆ " x 13"	34201	Peerless Ref. No: _____
	3	2618937	10 ¹³ / ₁₆ " x 12 ¹ / ₂ "	34282	
	4				Laboratory Performance SIZE 18 HXB RPN 1760 BOWL 2605460 CIE CURVE 2846874

PUMP DESCRIPTION: Driver _____; Head _____; Column _____

GUARANTEED FIELD PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____

Total Head in Feet for _____ Stages

Horsepower for _____ Stages




Peerless Pump Company
Indianapolis, IN 46207-7025

VERTICAL TURBINE PUMPS
Model 18HXB - 1160 Rpm

SECTION 140
Page 1160-51
October, 1974

Total Head in Feet for _____ Stages



CHANGE EFFICIENCY AS FOLLOWS	NUMBER OF POINTS	FOR NUMBER OF STAGES
RAISE	2	2
W	3	3

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY

Horsepower for _____ Stages

Head and Capacity Warranty Contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer: _____
	1	2617433	13" x 13 ³ / ₈ "	41456	Item No: _____
2	2617433	12 ¹ / ₄ " x 13"		Peerless Ref. No: _____	
3	2617433	11 ¹ / ₄ " x 12"	26645	Laboratory Performance	
4	2617433	10 ¹ / ₂ " x 11 ¹ / ₄ "	27244		
					BOWL 2605460 E
					SIZE 18 HXB RPM 1160 CURVE 2846854

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
FIELD PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____

VERTICAL TURBINE PUMPS
Model 18HXB - 1160 Rpm




Peerless Pump Company
Indianapolis, IN 46207-7025

Stages _____
Horsepower _____

CHANGE EFFICIENCY AS FOLLOWS	POINTS	FOR NUMBER OF STAGES
Lower	1	2
"	2	1

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY



SMALL OFF HEAD

(2)	44.5 FT.
(3)	40.5 FT.
(4)	35.5 FT.

SMALL OFF BHP

(2)	33.4 BHP
(3)	31.5 BHP
(4)	28.6 BHP

Head and Capacity Warranty Contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer: _____
	1	2618937	11 ²⁹ / ₃₂ " x 13 ¹ / ₂ "	35935	Item No: _____
	2	2618937	11 ⁷ / ₁₆ " x 13"	34201	Peerless Ref. No: _____
	3	2618937	10 ¹³ / ₁₆ " x 12 ¹ / ₂ "	34282	
	4				
Laboratory Performance					BOWL 2605460 CIE
SIZE	18 HXB	RPM	1160	CURVE	2846876

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 FIELD PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____



Peerless Pump Company
Indianapolis, IN 46207-7025


VERTICAL TURBINE PUMPS

Stages of horsepower

Section 140
10-74

CHANGE EFFICIENCY AS FOLLOWS	NUMBER OF POINTS	FOR NUMBER OF STAGES
RAISE	2	2
"	3	3

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY



Total Head in Feet for _____ Stages

HYDRAULIC PERFORMANCE WARRANTY at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer:
	1	2617433	13" x 13 ³ / ₈ "	41456	Item No:
2	2617433	12 ¹ / ₄ " x 13"		Peerless Ref. No:	
3	2617433	11 ¹ / ₄ " x 12"	26645	Laboratory Performance	
4	2617433	10 ¹ / ₂ " x 11 ¹ / ₄ "	27244	SIZE	18 HXB
				RPM	1460
				BOWL	2605460-E
				CURVE	2846853


PUMP DESCRIPTION: Driver _____; Head _____; Column _____
FIELD PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____

VERTICAL TURBINE PUMPS



CHANGE EFFICIENCY AS FOLLOWS	FOR NUMBER OF STAGES
Lower	1 2
"	2 1
Higher	1 2
"	2 1

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY



Total Head in Feet per Stage

Total Head in Feet for _____ Stages

Horsepower per Stage

Horsepower for _____ Stages

HYDRAULIC PERFORMANCE WARRANTY at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer: _____
	1	2618937	11 ²⁹ / ₃₂ " x 13 ¹ / ₂ "	35935	Item No: _____
	2	2618937	11 ⁷ / ₁₆ " x 13"	34201	Peerless Ref. No: _____
	3	2618937	10 ¹³ / ₁₆ " x 12 ¹ / ₂ "	34282	Laboratory Performance
4					BOWL 2605460 CIE SIZE 18 HXB RPM 1460 CURVE 2846875

PUMP DESCRIPTION: Driver _____; Head _____; Column _____

FIELD PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____