




Peerless Pump Company
 Indianapolis, IN 46207-7026

VERTICAL TURBINE PUMPS
Model 32HXB - 885 Rpm

Stages _____ of _____ Horsepower

SECTION 140
 Page 870-29
 October, 1974



SHUT OFF HEAD
 1. 160.8 FT.
 2. 147.0 FT.
 3. 131.0 FT.
 4. 116.0 FT.

CHANGE EFFICIENCY AS FOLLOWS	NUMBER OF POINTS	FOR NUMBER OF STAGES
LOWER	1/2	1

NOTE ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY

Staging Factor	
No. of Stages	Multiply Head By:
1	1.0
2	1.9
3	2.8
4	3.7
5	4.6

Also apply efficiency factor

SHUT OFF B.H.P.
 1. 312.0 B.H.P.
 2. 282.0 B.H.P.
 3. 273.0 B.H.P.
 4. 211.0 B.H.P.

WPSH IN FT.
 80
 60
 40
 20

HYDRAULIC PERFORMANCE WARRANTY	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM
	Guaranteed at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	1	2622117	24 ³ / ₈ " x 25"
2		2622117	22 ⁷ / ₁₆ " x 23 ¹⁵ / ₁₆ "	33641
3		2622117	21 ³ / ₈ " x 22 ¹³ / ₁₆ "	33652
4		2622117	20 ⁵ / ₃₂ " x 21 ¹ / ₂ "	33656


Customer: _____	
Item No: _____	
Peerless Ref. No: _____	
Laboratory Performance	
BOWL	2618411 CI
PLASTIC COATED	
SIZE	32 HXB
RPM	885
CURVE	2842746

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 GUARANTEED FIELD PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____

VERTICAL TURBINE PUMPS
Model 32HXB - 885 Rpm



Peerless Pump Company
Indianapolis, IN 46207-7026



Total Head in Feet for _____ Stages

Stages _____ for horsepower of _____

HYDRAULIC PERFORMANCE WARRANTY Guaranteed at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO. 1	IMPELLER NO. 2618419	IMPELLER DIA. 22 ¹⁵ / ₃₂ " x 25 ¹ / ₄ "	TAKEN FROM 35028	Customer: _____
	2	2618419	21 ³ / ₁₆ " x 24 ¹ / ₈ "	35153	Item No: _____
	3	2618419	20 ¹ / ₄ " x 23 ¹ / ₄ "	34282	Peerless Ref. No: _____
	4				Laboratory Performance BOWL 2618411 CI PLASTIC COATED SIZE 32 HXB RPM 885 CURVE 2827220

PUMP DESCRIPTION: Driver _____; Head _____; Column _____

GUARANTEED FIELD PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____




Peerless Pump Company
Indianapolis, IN 46207-0255

VERTICAL TURBINE PUMPS
Model 32HXB - 705 Rpm

SECTION 140
Page 690-11
October, 1974

Total Head in Feet for _____ Stages



CHANGE EFFICIENCY AS FOLLOWS	NUMBER OF POINTS	FOR NUMBER OF STAGES
LOWER	1/2	1

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY

Horsepower for _____ Stages


Head and Capacity Warranty Contingent on:	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer:											
	Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	1	2622117	24 ³ / ₈ " x 25"	33638	Item No: _____										
2		2622117	22 ⁷ / ₁₆ " x 23 ¹⁵ / ₁₆ "	33641	Peerless Ref. No: _____											
3		2622117	21 ³ / ₈ " x 22 ¹³ / ₁₆ "	33652	Laboratory Performance											
4		2622117	20 ⁵ / ₃₂ " x 21 ¹ / ₂ "	33656	<table border="1"> <tr> <td>SIZE</td> <td>32 HXB</td> <td>RPM</td> <td>705</td> <td>BOWL</td> <td>2618411 CI PLASTIC COATED</td> </tr> <tr> <td></td> <td></td> <td>CURVE</td> <td>2842747</td> <td></td> <td></td> </tr> </table>	SIZE	32 HXB	RPM	705	BOWL	2618411 CI PLASTIC COATED			CURVE	2842747	
SIZE	32 HXB	RPM	705	BOWL	2618411 CI PLASTIC COATED											
		CURVE	2842747													

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 FIELD PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____

VERTICAL TURBINE PUMPS
Model 32HXB - 705 Rpm



Peerless Pump Company
Indianapolis, IN 46207-7025



Head and Capacity Warranty Contingent on:	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer:
	Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	1	2618419	22 ¹⁵ / ₃₂ " x 25 ¹ / ₄ "	35028
2		2618419	21 ³ / ₁₆ " x 24 ¹ / ₈ "	35153	Item No: _____
3		2618419	20 ¹ / ₄ " x 23 ¹ / ₄ "	34282	Peerless Ref. No: _____
4					

Laboratory Performance		BOWL	2618411 CI
SIZE	32 HXB	RPM	705
CURVE	2827219		

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 FIELD PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____




Peerless Pump Company
Indianapolis, IN 46207-7025

VERTICAL TURBINE PUMPS
Model 32HXB - 585 Rpm

Horsepower for _____ Stages

SECTION 140
Page 585-9
October, 1974



Head and Capacity Warranty Contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer:
	1	2622117	24 ³ / ₈ " x 25"	33638	_____
	2	2622117	22 ⁷ / ₁₆ " x 23 ¹⁵ / ₁₆ "	33641	Item No: _____
	3	2622117	21 ³ / ₈ " x 22 ¹³ / ₁₆ "	33652	Peerless Ref. No: _____
	4	2622117	20 ⁵ / ₃₂ " x 21 ¹ / ₂ "	33656	

Laboratory Performance				BOWL	2618411 CI PLASTIC COATED
SIZE	32 HXB	RPM	585	CURVE	2842748


PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 FIELD PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____

VERTICAL TURBINE PUMPS
Model 32HXB - 585 Rpm

Horsepower for _____ Stages



Peerless Pump Company
Indianapolis, IN 46207-7025



Head and Capacity Warranty Contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer: _____
	1	2618419	22 ¹⁵ / ₃₂ " x 25 ¹ / ₄ "	35028	Item No: _____
	2	2618419	21 ³ / ₁₆ " x 24 ¹ / ₈ "	35153	Peerless Ref. No: _____
	3	2618419	20 ¹ / ₄ " x 23 ¹ / ₄ "	34282	Laboratory Performance
	4				BOWL 2618411 CI PLASTIC COATING
					SIZE 32 HXB RPM 585 CURVE 2827218

PUMP DESCRIPTION: Driver _____ ; Head _____ ; Column _____
 FIELD PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____




Peerless Pump Company
Indianapolis, IN 46207-7025

VERTICAL TURBINE PUMPS
Model 32HXB - 505 Rpm

SECTION 140
Page 505-3
October, 1974

Peerless Pumps

Total Head in Feet for _____ Stages



Horsepower for _____ Stages

Head and Capacity Warranty Contingent on:	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer:
	1	2622117	24 ³ / ₈ " x 25"	33638	
Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	2	2622117	22 ⁷ / ₁₆ " x 23 ¹⁵ / ₁₆ "	33641	Item No:
	3	2622117	21 ³ / ₈ " x 22 ¹³ / ₁₆ "	33652	Peerless Ref. No:
	4	2622117	20 ⁵ / ₃₂ " x 21 ¹ / ₂ "	33656	

Laboratory Performance		BOWL
SIZE	32 HXB	2618411 CI
RPM	505	PLASTIC COATED
CURVE	2842749	

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 FIELD PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____%; BHP _____



Peerless Pump Company
Indianapolis, IN 46207-7026


VERTICAL TURBINE PUMPS
Model 32HXB - 585 Rpm

Stages _____
Horsepower _____

SECTION 140
Page 585-9
October, 1974

CHANGE EFFICIENCY AS FOLLOWS	NUMBER OF POINTS	FOR NUMBER OF STAGES
LOWER	1/2	1

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY



Head and Capacity Warranty Contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer: _____
	1	2622117	24 ³ / ₈ " x 25"	33638	Item No: _____
	2	2622117	22 ⁷ / ₁₆ " x 23 ¹⁵ / ₁₆ "	33641	Peerless Ref. No: _____
	3	2622117	21 ³ / ₈ " x 22 ¹³ / ₁₆ "	33652	Laboratory Performance
4	2622117	20 ⁵ / ₃₂ " x 21 ¹ / ₂ "	33656	SIZE 32 HXB RPM 585 CURVE 2842748	

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
FIELD PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____


Total Head in Feet for _____ Stages

VERTICAL TURBINE PUMPS
Model 32HXB - 585 Rpm

Horsepower for _____ Stages

CHANGE EFFICIENCY AS FOLLOWS	NUM. OF POINTS	FOR NUMBER OF STAGES
Raise	1/2	2

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY



Head and Capacity Warranty Contingent on:	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer:
	Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	1	2618419	22 ¹⁵ / ₃₂ " x 25 ¹ / ₄ "	35028
2		2618419	21 ³ / ₁₆ " x 24 ¹ / ₈ "	35153	Item No: _____
3		2618419	20 ¹ / ₄ " x 23 ¹ / ₄ "	34282	Peerless Ref. No: _____
4					

Laboratory Performance		BOWL
SIZE	32 HXB	2618411 CI
RPM	585	PLASTIC COATING
CURVE	2827218	

PUMP DESCRIPTION: Driver _____; Head _____; Column _____

FIELD PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____

