


COMPUTER PLOTTED



Total Head in Feet for _____ Stages

Horsepower for _____ Stages

HYDRAULIC PERFORMANCE WARRANTY Guaranteed at designated point only, and contingent on: Proper flow to pump suction. Proper submergence. Fluid free of gas, air & abrasives. Proper lateral setting of impeller.	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____
	1	2633417	21 ⁵ / ₈ X 28 ¹ / ₁₆		Item _____
	2	2633417	19 ³ / ₄ X 27 ⁵ / ₁₆		Peerless Ref. No: _____
	3	2633417	17 ¹⁵ / ₁₆ X 26 ²¹ / ₃₂		Laboratory Performance
	4	2633417	16 ⁵ / ₁₆ X 26 ³ / ₃₂		BOWL 2633422 ^{CI} PLASTIC COATED SIZE 36 HH - OH RPM 885 CURVE 4805139

PUMP DESCRIPTION: Driver _____; Head _____; Column _____

GUARANTEED BOWL PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____

FIELD




Peerless Pump Company
Indianapolis, IN 46207-7025

VERTICAL TURBINE PUMPS
Model 36HH OH - 885 Rpm

SECTION 140
Page 870-37
October, 1974

COMPUTER PLOTTED

Total Head in Feet for _____ Stages



HEAD STAGING FACTOR
Deduct 4% of head developed for each additional stage.

EFFICIENCY FACTOR

- (a) One stage performance as indicated.
- (b) Deduct 2 points for 2 stages.
- (c) No deduction in efficiency for more than 2 stages.

Head and Capacity Warranty Contingent on: Proper flow to pump suction. Proper submergence. Fluid free of gas, air & abrasives. Proper lateral setting of impeller.	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____
	1	2633417	21 ⁵ / ₈ X 28 ¹ / ₁₆		Item _____
	2	2633417	19 ³ / ₄ X 27 ⁵ / ₁₆		Peerless Ref. No: _____
	3	2633417	17 ¹⁵ / ₁₆ X 26 ²¹ / ₃₂		Laboratory Performance
	4	2633417	16 ⁵ / ₁₆ X 26 ³ / ₃₂		BOWL 2633422 <small>CI PLASTIC COATED</small> SIZE 36 HH - OH RPM 705 CURVE 4805140




Peerless Pump Company
Indianapolis, IN 46207-7025

VERTICAL TURBINE PUMPS
Model 36HH-OH - 705 Rpm

SECTION 140
Page 690-19
October, 1974

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 BOWL PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____
 FIELD

COMPUTER PLOTTED



HEAD STAGING FACTOR
Deduct 4% of head developed for each additional stage.

EFFICIENCY FACTOR

- (a) One stage performance as indicated.
- (b) Deduct 2 points for 2 stages.
- (c) No deduction in efficiency for more than 2 stages.

Total Head in Feet for _____ Stages

Horsepower for _____ Stages

Head and Capacity Warranty Contingent on: Proper flow to pump suction. Proper submergence. Fluid free of gas, air & abrasives. Proper lateral setting of impeller.	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM
	1	2633417	21 ⁵ / ₈ X 28 ¹ / ₁₆	
	2	2633417	19 ³ / ₄ X 27 ⁵ / ₁₆	
	3	2633417	17 ¹⁵ / ₁₆ X 26 ²¹ / ₃₂	
	4	2633417	16 ⁵ / ₁₆ X 26 ³ / ₃₂	

Customer _____

Item _____

Peerless Ref. No: _____

Laboratory Performance

SIZE 36 HH - OH	RPM 585	BOWL 2633422 <small>CI PLASTIC COATED</small>
		CURVE 4805142



Peerless Pump Company
Indianapolis, IN 46207-7025


VERTICAL TURBINE PUMPS
Model 36HH-OH - 585 Rpm

SECTION 140
Page 585-17
October, 1974

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 BOWL PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____
 FIELD

COMPUTER PLOTTED

Total Head in Feet for _____ Stages



- HEAD STAGING FACTOR**
Deduct 4% of head developed for each additional stage.
- EFFICIENCY FACTOR**
- (a) One stage performance as indicated.
 - (b) Deduct 2 points for 2 stages.
 - (c) No deduction in efficiency for more than 2 stages.



Peerless Pump Company
Indianapolis, IN 46207-7025

Stages _____
Horsepower for _____

VERTICAL TURBINE PUMPS

Section 140
10-74

HYDRAULIC PERFORMANCE WARRANTY at designated point only, and contingent on: Proper flow to pump suction. Proper submergence. Fluid free of gas, air & abrasives. Proper lateral setting of impeller.	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____
	1	2633417	21 ⁵ / ₈ X 28 ¹ / ₁₆		Item _____
	2	2633417	19 ³ / ₄ X 27 ⁵ / ₁₆		Peerless Ref. No: _____
	3	2633417	17 ¹⁵ / ₁₆ X 26 ²¹ / ₃₂		Laboratory Performance
	4	2633417	16 ⁵ / ₁₆ X 26 ³ / ₃₂		BOWL 2633422 CI PLASTIC COATED
					SIZE 36 HH - OH RPM 735 CURVE 4805141

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 BOWL PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____
 FIELD



Peerless Pump Company
Indianapolis, IN 46207-7025


VERTICAL TURBINE PUMPS

Stages _____
Horsepower for _____

Section 140
10-74

COMPUTER PLOTTED

Total Head in Feet for _____ Stages



HYDRAULIC PERFORMANCE WARRANTY at designated point only, and contingent off: Proper flow to pump suction. Proper submergence. Fluid free of gas, air & abrasives. Proper lateral setting of impeller.	CURVE NO. 1	IMPELLER NO. 2633417	IMPELLER DIA. 21 ⁵ / ₈ X 28 ¹ / ₁₆	TAKEN FROM	Customer _____ Item _____ Peerless Ref. No: _____
	2	2633417	19 ³ / ₄ X 27 ⁵ / ₁₆		Laboratory Performance BOWL 2633422 <small>CI PLASTIC COATED</small> CURVE 4805142
	3	2633417	17 ¹⁵ / ₁₆ X 26 ²¹ / ₃₂		
	4	2633417	16 ⁵ / ₁₆ X 26 ³ / ₃₂		SIZE 36 HH - OH RPM 585

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 BOWL PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____
 FIELD