

HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL	<input type="checkbox"/> FIELD
PERFORMANCE	
CAPACITY	GPM
TOTAL DYNAMIC HEAD	FT
EFFICIENCY	
BRAKE HORSEPOWER	BHP



LABORATORY PERFORMANCE	
SIZE	14 MFAL
RPM	1780
CURVE NUMBER	4801936

DESCRIPTION: Hydro-Foil Pump with; Bowl V2835 ; Impeller 2629791 -

above Elbow below base dia with x inner column

Driver: _____

Customer _____

Item _____


Peerless Ref. No. _____ Pump No. _____

HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL
<input type="checkbox"/> FIELD
PERFORMANCE
CAPACITY GPM
TOTAL DYNAMIC HEAD FT
EFFICIENCY
BRAKE HORSEPOWER BHP


PEERLESS PUMP Peerless Pump Company
 Indianapolis, IN 46207-7026

LABORATORY PERFORMANCE
SIZE 14 MFAL
RPM 1480
CURVE NUMBER 4801935



DESCRIPTION: Hydro-Foil Pump with; Bowl V 2835 ; Impeller 2629791 -
 Elbow above below base dia with _____ x _____ inner column
 Driver: _____

Customer _____
 Item _____
 Peerless Ref. No. _____ Pump No. _____



HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL <input type="checkbox"/> FIELD	
PERFORMANCE	
CAPACITY	GPM
TOTAL DYNAMIC HEAD	FT
EFFICIENCY	
BRAKE HORSEPOWER	BHP

PEERLESS PUMP Peerless Pump Company
 Indianapolis, IN 46207-7026


LABORATORY PERFORMANCE	
SIZE	14 MFAL
RPM	1180
CURVE NUMBER	4801934

DESCRIPTION: Hydro-Foil Pump with; Bowl V2835 ; Impeller 2629791 -
 above
 below base
 Elbow dia with x inner column
 Driver:

Customer _____
 Item _____
 Peerless Ref. No. _____ Pump No. _____

HYDRO-FOIL PUMPS

SECTION 340



HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL
<input type="checkbox"/> FIELD
PERFORMANCE
CAPACITY GPM
TOTAL DYNAMIC HEAD FT
EFFICIENCY
BRAKE HORSEPOWER BHP

PEERLESS PUMP Peerless Pump Company
 Indianapolis, IN 46207-7026

LABORATORY PERFORMANCE
SIZE 14 MFAL
RPM 980
CURVE NUMBER 4801933

DESCRIPTION: Hydro-Foil Pump with; Bowl **V2835** ; Impeller **2629791** -
 Elbow above below base dia with x inner column
 Driver:

Customer _____
 Item _____
 Peerless Ref. No. _____ Pump No. _____