

**HYDRAULIC PERFORMANCE WARRANTY**  
 Guaranteed at designated point only, and contingent on:  
 Proper sump configuration  
 Proper submergence  
 Fluid free of gas, air & abrasives  
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL <input type="checkbox"/> FIELD	
<b>PERFORMANCE</b>	
CAPACITY	GPM
TOTAL DYNAMIC HEAD	FT
EFFICIENCY	
BRAKE HORSEPOWER	BHP



<b>LABORATORY PERFORMANCE</b>	
SIZE	20 MF
RPM	980
CURVE NUMBER	2845336

**DESCRIPTION:** Hydro-Foil Pump with; Bowl **V2318D** ; Impeller **V2325C** -

above  
 below base

Elbow      dia with      x      inner column

Driver: \_\_\_\_\_


Customer \_\_\_\_\_

Item \_\_\_\_\_


Peerless Ref. No. \_\_\_\_\_ Pump No. \_\_\_\_\_

**HYDRAULIC PERFORMANCE WARRANTY**  
 Guaranteed at designated point only, and contingent on:  
 Proper sump configuration  
 Proper submergence  
 Fluid free of gas, air & abrasives  
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL
<input type="checkbox"/> FIELD
<b>PERFORMANCE</b>
CAPACITY
GPM
TOTAL DYNAMIC HEAD
FT
EFFICIENCY
BRAKE HORSEPOWER
BHP


 Peerless Pump Company  
 Indianapolis, IN 46207-7026

<b>LABORATORY PERFORMANCE</b>	
SIZE	20 MF
RPM	980
CURVE NUMBER	2845340



DESCRIPTION: Hydro-Foil Pump with: Bowl **V2318D** ; Impeller **V2539C** -  
 Elbow  above  below base      dia with      x      inner column  
 Driver: \_\_\_\_\_

Customer \_\_\_\_\_  
 Item \_\_\_\_\_  
 Peerless Ref. No. \_\_\_\_\_ Pump No. \_\_\_\_\_



**HYDRAULIC PERFORMANCE WARRANTY**  
 Guaranteed at designated point only, and contingent on:  
 Proper sump configuration  
 Proper submergence  
 Fluid free of gas, air & abrasives  
 Proper lateral setting of impeller


<input type="checkbox"/> BOWL	<input type="checkbox"/> FIELD
<b>PERFORMANCE</b>	
CAPACITY	GPM
TOTAL DYNAMIC HEAD	FT
EFFICIENCY	
BRAKE HORSEPOWER	BHP



<b>LABORATORY PERFORMANCE</b>	
SIZE	20 MF
RPM	880
CURVE NUMBER	2845337

DESCRIPTION: Hydro-Foil Pump with; Bowl **V2318D** ; Impeller **V2325C** -  
 Elbow  above  below base dia with \_\_\_\_\_ x \_\_\_\_\_ inner column  
 Driver: \_\_\_\_\_

Customer \_\_\_\_\_  
 Item \_\_\_\_\_  
 Peerless Ref. No. \_\_\_\_\_ Pump No. \_\_\_\_\_



**HYDRAULIC PERFORMANCE WARRANTY**  
 Guaranteed at designated point only, and contingent on:  
 Proper sump configuration  
 Proper submergence  
 Fluid free of gas, air & abrasives  
 Proper lateral setting of impeller


<input type="checkbox"/> BOWL
<input type="checkbox"/> FIELD
<b>PERFORMANCE</b>
CAPACITY
GPM
TOTAL DYNAMIC HEAD
FT
EFFICIENCY
BRAKE HORSEPOWER
BHP

**PEERLESS PUMP** Peerless Pump Company  
 Indianapolis, IN 46207-7026

<b>LABORATORY PERFORMANCE</b>
SIZE
20 MF
RPM
880
CURVE NUMBER
2845341

**DESCRIPTION:** Hydro-Foil Pump with: Bowl **V2318D** ; Impeller **V2539C** -  
 Elbow  above  below base      dia with      x      inner column  
 Driver: \_\_\_\_\_

Customer \_\_\_\_\_  
 Item \_\_\_\_\_  
 Peerless Ref. No. \_\_\_\_\_ Pump No. \_\_\_\_\_



**HYDRAULIC PERFORMANCE WARRANTY**  
 Guaranteed at designated point only, and contingent on:  
 Proper sump configuration  
 Proper submergence  
 Fluid free of gas, air & abrasives  
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL	<input type="checkbox"/> FIELD
<b>PERFORMANCE</b>	
CAPACITY	GPM
TOTAL DYNAMIC HEAD	FT
EFFICIENCY	
BRAKE HORSEPOWER	BHP



<b>LABORATORY PERFORMANCE</b>	
SIZE	20 MF
RPM	730
CURVE NUMBER	2845338

**DESCRIPTION:** Hydro-Foil Pump with: Bowl **V2318D** ; Impeller **V2325C** -  
 Elbow  above  below base      dia with      x      inner column  
 Driver: \_\_\_\_\_


Customer \_\_\_\_\_  
 Item \_\_\_\_\_  
 Peerless Ref. No. \_\_\_\_\_ Pump No. \_\_\_\_\_

**HYDRAULIC PERFORMANCE WARRANTY**  
 Guaranteed at designated point only, and contingent on:  
 Proper sump configuration  
 Proper submergence  
 Fluid free of gas, air & abrasives  
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL <input type="checkbox"/> FIELD
<b>PERFORMANCE</b>
CAPACITY GPM
TOTAL DYNAMIC HEAD FT
EFFICIENCY
BRAKE HORSEPOWER BHP




<b>LABORATORY PERFORMANCE</b>	
SIZE	20 MF
RPM	730
CURVE NUMBER	2845342



**DESCRIPTION:** Hydro-Foil Pump with: Bowl **V2318D** ; Impeller **V2539C** -  
 Elbow  above  below base      dia with      x      inner column  
 Driver: \_\_\_\_\_

Customer \_\_\_\_\_  
 Item \_\_\_\_\_  
 Peerless Ref. No. \_\_\_\_\_ Pump No. \_\_\_\_\_



**HYDRAULIC PERFORMANCE WARRANTY**  
 Guaranteed at designated point only, and contingent on:  
 Proper sump configuration  
 Proper submergence  
 Fluid free of gas, air & abrasives  
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL <input type="checkbox"/> FIELD
<b>PERFORMANCE</b>
CAPACITY _____ GPM
TOTAL DYNAMIC HEAD _____ FT
EFFICIENCY _____
BRAKE HORSEPOWER _____ BHP

**PEERLESS PUMP** Peerless Pump Company  
 Indianapolis, IN 46207-7026

<b>LABORATORY PERFORMANCE</b>	
SIZE	20 MF
RPM	705
CURVE NUMBER	2845339

DESCRIPTION: Hydro-Foil Pump with; Bowl **V2318C** ; Impeller **V2325C** -  
 above  
 below base      dia with      x      inner column

Driver: \_\_\_\_\_

Customer \_\_\_\_\_  
 \_\_\_\_\_  
 Item \_\_\_\_\_  
 Peerless Ref. No. \_\_\_\_\_ Pump No. \_\_\_\_\_