

HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller


<input type="checkbox"/> BOWL	<input type="checkbox"/> FIELD
PERFORMANCE	
CAPACITY	GPM
TOTAL DYNAMIC HEAD	FT
EFFICIENCY	
BRAKE HORSEPOWER	BHP

PEERLESS PUMP Peerless Pump Company
 Indianapolis, IN 46207-7026

LABORATORY PERFORMANCE	
SIZE	30 MFAH
RPM	880
CURVE NUMBER	4800228

DESCRIPTION: Hydro-Foil Pump with; Bowl **V2809** ; Impeller **2629647** -
 Elbow above below base dia with x inner column
 Driver: _____

Customer _____
 Item _____
 Peerless Ref. No. _____ Pump No. _____



HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL <input type="checkbox"/> FIELD
PERFORMANCE
CAPACITY GPM
TOTAL DYNAMIC HEAD FT
EFFICIENCY
BRAKE HORSEPOWER BHP


PEERLESS PUMP Peerless Pump Company
 Indianapolis, IN 46207-7026

LABORATORY PERFORMANCE
SIZE 30 MFAH
RPM 705
CURVE NUMBER 4800229

DESCRIPTION: Hydro-Foil Pump with; Bowl V2809 ; Impeller 2629647 -
 above
 below base dia with x inner column

Driver: _____

Customer _____
 Item _____
 Peerless Ref. No. _____ Pump No. _____



HYDRAULIC PERFORMANCE WARRANTY

Guaranteed at designated point only, and contingent on:

- Proper sump configuration
- Proper submergence
- Fluid free of gas, air & abrasives
- Proper lateral setting of Impeller

<input type="checkbox"/> BOWL <input type="checkbox"/> FIELD	
PERFORMANCE	
CAPACITY	GPM
TOTAL DYNAMIC HEAD	FT
EFFICIENCY	
BRAKE HORSEPOWER	BHP

PEERLESS PUMP Peerless Pump Company
Indianapolis, IN 46207-7026

LABORATORY PERFORMANCE	
SIZE	30 MFAH
RPM	590
CURVE NUMBER	4800230

DESCRIPTION: Hydro-Foil Pump with; Bowl V2809 ; Impeller 2629647 -


Elbow above below base dia with x inner column

Driver: _____

Customer _____

Item _____

Peerless Ref. No. _____ Pump No. _____



HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL <input type="checkbox"/> FIELD
PERFORMANCE
CAPACITY GPM
TOTAL DYNAMIC HEAD FT
EFFICIENCY
BRAKE HORSEPOWER BHP

PEERLESS PUMP Peerless Pump Company
 Indianapolis, IN 46207-7026

LABORATORY PERFORMANCE
SIZE 30 MFAH
RPM 490
CURVE NUMBER 4800231


DESCRIPTION: Hydro-Foil Pump with: Bowl **V2809** ; Impeller **2629647** -
 above
 Elbow below base dia with x inner column

Driver: _____

Customer _____

Item _____

Peerless Ref. No. _____ Pump No. _____



HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL <input type="checkbox"/> FIELD
PERFORMANCE
CAPACITY GPM
TOTAL DYNAMIC HEAD FT
EFFICIENCY
BRAKE HORSEPOWER BHP

PEERLESS PUMP Peerless Pump Company
 Indianapolis, IN 46207-7025

LABORATORY PERFORMANCE
SIZE 30 MFH
RPM 690
CURVE NUMBER 2848581

DESCRIPTION: Hydro-Foil Pump with; Bowl 2605028 ; Impeller 2609256 -
 Elbow above below base dia with x inner column
 Driver:

Customer _____
 Item _____
 Peerless Ref. No. _____ Pump No. _____

HYDRO-FOIL PUMPS

SECTION 340