

HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL <input type="checkbox"/> FIELD
PERFORMANCE
CAPACITY GPM
TOTAL DYNAMIC HEAD FT
EFFICIENCY
BRAKE HORSEPOWER BHP

PEERLESS PUMP Peerless Pump Company
 Indianapolis, IN 46207-7026

LABORATORY PERFORMANCE
SIZE 36 MF
RPM 705
CURVE NUMBER 2845360


DESCRIPTION: Hydro-Foil Pump with; Bowl **V1942D** ; Impeller **V1943D** -
 above
 below base dia with x inner column

Driver: _____

Customer _____

Item _____

Peerless Ref. No. _____ **Pump No.** _____



HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper pump configuration
 Proper submergence.
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

BOWL
 FIELD

PERFORMANCE

CAPACITY _____ GPM

TOTAL DYNAMIC HEAD _____ FT

EFFICIENCY _____

BRAKE HORSEPOWER _____ BHP



LABORATORY PERFORMANCE

SIZE 36 MF

RPM 705

CURVE NUMBER 2845363R

DESCRIPTION: Hydro-Foil Pump with; Bowl V1942D ; Impeller V2486D -


Elbow above below base dia with _____ x _____ inner column

Driver: _____

Customer _____

Item _____

Peerless Ref. No. _____ Pump No. _____



HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL	<input type="checkbox"/> FIELD
PERFORMANCE	
CAPACITY	GPM
TOTAL DYNAMIC HEAD	FT
EFFICIENCY	
BRAKE HORSEPOWER	BHP

PEERLESS PUMP Peerless Pump Company
 Indianapolis, IN 46207-7026

LABORATORY PERFORMANCE	
SIZE	36 MF
RPM	585
CURVE NUMBER	2845361R

DESCRIPTION: Hydro-Foil Pump with: Bowl **V1942D** ; Impeller **V1943D** -
 above Elbow below base dia with x inner column

Driver: _____

Customer _____

Item _____


Peerless Ref. No. _____ Pump No. _____

HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL
<input type="checkbox"/> FIELD
PERFORMANCE
CAPACITY
GPM
TOTAL DYNAMIC HEAD
FT
EFFICIENCY
BRAKE HORSEPOWER
BHP

 Peerless Pump Company
 Indianapolis, IN 46207-7026

LABORATORY PERFORMANCE
SIZE
36 MF
RPM
585
CURVE NUMBER
2845364



DESCRIPTION: Hydro-Foil Pump with; Bowl **V1942D** ; Impeller **V2486D**


Elbow above below base dia with x inner column

Driver: _____

Customer _____

Item _____

Peerless Ref. No. _____ Pump No. _____



HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

BOWL
 FIELD

PERFORMANCE

CAPACITY _____ GPM

TOTAL DYNAMIC HEAD _____ FT

EFFICIENCY _____

BRAKE HORSEPOWER _____ BHP

PEERLESS PUMP Peerless Pump Company
 Indianapolis, IN 46207-7026

LABORATORY PERFORMANCE

SIZE 36 MF

RPM 505

CURVE NUMBER 2845362

DESCRIPTION: Hydro-Foil Pump with; Bowl V1942D ; Impeller V1943D -
 Elbow above below base dia with x inner column
 Driver: _____


Customer _____
 Item _____
 Peerless Ref. No. _____ Pump No. _____

HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL
<input type="checkbox"/> FIELD
PERFORMANCE
CAPACITY
GPM
TOTAL DYNAMIC HEAD
FT
EFFICIENCY
BRAKE HORSEPOWER
BHP



LABORATORY PERFORMANCE	
SIZE	36 MF
RPM	505
CURVE NUMBER	4802473



DESCRIPTION: Hydro-Foil Pump with; Bowl **V 1942D** ; Impeller **V 2486D** -

Elbow above below base dia with x inner column

Driver: _____

Customer _____

Item _____

Peerless Ref. No. _____ Pump No. _____