



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
250	40	92	4x4x10	175	1.19	8MAF	4	322	120	52	8	8	8	8	MOTOR
250	50	116	4x4x10	175	1.19	8MAF	5	406	150	65	11	15	15	15	MOTOR
250	60	139	4x4x10	175	1.19	8MAF	6	487	180	78	14	15	15	15	MOTOR
250	70	162	4x4x10	175	1.19	8MAF	6	560	210	91	16	15	15	15	MOTOR
250	80	185	4x4x10	175	1.19	8MAF	7	641	240	104	19	20	20	20	MOTOR
250	90	208	4x4x10	175	1.19	8MAF	8	721	267	116	22	20	20	20	MOTOR
250	100	231	4x4x10	175	1.19	8MAF	9	802	297	129	24	25	25	25	MOTOR
250	110	254	4x4x10	175	1.19	8MAF	10	883	328	142	26	25	25	25	MOTOR
250	120	277	4x4x10	175	1.19	8MAF	10	956	358	155	27	25	25	25	MOTOR
250	125	289	4x4x10	175	1.19	8MAF	11	1002	374	162	28	30	30	30	MOTOR
250	130	300	4x4x10	175	1.19	8MAF	11	1037	388	168	30	30	30	30	MOTOR
250	140	323	4x4x10	175	1.19	8MAF	12	1118	418	181	31	30	30	30	MOTOR
250	140	323	4x4x10	400	1.19	8MAF	12	1118	418	181	31	30	30	30	MOTOR
500	42	97	6x8x16.5	175	1.19	12MBF	3	1175	109	47	20	20	NA	NA	MOTOR
500	43	99	6x8x16.5	175	1.19	12MBF	3	1225	111	48	21	20	NA	20	MOTOR
500	45	104	6x8x16.5	175	1.19	12MBF	3	1276	116	50	22	20	NA	20	MOTOR
500	50	116	6x8x16.5	175	1.19	12MBF	3	1405	131	56	26	25	NA	25	MOTOR
500	50	116	6x6x12	175	1.19	10MAF	3	909	139	60	21	20	20	20	MOTOR
500	50	116	6x8x16.5	175	1.19	10MAF	3	885	146	63	24	YES	YES	YES	ENGINE
500	55	127	6x6x12	175	1.19	10MAF	3	991	157	68	25	25	25	25	MOTOR
500	55	127	6x8x16.5	175	1.19	10MAF	3	1015	162	70	27	YES	YES	YES	ENGINE
500	55	127	6x8x16.5	175	1.19	12MBF	3	1545	142	61	30	30	NA	30	MOTOR
500	60	139	6x8x16.5	175	1.19	12MBF	4	1706	160	69	30	30	NA	30	MOTOR
500	60	139	6x6x12	175	1.19	10MAF	4	1077	164	71	26	25	25	25	MOTOR
500	60	139	6x8x16.5	175	1.19	10MAF	4	1030	172	74	28	YES	YES	YES	ENGINE
500	65	150	6x6x12	175	1.19	10MAF	4	1134	175	76	27	25	25	25	MOTOR
500	65	150	6x8x16.5	175	1.19	10MAF	4	1086	183	79	30	YES	YES	YES	ENGINE
500	65	150	6x8x16.5	175	1.19	12MBF	4	1834	171	74	33	30	NA	30	MOTOR
500	70	162	6x8x16.5	175	1.19	12MBF	4	1974	183	79	37	40	NA	40	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
500	70	162	6x6x12	175	1.19	10MAF	4	1222	196	85	31	30	30	30	MOTOR
500	70	162	6x8x16.5	175	1.19	10MAF	4	1156	201	87	32	YES	YES	YES	ENGINE
500	75	173	6x6x12	175	1.19	10MAF	4	1285	212	92	33	30	30	30	MOTOR
500	75	173	6x8x16.5	175	1.19	10MAF	4	1249	213	92	34	YES	YES	YES	ENGINE
500	75	173	6x8x16.5	175	1.19	12MBF	4	2103	193	84	41	40	NA	40	MOTOR
500	80	185	6x8x16.5	175	1.19	12MBF	5	2264	211	91	41	40	NA	40	MOTOR
500	80	185	6x6x12	175	1.19	10MAF	5	1372	216	94	33	30	30	30	MOTOR
500	80	185	6x8x16.5	175	1.19	10MAF	5	1308	225	97	35	YES	YES	YES	ENGINE
500	85	196	6x6x12	175	1.19	10MAF	5	1447	234	101	36	40	40	40	MOTOR
500	85	196	6x8x16.5	175	1.19	10MAF	5	1375	242	105	38	YES	YES	YES	ENGINE
500	85	196	6x8x16.5	175	1.19	12MBF	5	2392	222	96	44	40	NA	40	MOTOR
500	90	208	6x8x16.5	175	1.19	12MBF	5	2532	233	101	48	50	NA	50	MOTOR
500	90	208	6x6x12	175	1.19	10MAF	5	1521	252	109	39	40	40	40	MOTOR
500	90	208	6x8x16.5	175	1.19	10MAF	5	1445	260	113	42	YES	YES	YES	ENGINE
500	95	219	6x6x12	175	1.19	10MAF	5	1593	270	117	42	40	40	40	MOTOR
500	95	219	6x8x16.5	175	1.19	10MAF	6	1519	264	114	42	YES	YES	YES	ENGINE
500	95	219	6x8x16.5	175	1.19	12MBF	6	2681	250	108	48	50	NA	50	MOTOR
500	100	231	6x6x12	175	1.19	10MAF	6	1679	274	119	42	40	40	40	MOTOR
500	100	231	6x8x16.5	175	1.19	10MAF	6	1593	283	123	45	YES	YES	YES	ENGINE
500	100	231	6x8x16.5	175	1.19	12MBF	6	2821	262	113	52	50	NA	50	MOTOR
500	104	240	6x8x16.5	175	1.19	12LBF	4	1544	298	129	41	40	40	40	MOTOR
500	104	240	6x8x16.5	175	1.19	12LBF	4	1544	298	129	44	YES	YES	YES	ENGINE
500	105	243	6x8x16.5	175	1.19	12MBF	6	2961	273	118	56	50	NA	50	MOTOR
500	105	243	6x6x12	175	1.19	10MAF	6	1760	293	127	45	40	40	40	MOTOR
500	105	243	6x8x16.5	175	1.19	10MAF	6	1664	301	130	48	YES	YES	YES	ENGINE
500	108	250	6x8x16.5	175	1.19	12LBF	4	1606	298	129	43	40	40	40	MOTOR
500	108	250	6x8x16.5	175	1.19	12LBF	4	1606	298	129	46	YES	YES	YES	ENGINE
500	110	254	6x6x12	175	1.19	10MAF	6	1829	310	134	47	50	50	50	MOTOR
500	110	254	6x8x16.5	175	1.19	10MAF	6	1740	321	139	51	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
500	110	254	6x8x16.5	175	1.19	12MBF	6	3090	284	123	59	60	NA	60	MOTOR
500	113	260	6x8x16.5	175	1.19	12LBF	4	1668	296	128	45	40	40	40	MOTOR
500	113	260	6x8x16.5	175	1.19	12LBF	4	1668	296	128	48	YES	YES	YES	ENGINE
500	115	266	6x8x16.5	175	1.19	12MBF	7	3251	302	131	59	60	NA	60	MOTOR
500	115	266	6x6x12	175	1.19	10MAF	7	1916	314	136	48	50	50	50	MOTOR
500	115	266	6x8x16.5	175	1.19	10MAF	7	1812	324	140	51	YES	YES	YES	ENGINE
500	117	270	6x8x16.5	175	1.19	12LBF	5	1744	370	160	47	50	50	50	MOTOR
500	117	270	6x8x16.5	175	1.19	12LBF	5	1744	370	160	50	YES	YES	YES	ENGINE
500	120	277	6x6x12	175	1.19	10MAF	7	1985	331	143	51	50	50	50	MOTOR
500	120	277	6x8x16.5	175	1.19	10MAF	7	1877	340	147	54	YES	YES	YES	ENGINE
500	120	277	6x8x16.5	175	1.19	12MBF	7	3379	313	135	63	60	NA	60	MOTOR
500	121	280	6x8x16.5	175	1.19	12LBF	5	1806	367	159	49	50	50	50	MOTOR
500	121	280	6x8x16.5	175	1.19	12LBF	5	1806	367	159	52	YES	YES	YES	ENGINE
500	125	289	6x8x16.5	175	1.19	12MBF	7	3519	325	141	66	60	NA	60	MOTOR
500	125	289	6x6x12	175	1.19	10MAF	7	2060	350	152	53	50	50	50	MOTOR
500	125	289	6x8x16.5	175	1.19	10MAF	7	1954	360	156	58	YES	YES	YES	ENGINE
500	126	290	6x8x16.5	175	1.19	12LBF	5	1868	372	161	50	50	50	50	MOTOR
500	126	290	6x8x16.5	175	1.19	12LBF	5	1868	372	161	53	YES	YES	YES	ENGINE
500	130	300	6x6x12	175	1.19	10MAF	7	2129	366	158	56	50	50	50	MOTOR
500	130	300	6x8x16.5	175	1.19	10MAF	7	2018	377	163	60	YES	YES	YES	ENGINE
500	130	300	6x8x16.5	175	1.19	12LBF	5	1930	372	161	51	50	50	50	MOTOR
500	130	300	6x8x16.5	175	1.19	12LBF	5	1930	372	161	54	YES	YES	YES	ENGINE
500	130	300	6x8x16.5	175	1.19	12MBF	7	3647	335	145	70	75	NA	75	MOTOR
500	134	310	6x8x16.5	175	1.19	12LBF	5	1992	370	160	53	50	50	50	MOTOR
500	134	310	6x8x16.5	175	1.19	12LBF	5	1992	370	160	56	YES	YES	YES	ENGINE
500	135	312	6x8x16.5	175	1.19	12MBF	8	3808	353	153	70	75	NA	75	MOTOR
500	135	312	6x6x12	175	1.19	10MAF	8	2221	372	161	56	50	50	50	MOTOR
500	135	312	6x8x16.5	175	1.19	10MAF	8	2096	381	165	60	YES	YES	YES	ENGINE
500	139	320	6x8x16.5	175	1.19	12LBF	5	2054	372	161	55	50	50	50	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
500	139	320	6x8x16.5	175	1.19	12LBF	5	2054	372	161	58	YES	YES	YES	ENGINE
500	140	323	6x6x12	175	1.19	10MAF	9	2359	374	162	57	50	50	50	MOTOR
500	140	323	6x8x16.5	175	1.19	10MAF	8	2167	399	173	64	YES	YES	YES	ENGINE
500	140	323	6x8x16.5	175	1.19	12MBF	8	3937	364	158	74	75	NA	75	MOTOR
500	143	330	6x8x16.5	175	1.19	12LBF	6	2130	448	194	56	50	50	50	MOTOR
500	143	330	6x8x16.5	175	1.19	12LBF	6	2130	448	194	59	YES	YES	YES	ENGINE
500	145	335	6x8x16.5	175	1.19	12MBF	8	4077	376	163	78	75	NA	75	MOTOR
500	145	335	6x8x16.5	230	1.19	10MAF	8	2367	407	176	62	60	60	60	MOTOR
500	145	335	6x6x12	175	1.19	10MAF	8	2367	407	176	62	60	60	60	MOTOR
500	145	335	6x8x16.5	175	1.19	10MAF	8	2243	420	182	67	YES	YES	YES	ENGINE
500	147	340	6x8x16.5	175	1.19	12LBF	6	2192	439	190	58	60	60	60	MOTOR
500	147	340	6x8x16.5	175	1.19	12LBF	6	2192	439	190	61	YES	YES	YES	ENGINE
500	150	347	6x8x16.5	175	1.19	12MBF	8	4217	387	168	82	75	NA	75	MOTOR
500	150	347	6x8x16.5	230	1.19	10MAF	8	2442	426	184	65	60	60	60	MOTOR
500	150	347	6x6x12	175	1.19	10MAF	8	2442	426	184	65	60	60	60	MOTOR
500	150	347	6x8x16.5	175	1.19	10MAF	9	2364	420	182	66	YES	YES	YES	ENGINE
500	150	347	6x8x16.5	230	1.19	10MAF	9	2364	420	182	66	YES	YES	YES	ENGINE
500	152	350	6x8x16.5	175	1.19	12LBF	6	2254	444	192	60	60	60	60	MOTOR
500	152	350	6x8x16.5	175	1.19	12LBF	6	2254	444	192	63	YES	YES	YES	ENGINE
500	155	358	6x6x12	175	1.19	10MAF	9	2578	428	185	65	60	60	60	MOTOR
500	155	358	6x8x16.5	230	1.19	10MAF	9	2578	428	185	65	60	60	60	MOTOR
500	155	358	6x8x16.5	230	1.19	10MAF	9	2440	440	190	71	YES	YES	YES	ENGINE
500	155	358	6x8x16.5	175	1.19	10MAF	9	2440	440	190	71	YES	YES	YES	ENGINE
500	155	358	6x8x16.5	175	1.19	12MBF	9	4366	404	175	82	75	NA	75	MOTOR
500	156	360	6x8x16.5	175	1.19	12LBF	6	2316	441	191	62	60	60	60	MOTOR
500	156	360	6x8x16.5	175	1.19	12LBF	6	2316	441	191	65	YES	YES	YES	ENGINE
500	160	370	6x8x16.5	175	1.19	12MBF	9	4506	416	180	85	75	NA	75	MOTOR
500	160	370	6x8x16.5	230	1.19	10MAF	9	2653	447	194	68	75	75	75	MOTOR
500	160	370	6x6x12	175	1.19	10MAF	9	2653	447	194	68	60	60	60	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
500	160	370	6x8x16.5	230	1.19	10MAF	9	2511	459	199	73	YES	YES	YES	ENGINE
500	160	370	6x8x16.5	175	1.19	12LBF	6	2378	446	193	63	60	60	60	MOTOR
500	160	370	6x8x16.5	175	1.19	12LBF	6	2378	446	193	67	YES	YES	YES	ENGINE
500	165	380	6x8x16.5	175	1.19	12LBF	6	2440	446	193	65	60	60	60	MOTOR
500	165	380	6x8x16.5	175	1.19	12LBF	6	2440	446	193	69	YES	YES	YES	ENGINE
500	165	381	6x8x16.5	230	1.19	10MAF	9	2722	463	200	71	75	75	75	MOTOR
500	165	381	6x8x16.5	230	1.19	10MAF	10	2589	463	200	73	YES	YES	YES	ENGINE
500	165	381	6x8x16.5	175	1.19	12MBF	9	4635	427	185	89	100	NA	100	MOTOR
500	169	390	6x8x16.5	175	1.19	12LBF	6	2502	446	193	67	60	60	60	MOTOR
500	169	390	6x8x16.5	175	1.19	12LBF	7	2516	513	222	67	60	60	60	MOTOR
500	169	390	6x8x16.5	175	1.19	12LBF	7	2516	513	222	71	YES	YES	YES	ENGINE
500	169	390	6x8x16.5	175	1.19	12LBF	6	2502	446	193	71	YES	YES	YES	ENGINE
500	170	393	6x8x16.5	175	1.19	12MBF	10	4796	445	193	89	100	NA	100	MOTOR
500	170	393	6x8x16.5	230	1.19	10MAF	9	2810	485	210	74	75	75	75	MOTOR
500	170	393	6x8x16.5	230	1.19	10MAF	10	2659	481	208	86	YES	YES	YES	ENGINE
500	173	400	6x8x16.5	175	1.19	12LBF	7	2578	517	224	68	60	60	60	MOTOR
500	173	400	6x8x16.5	175	1.19	12LBF	7	2578	517	224	72	YES	YES	YES	ENGINE
500	175	404	6x8x16.5	230	1.19	10MAF	10	2891	487	211	74	75	75	75	MOTOR
500	175	404	6x8x16.5	230	1.19	10MAF	10	2729	500	216	79	YES	YES	YES	ENGINE
500	175	404	6x8x16.5	175	1.19	12MBF	10	4924	456	197	93	100	NA	100	MOTOR
500	177	410	6x8x16.5	175	1.19	12LBF	7	2640	515	223	70	75	75	75	MOTOR
500	177	410	6x8x16.5	175	1.19	12LBF	7	2640	515	223	74	YES	YES	YES	ENGINE
500	180	416	6x8x16.5	230	1.19	12MBF	10	5064	467	202	96	100	NA	100	MOTOR
500	180	416	6x8x16.5	230	1.19	10MAF	10	2966	505	219	78	75	75	75	MOTOR
500	180	416	6x8x16.5	230	1.19	10MAF	10	2812	521	226	83	YES	YES	YES	ENGINE
500	182	420	8x8x16.5	324	1.19	12LBF	7	2702	515	223	72	75	75	75	MOTOR
500	182	420	6x8x16.5	230	1.19	12LBF	7	2702	515	223	72	75	75	75	MOTOR
500	182	420	6x8x16.5	230	1.19	12LBF	7	2702	515	223	76	YES	YES	YES	ENGINE
500	182	420	8x8x16.5	324	1.19	12LBF	7	2702	515	223	76	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
500	185	427	6x8x16.5	230	1.19	10MAF	10	3035	522	226	80	75	75	75	MOTOR
500	185	427	6x8x16.5	230	1.19	10MAF	10	2876	538	233	86	YES	YES	YES	ENGINE
500	185	427	6x8x16.5	230	1.19	12MBF	10	5192	478	207	100	100	NA	100	MOTOR
500	186	430	6x8x16.5	230	1.19	12LBF	7	2764	520	225	73	75	75	75	MOTOR
500	186	430	8x8x16.5	324	1.19	12LBF	7	2764	520	225	73	75	75	75	MOTOR
500	186	430	8x8x16.5	324	1.19	12LBF	7	2764	520	225	78	YES	YES	YES	ENGINE
500	186	430	6x8x16.5	230	1.19	12LBF	7	2764	520	225	78	YES	YES	YES	ENGINE
500	190	439	6x8x16.5	230	1.19	12MBF	11	5353	496	215	100	100	NA	100	MOTOR
500	190	439	6x8x16.5	230	1.19	10MAF	11	3123	527	228	80	75	75	75	MOTOR
500	190	439	8x8x16.5	324	1.19	10MAF	11	2954	542	235	86	YES	YES	YES	ENGINE
500	190	439	8x8x16.5	350	1.19	10MAF	11	2954	542	235	86	YES	YES	N.A.	ENGINE
500	190	439	6x8x16.5	230	1.19	10MAF	11	2954	542	235	86	YES	YES	YES	ENGINE
500	190	440	6x8x16.5	230	1.19	12LBF	7	2826	517	224	75	75	75	75	MOTOR
500	190	440	8x8x16.5	324	1.19	12LBF	7	2826	517	224	75	75	75	75	MOTOR
500	190	440	6x8x16.5	230	1.19	12LBF	7	2826	517	224	80	YES	YES	YES	ENGINE
500	190	440	8x8x16.5	324	1.19	12LBF	7	2826	517	224	80	YES	YES	YES	ENGINE
500	195	450	6x8x16.5	230	1.19	10MAF	11	3192	543	235	82	75	75	75	MOTOR
500	195	450	6x8x16.5	230	1.19	10MAF	11	3019	559	242	89	YES	YES	YES	ENGINE
500	195	450	8x8x16.5	324	1.19	10MAF	11	3019	559	242	89	YES	YES	YES	ENGINE
500	195	450	8x8x16.5	350	1.19	10MAF	11	3019	559	242	89	YES	YES	N.A.	ENGINE
500	195	450	8x8x16.5	324	1.19	12LBF	8	2902	587	254	78	75	75	75	MOTOR
500	195	450	6x8x16.5	230	1.19	12LBF	7	2888	520	225	77	75	75	75	MOTOR
500	195	450	6x8x16.5	230	1.19	12LBF	8	2902	587	254	78	75	75	75	MOTOR
500	195	450	8x8x16.5	324	1.19	12LBF	7	2888	520	225	77	75	75	75	MOTOR
500	195	450	8x8x16.5	324	1.19	12LBF	8	2902	587	254	83	YES	YES	YES	ENGINE
500	195	450	6x8x16.5	230	1.19	12LBF	7	2888	520	225	82	YES	YES	YES	ENGINE
500	195	450	6x8x16.5	230	1.19	12LBF	8	2902	587	254	83	YES	YES	YES	ENGINE
500	195	450	8x8x16.5	324	1.19	12LBF	7	2888	520	225	82	YES	YES	YES	ENGINE
500	195	450	6x8x16.5	230	1.19	12MBF	11	5482	507	219	103	100	NA	100	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
500	199	460	8x8x16.5	324	1.19	12LBF	8	2964	589	255	79	75	75	75	MOTOR
500	199	460	6x8x16.5	230	1.19	12LBF	8	2964	589	255	79	75	75	75	MOTOR
500	199	460	8x8x16.5	324	1.19	12LBF	8	2964	589	255	84	YES	YES	YES	ENGINE
500	199	460	6x8x16.5	230	1.19	12LBF	8	2964	589	255	84	YES	YES	YES	ENGINE
500	200	462	6x8x16.5	230	1.19	10MAF	11	3267	561	243	86	75	75	75	MOTOR
500	200	462	6x8x16.5	230	1.19	10MAF	11	3090	577	250	92	YES	YES	YES	ENGINE
500	200	462	8x8x16.5	350	1.19	10MAF	11	3090	577	250	92	YES	YES	N.A.	ENGINE
500	200	462	8x8x16.5	324	1.19	10MAF	11	3090	577	250	92	YES	YES	YES	ENGINE
500	200	462	6x8x16.5	230	1.19	12MBF	11	5622	519	225	107	100	NA	100	MOTOR
500	203	470	8x8x16.5	324	1.19	12LBF	8	3026	589	255	81	75	75	75	MOTOR
500	203	470	6x8x16.5	230	1.19	12LBF	8	3026	589	255	81	75	75	75	MOTOR
500	203	470	6x8x16.5	230	1.19	12LBF	8	3026	589	255	86	YES	YES	YES	ENGINE
500	203	470	8x8x16.5	324	1.19	12LBF	8	3026	589	255	86	YES	YES	YES	ENGINE
500	205	474	6x8x16.5	230	1.19	12MBF	11	5762	522	226	111	100	NA	100	MOTOR
500	205	474	6x8x16.5	230	1.19	10MAF	12	3354	566	245	85	75	75	75	MOTOR
500	205	474	8x8x16.5	350	1.19	10MAF	12	3173	583	252	92	YES	YES	N.A.	ENGINE
500	205	474	6x8x16.5	230	1.19	10MAF	12	3173	583	252	92	YES	YES	YES	ENGINE
500	205	474	8x8x16.5	324	1.19	10MAF	12	3173	583	252	92	YES	YES	YES	ENGINE
500	208	480	8x8x16.5	324	1.19	12LBF	8	3088	594	257	82	75	75	75	MOTOR
500	208	480	6x8x16.5	230	1.19	12LBF	8	3088	594	257	82	75	75	75	MOTOR
500	208	480	8x8x16.5	324	1.19	12LBF	8	3088	594	257	87	YES	YES	YES	ENGINE
500	208	480	6x8x16.5	230	1.19	12LBF	8	3088	594	257	87	YES	YES	YES	ENGINE
500	210	485	6x8x16.5	230	1.50	10MAF	13	3539	567	245	86	75	75	75	MOTOR
500	210	485	8x8x16.5	350	1.19	10MAF	12	3244	601	260	96	YES	YES	N.A.	ENGINE
500	210	485	8x8x16.5	324	1.19	10MAF	12	3244	601	260	96	YES	YES	YES	ENGINE
500	210	485	6x8x16.5	230	1.19	12MBF	11	6051	525	227	118	125	NA	125	MOTOR
500	212	490	6x8x16.5	230	1.19	12LBF	8	3150	591	256	84	75	75	75	MOTOR
500	212	490	8x8x16.5	324	1.19	12LBF	8	3150	591	256	84	75	75	75	MOTOR
500	212	490	8x8x16.5	324	1.19	12LBF	8	3150	591	256	89	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
500	212	490	6x8x16.5	230	1.19	12LBF	8	3150	591	256	89	YES	YES	YES	ENGINE
500	215	497	6x8x16.5	230	1.19	12MBF	11	6051	525	227	118	125	NA	125	MOTOR
500	215	497	6x8x16.5	350	1.50	10MAF	12	3511	604	261	92	100	100	N.A.	MOTOR
500	215	497	8x8x16.5	324	1.50	10MAF	12	3511	604	261	92	100	100	100	MOTOR
500	215	497	6x8x16.5	230	1.50	10MAF	14	3467	560	242	85	75	75	75	MOTOR
500	215	497	8x8x16.5	324	1.19	10MAF	12	3320	621	269	98	YES	YES	YES	ENGINE
500	215	497	8x8x16.5	350	1.19	10MAF	12	3320	621	269	98	YES	YES	N.A.	ENGINE
500	216	500	8x8x16.5	324	1.19	12LBF	8	3212	594	257	85	75	75	75	MOTOR
500	216	500	6x8x16.5	230	1.19	12LBF	8	3212	594	257	85	75	75	75	MOTOR
500	216	500	8x8x16.5	324	1.19	12LBF	8	3212	594	257	90	YES	YES	YES	ENGINE
500	216	500	6x8x16.5	230	1.19	12LBF	8	3212	594	257	90	YES	YES	YES	ENGINE
500	220	508	6x8x16.5	350	1.50	10MAF	12	3580	621	269	95	100	100	N.A.	MOTOR
500	220	508	8x8x16.5	324	1.50	10MAF	12	3580	621	269	95	100	100	100	MOTOR
500	220	508	8x8x16.5	324	1.19	10MAF	12	3384	638	276	102	YES	YES	YES	ENGINE
500	220	508	8x8x16.5	350	1.19	10MAF	12	3384	638	276	102	YES	YES	N.A.	ENGINE
500	221	510	8x8x16.5	324	1.19	12LBF	8	3274	594	257	87	100	100	100	MOTOR
500	221	510	6x8x16.5	230	1.19	12LBF	8	3274	594	257	87	100	100	100	MOTOR
500	221	510	6x8x16.5	230	1.19	12LBF	8	3274	594	257	92	YES	YES	YES	ENGINE
500	221	510	8x8x16.5	324	1.19	12LBF	8	3274	594	257	92	YES	YES	YES	ENGINE
500	225	520	8x8x16.5	324	1.50	10MAF	12	3654	639	277	98	100	100	100	MOTOR
500	225	520	6x8x16.5	350	1.50	10MAF	12	3654	639	277	98	100	100	N.A.	MOTOR
500	225	520	8x8x16.5	324	1.50	10MAF	13	3465	660	286	105	YES	YES	YES	ENGINE
500	225	520	6x8x16.5	350	1.50	10MAF	13	3465	660	286	105	YES	YES	N.A.	ENGINE
500	225	520	8x8x16.5	324	1.19	12LBF	8	3336	594	257	89	100	100	100	MOTOR
500	225	520	6x8x16.5	230	1.19	12LBF	9	3350	661	286	89	100	100	100	MOTOR
500	225	520	8x8x16.5	324	1.19	12LBF	9	3350	661	286	89	100	100	100	MOTOR
500	225	520	6x8x16.5	230	1.19	12LBF	8	3336	594	257	89	100	100	100	MOTOR
500	225	520	8x8x16.5	324	1.19	12LBF	9	3350	661	286	95	YES	YES	YES	ENGINE
500	225	520	8x8x16.5	324	1.19	12LBF	8	3336	594	257	95	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
500	225	520	6x8x16.5	230	1.19	12LBF	8	3336	594	257	95	YES	YES	YES	ENGINE
500	225	520	6x8x16.5	230	1.19	12LBF	9	3350	661	286	95	YES	YES	YES	ENGINE
500	229	530	8x8x16.5	324	1.19	12LBF	9	3412	668	289	90	100	100	100	MOTOR
500	229	530	6x8x16.5	230	1.19	12LBF	9	3412	668	289	90	100	100	100	MOTOR
500	229	530	8x8x16.5	324	1.19	12LBF	9	3412	668	289	96	YES	YES	YES	ENGINE
500	229	530	6x8x16.5	230	1.19	12LBF	9	3412	668	289	96	YES	YES	YES	ENGINE
500	230	531	6x8x16.5	350	1.50	10MAF	13	3842	640	277	97	100	100	N.A.	MOTOR
500	230	531	8x8x16.5	324	1.50	10MAF	13	3842	640	277	97	100	100	100	MOTOR
500	230	531	8x8x16.5	324	1.50	10MAF	13	3573	642	278	101	YES	YES	YES	ENGINE
500	230	531	6x8x16.5	350	1.50	10MAF	13	3573	642	278	101	YES	YES	N.A.	ENGINE
500	234	540	6x8x16.5	230	1.19	12LBF	9	3474	665	288	92	100	100	100	MOTOR
500	234	540	8x8x16.5	324	1.19	12LBF	9	3474	665	288	92	100	100	100	MOTOR
500	234	540	8x8x16.5	324	1.19	12LBF	9	3474	665	288	98	YES	YES	YES	ENGINE
500	234	540	6x8x16.5	230	1.19	12LBF	9	3474	665	288	98	YES	YES	YES	ENGINE
500	235	543	6x8x16.5	350	1.50	10MAF	13	3923	660	286	101	100	100	N.A.	MOTOR
500	235	543	8x8x16.5	324	1.50	10MAF	13	3923	660	286	101	100	100	100	MOTOR
500	235	543	8x8x16.5	324	1.50	10MAF	13	3721	680	294	109	YES	YES	YES	ENGINE
500	235	543	6x8x16.5	350	1.50	10MAF	13	3721	680	294	109	YES	YES	N.A.	ENGINE
500	238	550	6x8x16.5	350	1.19	12LBF	9	3536	665	288	95	100	100	N.A.	MOTOR
500	238	550	8x8x16.5	324	1.19	12LBF	9	3536	665	288	95	100	100	100	MOTOR
500	238	550	8x8x16.5	324	1.19	12LBF	9	3536	665	288	101	YES	YES	YES	ENGINE
500	238	550	6x8x16.5	350	1.19	12LBF	9	3536	665	288	101	YES	YES	N.A.	ENGINE
500	240	554	8x8x16.5	324	1.50	10MAF	13	3992	677	293	103	100	100	100	MOTOR
500	240	554	6x8x16.5	350	1.50	10MAF	13	3992	677	293	103	100	100	N.A.	MOTOR
500	240	554	8x8x16.5	324	1.50	10MAF	13	3786	697	302	111	YES	YES	YES	ENGINE
500	240	554	6x8x16.5	350	1.50	10MAF	13	3786	697	302	111	YES	YES	N.A.	ENGINE
500	242	560	6x8x16.5	350	1.19	12LBF	9	3598	668	289	96	100	100	N.A.	MOTOR
500	242	560	8x8x16.5	324	1.19	12LBF	9	3598	668	289	96	100	100	100	MOTOR
500	242	560	8x8x16.5	324	1.19	12LBF	9	3598	668	289	102	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
500	242	560	6x8x16.5	350	1.19	12LBF	9	3598	668	289	102	YES	YES	N.A.	ENGINE
500	245	566	8x8x16.5	324	1.50	10MAF	13	4067	695	301	107	100	100	100	MOTOR
500	245	566	6x8x16.5	350	1.50	10MAF	13	4067	695	301	107	100	100	N.A.	MOTOR
500	245	566	8x8x16.5	324	1.50	10MAF	14	3864	701	303	111	YES	YES	YES	ENGINE
500	245	566	6x8x16.5	350	1.50	10MAF	14	3864	701	303	111	YES	YES	N.A.	ENGINE
500	247	570	8x8x16.5	324	1.19	12LBF	9	3660	665	288	98	100	100	100	MOTOR
500	247	570	6x8x16.5	350	1.19	12LBF	9	3660	665	288	98	100	100	N.A.	MOTOR
500	247	570	8x8x16.5	324	1.19	12LBF	9	3660	665	288	104	YES	YES	YES	ENGINE
500	247	570	6x8x16.5	350	1.19	12LBF	9	3660	665	288	104	YES	YES	N.A.	ENGINE
500	250	578	6x8x16.5	350	1.50	10MAF	14	4154	700	303	106	100	100	N.A.	MOTOR
500	250	578	8x8x16.5	324	1.50	10MAF	14	4154	700	303	106	100	100	100	MOTOR
500	250	578	6x8x16.5	350	1.50	10MAF	14	3934	719	311	114	YES	YES	N.A.	ENGINE
500	250	578	8x8x16.5	324	1.50	10MAF	14	3934	719	311	114	YES	YES	YES	ENGINE
500	251	580	6x8x16.5	350	1.19	12LBF	10	3736	735	318	100	100	100	N.A.	MOTOR
500	251	580	6x8x16.5	350	1.19	12LBF	9	3722	668	289	100	100	100	N.A.	MOTOR
500	251	580	8x8x16.5	324	1.19	12LBF	10	3736	735	318	100	100	100	100	MOTOR
500	251	580	8x8x16.5	324	1.19	12LBF	9	3722	668	289	100	100	100	100	MOTOR
500	251	580	8x8x16.5	324	1.19	12LBF	10	3736	735	318	106	YES	YES	YES	ENGINE
500	251	580	6x8x16.5	350	1.19	12LBF	9	3722	668	289	106	YES	YES	N.A.	ENGINE
500	251	580	6x8x16.5	350	1.19	12LBF	10	3736	735	318	106	YES	YES	N.A.	ENGINE
500	251	580	8x8x16.5	324	1.19	12LBF	9	3722	668	289	106	YES	YES	YES	ENGINE
500	255	589	8x8x16.5	324	1.50	10MAF	14	4223	716	310	109	100	100	100	MOTOR
500	255	589	6x8x16.5	350	1.50	10MAF	14	4223	716	310	109	100	100	N.A.	MOTOR
500	255	589	6x8x16.5	350	1.50	10MAF	14	3993	734	318	117	YES	YES	N.A.	ENGINE
500	255	589	8x8x16.5	324	1.50	10MAF	14	3993	734	318	117	YES	YES	YES	ENGINE
500	255	590	8x8x16.5	324	1.19	12LBF	10	3798	737	319	101	100	100	100	MOTOR
500	255	590	6x8x16.5	350	1.19	12LBF	10	3798	737	319	101	100	100	N.A.	MOTOR
500	255	590	6x8x16.5	350	1.19	12LBF	10	3798	737	319	107	YES	YES	N.A.	ENGINE
500	255	590	8x8x16.5	324	1.19	12LBF	10	3798	737	319	107	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
500	260	600	6x8x16.5	350	1.19	12LBF	10	3860	737	319	103	100	100	N.A.	MOTOR
500	260	600	8x8x16.5	324	1.19	12LBF	10	3860	737	319	103	100	100	100	MOTOR
500	260	600	6x8x16.5	350	1.19	12LBF	10	3860	737	319	109	YES	YES	N.A.	ENGINE
500	260	600	8x8x16.5	324	1.19	12LBF	10	3860	737	319	109	YES	YES	YES	ENGINE
500	260	601	8x8x16.5	324	1.50	10MAF	14	4311	699	303	109	100	100	100	MOTOR
500	260	601	6x8x16.5	350	1.50	10MAF	14	4299	734	318	113	100	100	N.A.	MOTOR
500	260	601	6x8x16.5	350	1.50	10MAF	15	4311	699	303	109	100	100	N.A.	MOTOR
500	260	601	8x8x16.5	324	1.50	10MAF	14	4069	755	327	121	YES	YES	YES	ENGINE
500	260	601	6x8x16.5	350	1.50	10MAF	14	4069	755	327	121	YES	YES	N.A.	ENGINE
500	264	610	8x8x16.5	324	1.19	12LBF	10	3922	742	321	104	100	100	100	MOTOR
500	264	610	6x8x16.5	350	1.19	12LBF	10	3922	742	321	104	100	100	N.A.	MOTOR
500	264	610	8x8x16.5	324	1.19	12LBF	10	3922	742	321	110	YES	YES	YES	ENGINE
500	264	610	6x8x16.5	350	1.19	12LBF	10	3922	742	321	110	YES	YES	N.A.	ENGINE
500	265	612	6x8x16.5	350	1.50	10MAF	14	4355	748	324	115	125	125	N.A.	MOTOR
500	265	612	6x8x16.5	350	1.50	10MAF	14	4355	748	324	115	100	100	N.A.	MOTOR
500	265	612	8x8x16.5	324	1.50	10MAF	15	4355	748	324	115	125	125	125	MOTOR
500	265	612	6x8x16.5	350	1.50	10MAF	15	4141	757	328	120	YES	YES	N.A.	ENGINE
500	265	612	8x8x16.5	324	1.50	10MAF	15	4141	757	328	120	YES	YES	YES	ENGINE
500	268	620	8x8x16.5	324	1.19	12LBF	10	3984	739	320	106	100	100	100	MOTOR
500	268	620	6x8x16.5	350	1.19	12LBF	10	3984	739	320	106	100	100	N.A.	MOTOR
500	268	620	6x8x16.5	350	1.19	12LBF	10	3984	739	320	112	YES	YES	N.A.	ENGINE
500	268	620	8x8x16.5	324	1.19	12LBF	10	3984	739	320	112	YES	YES	YES	ENGINE
500	270	624	6x8x16.5	350	1.50	10MAF	15	4445	756	327	115	100	100	N.A.	MOTOR
500	270	624	8x8x16.5	324	1.50	10MAF	15	4283	777	336	124	YES	YES	N.A.	ENGINE
500	270	624	6x8x16.5	350	1.50	10MAF	15	4283	777	336	124	YES	YES	N.A.	ENGINE
500	273	630	8x8x16.5	324	1.19	12LBF	10	4046	742	321	108	100	100	100	MOTOR
500	273	630	6x8x16.5	350	1.19	12LBF	10	4046	742	321	108	100	100	N.A.	MOTOR
500	273	630	8x8x16.5	324	1.19	12LBF	10	4046	742	321	114	YES	YES	YES	ENGINE
500	273	630	6x8x16.5	350	1.19	12LBF	10	4046	742	321	114	YES	YES	N.A.	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
500	275	635	6x8x16.5	350	1.50	10MAF	15	4499	746	323	115	100	100	N.A.	MOTOR
500	275	635	8x8x16.5	324	1.50	10MAF	15	4283	793	343	127	YES	YES	N.A.	ENGINE
500	275	635	6x8x16.5	350	1.50	10MAF	15	4283	793	343	127	YES	YES	N.A.	ENGINE
500	277	640	6x8x16.5	350	1.19	12LBF	10	4108	742	321	110	100	100	N.A.	MOTOR
500	277	640	8x8x16.5	324	1.19	12LBF	10	4108	742	321	110	100	100	100	MOTOR
500	277	640	8x8x16.5	324	1.19	12LBF	10	4108	742	321	116	YES	YES	YES	ENGINE
500	277	640	6x8x16.5	350	1.19	12LBF	10	4108	742	321	116	YES	YES	N.A.	ENGINE
500	280	647	6x8x16.5	350	1.50	10MAF	15	4599	790	342	121	125	125	N.A.	MOTOR
500	280	647	8x8x16.5	324	1.50	10MAF	15	4344	810	351	129	YES	YES	N.A.	ENGINE
500	280	647	6x8x16.5	350	1.50	10MAF	15	4344	810	351	129	YES	YES	N.A.	ENGINE
500	280	647	8x8x16.5	324	1.19	12LBF	10	4151	744	322	111	100	100	100	MOTOR
500	280	647	6x8x16.5	350	1.19	12LBF	10	4151	744	322	111	100	100	N.A.	MOTOR
500	280	647	6x8x16.5	350	1.19	12LBF	10	4151	744	322	117	YES	YES	N.A.	ENGINE
500	280	647	8x8x16.5	324	1.19	12LBF	10	4151	744	322	117	YES	YES	YES	ENGINE
500	285	658	6x8x16.5	350	1.50	10MAF	15	4678	810	351	124	125	125	N.A.	MOTOR
500	285	658	6x8x16.5	350	1.50	10MAF	15	4392	802	347	130	YES	YES	N.A.	ENGINE
500	285	658	8x8x16.5	324	1.50	10MAF	15	4392	802	347	130	YES	YES	N.A.	ENGINE
500	290	670	6x8x16.5	350	1.50	10MAF	15	4832	810	351	124	125	125	N.A.	MOTOR
500	290	670	8x8x16.5	324	1.50	10MAF	15	4423	810	351	132	YES	YES	N.A.	ENGINE
500	290	670	6x8x16.5	350	1.50	10MAF	15	4423	810	351	132	YES	YES	N.A.	ENGINE
500	295	681	6x8x16.5	350	1.50	10MAF	16	4850	810	351	124	125	125	N.A.	MOTOR
500	295	681	8x8x16.5	400	1.50	10MAF	16	4860	830	359	137	YES	YES	N.A.	ENGINE
500	300	693	6x8x16.5	350	1.50	10MAF	16	4862	838	363	135	125	N.A.	N.A.	MOTOR
500	300	693	8x8x16.5	400	1.50	10MAF	16	4589	857	371	137	YES	N.A.	N.A.	ENGINE
500	305	704	6x8x16.5	350	1.50	10MAF	16	4931	854	370	138	125	N.A.	N.A.	MOTOR
500	305	704	8x8x16.5	400	1.50	10MAF	16	4654	853	369	146	YES	N.A.	N.A.	ENGINE
500	308	711	6x8x16.5	350	1.50	10MAF	16	4949	837	362	137	125	N.A.	N.A.	MOTOR
500	308	711	8x8x16.5	400	1.50	10MAF	16	4671	857	371	139	YES	N.A.	N.A.	ENGINE
750	40	92	6x8x16.5	175	1.50	12MBF	2	1336	117	51	25	25	25	25	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
750	40	92	6x8x16.5	175	1.50	12MBF	2	1378	120	52	27	YES	YES	YES	ENGINE
750	40	92	6x8x16.5	175	1.50	12MBF	3	892	118	51	25	25	NA	25	MOTOR
750	42	97	6x8x16.5	175	1.50	12MBF	3	900	121	52	26	25	NA	25	MOTOR
750	45	104	6x8x16.5	175	1.50	12MBF	3	1000	131	57	29	25	NA	25	MOTOR
750	45	104	6x8x16.5	175	1.50	12MBF	2	1461	129	56	30	30	30	30	MOTOR
750	45	104	6x8x16.5	175	1.50	12MBF	2	1503	132	57	31	YES	YES	YES	ENGINE
750	50	116	6x8x16.5	175	1.50	12MBF	3	1099	143	62	33	30	NA	30	MOTOR
750	50	116	6x8x16.5	175	1.50	12MBF	2	1597	138	60	33	30	30	30	MOTOR
750	50	116	6x8x16.5	175	1.50	12MBF	2	1629	144	62	36	YES	YES	YES	ENGINE
750	55	127	6x8x16.5	175	1.50	12MBF	3	1733	162	70	34	30	30	30	MOTOR
750	55	127	6x8x16.5	175	1.50	12MBF	3	1765	167	72	37	YES	YES	YES	ENGINE
750	55	127	6x8x16.5	175	1.50	12MBF	3	1207	156	68	38	40	NA	40	MOTOR
750	60	139	6x8x16.5	175	1.50	12MBF	4	1336	175	76	39	40	NA	40	MOTOR
750	60	139	6x8x16.5	175	1.50	12MBF	3	1859	176	76	39	40	40	40	MOTOR
750	60	139	6x8x16.5	175	1.50	12MBF	3	1890	179	77	41	YES	YES	YES	ENGINE
750	65	150	6x8x16.5	175	1.50	12MBF	3	1974	186	81	42	40	40	40	MOTOR
750	65	150	6x8x16.5	175	1.50	12MBF	3	2014	190	82	45	YES	YES	YES	ENGINE
750	65	150	6x8x16.5	175	1.50	12MBF	4	1436	188	81	43	40	NA	40	MOTOR
750	70	162	6x8x16.5	175	1.50	12MBF	4	1544	200	87	46	40	NA	40	MOTOR
750	70	162	6x8x16.5	175	1.50	12MBF	3	2099	194	84	44	40	40	40	MOTOR
750	70	162	6x8x16.5	175	1.50	12MBF	3	2141	202	87	50	YES	YES	YES	ENGINE
750	75	173	6x8x16.5	175	1.50	12MBF	3	2214	209	90	49	50	50	50	MOTOR
750	75	173	6x8x16.5	175	1.50	12MBF	3	2256	212	92	53	YES	YES	YES	ENGINE
750	75	173	6x8x16.5	175	1.50	12MBF	4	1643	212	92	52	50	NA	50	MOTOR
750	80	185	6x8x16.5	175	1.50	12MBF	5	1772	231	100	53	50	NA	50	MOTOR
750	80	185	6x8x16.5	175	1.50	12MBF	3	2340	220	95	55	50	50	50	MOTOR
750	80	185	6x8x16.5	175	1.50	12MBF	3	2382	220	95	58	YES	YES	YES	ENGINE
750	85	196	6x8x16.5	175	1.50	12MBF	4	2476	240	104	52	50	50	50	MOTOR
750	85	196	6x8x16.5	175	1.50	12MBF	4	2528	249	108	58	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
750	85	196	6x8x16.5	175	1.50	12MBF	5	1871	244	106	57	50	NA	50	MOTOR
750	90	208	6x8x16.5	175	1.50	12MBF	5	1979	256	111	62	60	NA	60	MOTOR
750	90	208	6x8x16.5	175	1.50	12MBF	4	2612	252	109	57	50	50	50	MOTOR
750	90	208	6x8x16.5	175	1.50	12MBF	4	2654	260	113	62	YES	YES	YES	ENGINE
750	95	219	6x8x16.5	175	1.50	12MBF	4	2748	276	119	57	50	50	50	MOTOR
750	95	219	6x8x16.5	175	1.50	12MBF	4	2769	271	117	67	YES	YES	YES	ENGINE
750	95	219	6x8x16.5	175	1.50	12MBF	5	2078	269	116	66	60	NA	60	MOTOR
750	100	231	6x8x16.5	175	1.50	12MBF	4	2852	278	120	67	60	60	60	MOTOR
750	100	231	6x8x16.5	175	1.50	12MBF	6	2207	288	125	66	60	NA	60	MOTOR
750	100	231	6x8x16.5	175	1.50	12MBF	4	2915	284	123	70	YES	YES	YES	ENGINE
750	104	240	6x8x16.5	175	1.50	12MBF	4	2604	277	120	66	60	60	60	MOTOR
750	104	240	6x8x16.5	175	1.50	12MBF	4	2604	277	120	70	YES	YES	YES	ENGINE
750	105	243	6x8x16.5	175	1.50	12MBF	6	2315	301	130	72	75	NA	75	MOTOR
750	108	250	6x8x16.5	175	1.50	12MBF	4	2709	287	124	70	75	75	75	MOTOR
750	108	250	6x8x16.5	175	1.50	12MBF	4	2709	287	124	74	YES	YES	YES	ENGINE
750	110	254	6x8x16.5	175	1.50	12MBF	6	2415	314	136	77	75	NA	75	MOTOR
750	113	260	6x8x16.5	175	1.50	12MBF	5	2835	313	135	68	60	60	60	MOTOR
750	113	260	6x8x16.5	175	1.50	12MBF	5	2835	313	135	72	YES	YES	YES	ENGINE
750	115	266	6x8x16.5	175	1.50	12MBF	6	2523	326	141	81	75	NA	75	MOTOR
750	117	270	6x8x16.5	175	1.50	12MBF	5	2940	318	138	70	75	75	75	MOTOR
750	117	270	6x8x16.5	175	1.50	12MBF	5	2940	318	138	74	YES	YES	YES	ENGINE
750	120	277	6x8x16.5	175	1.50	12MBF	7	2643	344	149	81	75	NA	75	MOTOR
750	121	280	6x8x16.5	175	1.50	12MBF	5	3045	329	142	75	75	75	75	MOTOR
750	121	280	6x8x16.5	175	1.50	12MBF	5	3045	329	142	80	YES	YES	YES	ENGINE
750	125	289	6x8x16.5	175	1.50	12MBF	7	2751	357	155	86	75	NA	75	MOTOR
750	126	290	6x8x16.5	175	1.50	12MBF	5	3150	335	145	77	75	75	75	MOTOR
750	126	290	6x8x16.5	175	1.50	12MBF	5	3150	335	145	82	YES	YES	YES	ENGINE
750	130	300	6x8x16.5	175	1.50	12MBF	5	3255	347	150	82	75	75	75	MOTOR
750	130	300	6x8x16.5	175	1.50	12MBF	5	3255	347	150	87	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
750	130	300	6x8x16.5	175	1.50	12MBF	7	2850	370	160	91	100	NA	100	MOTOR
750	134	310	6x8x16.5	175	1.50	12MBF	5	3360	359	155	88	100	100	100	MOTOR
750	134	310	6x8x16.5	175	1.50	12MBF	5	3360	359	155	94	YES	YES	YES	ENGINE
750	135	312	6x8x16.5	175	1.50	12MBF	7	2958	383	166	95	100	NA	100	MOTOR
750	139	320	6x8x16.5	175	1.50	12MBF	5	3460	370	160	92	100	100	100	MOTOR
750	139	320	6x8x16.5	175	1.50	12MBF	5	3460	370	160	98	YES	YES	YES	ENGINE
750	140	323	6x8x16.5	175	1.50	12MBF	8	3078	400	173	95	100	NA	100	MOTOR
750	143	330	6x8x16.5	175	1.50	12MBF	6	3591	392	170	90	100	100	100	MOTOR
750	143	330	6x8x16.5	175	1.50	12MBF	6	3591	392	170	96	YES	YES	YES	ENGINE
750	145	335	6x8x16.5	175	1.50	12MBF	8	3187	414	179	100	100	NA	100	MOTOR
750	147	340	6x8x16.5	175	1.50	12MBF	6	3696	399	173	92	100	100	100	MOTOR
750	147	340	6x8x16.5	175	1.50	12MBF	6	3696	399	173	98	YES	YES	YES	ENGINE
750	150	347	6x8x16.5	175	1.50	12MBF	8	3295	427	185	105	100	NA	100	MOTOR
750	152	350	6x8x16.5	175	1.50	12MBF	6	3801	410	177	96	100	100	100	MOTOR
750	152	350	6x8x16.5	175	1.50	12MBF	6	3801	410	177	102	YES	YES	YES	ENGINE
750	155	358	6x8x16.5	175	1.50	12MBF	8	3394	439	190	110	100	NA	100	MOTOR
750	156	360	6x8x16.5	230	1.50	12MBF	6	3906	421	182	101	100	100	100	MOTOR
750	156	360	6x8x16.5	175	1.50	12MBF	6	3906	421	182	101	100	100	100	MOTOR
750	156	360	6x8x16.5	175	1.50	12MBF	6	3906	421	182	107	YES	YES	YES	ENGINE
750	156	360	6x8x16.5	230	1.50	12MBF	6	3906	421	182	107	YES	YES	YES	ENGINE
750	160	370	6x8x16.5	175	1.50	12MBF	9	3523	458	198	110	100	NA	100	MOTOR
750	160	370	6x8x16.5	230	1.50	12MBF	6	4011	430	186	105	100	100	100	MOTOR
750	160	370	6x8x16.5	175	1.50	12MBF	6	4011	430	186	105	100	100	100	MOTOR
750	160	370	6x8x16.5	175	1.50	12MBF	6	4011	430	186	111	YES	YES	YES	ENGINE
750	160	370	6x8x16.5	230	1.50	12MBF	6	4011	430	186	111	YES	YES	YES	ENGINE
750	165	380	6x8x16.5	230	1.50	12MBF	6	4116	439	190	109	100	100	100	MOTOR
750	165	380	6x8x16.5	175	1.50	12MBF	6	4116	439	190	109	100	100	100	MOTOR
750	165	380	6x8x16.5	230	1.50	12MBF	6	4116	439	190	115	YES	YES	YES	ENGINE
750	165	380	6x8x16.5	175	1.50	12MBF	6	4116	439	190	115	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
750	165	381	6x8x16.5	175	1.50	12MBF	9	3622	470	203	114	100	NA	100	MOTOR
750	169	390	6x8x16.5	230	1.50	12MBF	7	4242	463	200	107	100	100	100	MOTOR
750	169	390	6x8x16.5	230	1.50	12MBF	7	4242	463	200	113	YES	YES	YES	ENGINE
750	170	393	6x8x16.5	175	1.50	12MBF	9	3730	483	209	119	125	NA	125	MOTOR
750	173	400	6x8x16.5	230	1.50	12MBF	7	4347	470	203	110	100	100	100	MOTOR
750	173	400	6x8x16.5	230	1.50	12MBF	7	4347	470	203	116	YES	YES	YES	ENGINE
750	175	404	6x8x16.5	175	1.50	12MBF	9	3829	496	215	124	125	NA	125	MOTOR
750	177	410	6x8x16.5	230	1.50	12MBF	7	4452	480	208	110	100	100	100	MOTOR
750	177	410	6x8x16.5	230	1.50	12MBF	7	4452	480	208	120	YES	YES	YES	ENGINE
750	180	416	6x8x16.5	230	1.50	12MBF	10	3958	514	223	124	125	NA	125	MOTOR
750	182	420	6x8x16.5	230	1.50	12MBF	7	4557	490	212	117	125	125	125	MOTOR
750	182	420	6x8x16.5	230	1.50	12MBF	7	4557	490	212	123	YES	YES	YES	ENGINE
750	185	427	6x8x16.5	230	1.50	12MBF	10	4058	526	228	128	125	NA	125	MOTOR
750	186	430	6x8x16.5	230	1.50	12MBF	7	4662	500	216	121	125	125	125	MOTOR
750	186	430	6x8x16.5	230	1.50	12MBF	7	4662	500	216	129	YES	YES	YES	ENGINE
750	190	439	6x8x16.5	230	1.50	12MBF	10	4166	540	234	133	125	NA	125	MOTOR
750	190	440	6x8x16.5	230	1.50	12MBF	7	4767	510	221	126	125	125	125	MOTOR
750	190	440	6x8x16.5	230	1.50	12MBF	7	4767	510	221	134	YES	YES	YES	ENGINE
750	195	450	6x8x16.5	230	1.50	12MBF	7	4872	520	225	130	125	125	125	MOTOR
750	195	450	6x8x16.5	230	1.50	12MBF	7	4872	520	225	138	YES	YES	YES	ENGINE
750	195	450	6x8x16.5	230	1.50	12MBF	10	4265	551	239	138	125	NA	125	MOTOR
750	199	460	6x8x16.5	230	1.50	12MBF	8	4998	541	234	126	125	125	125	MOTOR
750	199	460	6x8x16.5	230	1.50	12MBF	8	4998	541	234	134	YES	YES	YES	ENGINE
750	200	462	6x8x16.5	230	1.50	12MBF	11	4394	570	247	138	125	NA	125	MOTOR
750	203	470	6x8x16.5	230	1.50	12MBF	8	5103	551	239	131	125	125	125	MOTOR
750	203	470	6x8x16.5	230	1.50	12MBF	8	5103	551	239	139	YES	YES	YES	ENGINE
750	205	474	6x8x16.5	230	1.50	12MBF	11	4502	584	253	143	125	NA	125	MOTOR
750	208	480	6x8x16.5	230	1.50	12MBF	8	5208	561	243	134	125	125	125	MOTOR
750	208	480	6x8x16.5	230	1.50	12MBF	8	5208	561	243	142	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
750	210	485	6x8x16.5	230	1.50	12MBF	11	4601	596	258	148	150	NA	150	MOTOR
750	212	490	6x8x16.5	230	1.50	12MBF	8	5313	569	246	139	125	125	125	MOTOR
750	212	490	6x8x16.5	230	1.50	12MBF	8	5313	569	246	148	YES	YES	YES	ENGINE
750	215	497	6x8x16.5	230	1.50	12MBF	12	4730	615	266	148	150	NA	150	MOTOR
750	216	500	6x8x16.5	350	1.50	12MBF	8	5418	583	252	143	150	150	N.A.	MOTOR
750	216	500	6x8x16.5	350	1.50	12MBF	8	5418	583	252	143	125	125	N.A.	MOTOR
750	216	500	8x8x16.5	324	1.50	12MBF	8	5418	583	252	143	150	150	150	MOTOR
750	216	500	8x8x16.5	324	1.50	12MBF	8	5418	583	252	153	YES	YES	YES	ENGINE
750	216	500	6x8x16.5	350	1.50	12MBF	8	5418	583	252	153	YES	YES	N.A.	ENGINE
750	220	508	6x8x16.5	230	1.50	12MBF	12	4829	627	271	153	150	NA	150	MOTOR
750	221	510	8x8x16.5	324	1.50	12MBF	9	5544	602	261	140	150	150	150	MOTOR
750	221	510	6x8x16.5	350	1.50	12MBF	9	5544	602	261	140	125	125	N.A.	MOTOR
750	221	510	8x8x16.5	324	1.50	12MBF	9	5544	602	261	149	YES	YES	YES	ENGINE
750	221	510	6x8x16.5	350	1.50	12MBF	9	5544	602	261	149	YES	YES	N.A.	ENGINE
750	225	520	6x8x16.5	230	1.50	12MBF	12	4937	640	277	157	150	NA	150	MOTOR
750	225	520	6x8x16.5	350	1.50	12MBF	9	5649	611	265	143	125	125	N.A.	MOTOR
750	225	520	8x8x16.5	324	1.50	12MBF	9	5649	611	265	143	150	150	150	MOTOR
750	225	520	8x8x16.5	324	1.50	12MBF	9	5649	611	265	152	YES	YES	YES	ENGINE
750	225	520	6x8x16.5	350	1.50	12MBF	9	5649	611	265	152	YES	YES	N.A.	ENGINE
750	229	530	8x8x16.5	324	1.50	12MBF	9	5754	621	269	148	150	150	150	MOTOR
750	229	530	6x8x16.5	350	1.50	12MBF	9	5754	621	269	148	150	150	N.A.	MOTOR
750	229	530	8x8x16.5	324	1.50	12MBF	9	5754	621	269	157	YES	YES	YES	ENGINE
750	229	530	6x8x16.5	350	1.50	12MBF	9	5754	621	269	157	YES	YES	N.A.	ENGINE
750	230	531	6x8x16.5	230	1.50	12MBF	12	5037	652	282	162	150	NA	150	MOTOR
750	234	540	6x8x16.5	350	1.50	12MBF	9	5859	632	274	153	150	150	N.A.	MOTOR
750	234	540	8x8x16.5	324	1.50	12MBF	9	5859	632	274	153	150	150	150	MOTOR
750	234	540	6x8x16.5	350	1.50	12MBF	9	5859	632	274	162	YES	YES	N.A.	ENGINE
750	234	540	8x8x16.5	324	1.50	12MBF	9	5859	632	274	162	YES	YES	YES	ENGINE
750	235	543	8x8x16.5	324	1.50	12MBF	13	5166	671	290	162	150	NA	150	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
750	238	550	8x8x16.5	324	1.50	12MBF	9	5964	641	277	156	150	150	150	MOTOR
750	238	550	6x8x16.5	350	1.50	12MBF	9	5964	641	277	156	150	150	N.A.	MOTOR
750	238	550	8x8x16.5	324	1.50	12MBF	9	5964	641	277	165	YES	YES	YES	ENGINE
750	238	550	6x8x16.5	350	1.50	12MBF	9	5964	641	277	165	YES	YES	N.A.	ENGINE
750	240	554	8x8x16.5	324	1.50	12MBF	13	5265	684	296	167	150	NA	150	MOTOR
750	242	560	6x8x16.5	350	1.50	12MBF	9	6069	650	281	159	150	150	N.A.	MOTOR
750	242	560	8x8x16.5	324	1.50	12MBF	9	6069	650	281	159	150	150	150	MOTOR
750	242	560	6x8x16.5	350	1.50	12MBF	9	6069	650	281	168	YES	YES	N.A.	ENGINE
750	242	560	8x8x16.5	324	1.50	12MBF	9	6069	650	281	168	YES	YES	YES	ENGINE
750	245	566	8x8x16.5	324	1.50	12MBF	13	5373	696	301	171	150	NA	150	MOTOR
750	247	570	6x8x16.5	350	1.50	12MBF	9	6174	661	286	164	150	150	N.A.	MOTOR
750	247	570	8x8x16.5	324	1.50	12MBF	9	6174	661	286	164	150	150	150	MOTOR
750	247	570	6x8x16.5	350	1.50	12MBF	9	6174	661	286	173	YES	YES	N.A.	ENGINE
750	247	570	8x8x16.5	324	1.50	12MBF	9	6174	661	286	173	YES	YES	YES	ENGINE
750	250	578	8x8x16.5	324	1.50	12MBF	13	5481	709	307	176	200	NA	200	MOTOR
750	251	580	8x8x16.5	324	1.50	12MBF	9	6279	670	290	168	200	200	200	MOTOR
750	251	580	6x8x16.5	350	1.50	12MBF	9	6279	670	290	168	150	150	N.A.	MOTOR
750	251	580	8x8x16.5	324	1.50	12MBF	9	6279	670	290	178	YES	YES	YES	ENGINE
750	251	580	6x8x16.5	350	1.50	12MBF	9	6279	670	290	178	YES	YES	N.A.	ENGINE
750	255	589	8x8x16.5	324	1.50	12MBF	14	5601	727	315	176	200	NA	200	MOTOR
750	255	590	8x8x16.5	324	1.50	12MBF	10	6405	689	298	163	150	150	150	MOTOR
750	255	590	6x8x16.5	350	1.50	12MBF	10	6405	689	298	163	150	150	N.A.	MOTOR
750	255	590	6x8x16.5	350	1.50	12MBF	10	6405	689	298	173	YES	YES	N.A.	ENGINE
750	255	590	8x8x16.5	324	1.50	12MBF	10	6405	689	298	173	YES	YES	YES	ENGINE
750	260	600	8x8x16.5	324	1.50	12MBF	10	6510	702	304	169	200	200	200	MOTOR
750	260	600	6x8x16.5	350	1.50	12MBF	10	6510	702	304	169	150	150	N.A.	MOTOR
750	260	600	6x8x16.5	350	1.50	12MBF	10	6510	702	304	180	YES	YES	N.A.	ENGINE
750	260	600	8x8x16.5	324	1.50	12MBF	10	6510	702	304	180	YES	YES	YES	ENGINE
750	260	601	8x8x16.5	324	1.50	12MBF	14	5709	741	321	181	200	NA	200	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
750	264	610	8x8x16.5	324	1.50	12MBF	10	6615	709	307	172	200	200	200	MOTOR
750	264	610	6x8x16.5	350	1.50	12MBF	10	6615	709	307	172	150	150	N.A.	MOTOR
750	264	610	8x8x16.5	324	1.50	12MBF	10	6615	709	307	181	YES	YES	YES	ENGINE
750	264	610	6x8x16.5	350	1.50	12MBF	10	6615	709	307	181	YES	YES	N.A.	ENGINE
750	265	612	8x8x16.5	324	1.50	12MBF	14	5809	752	326	185	200	NA	200	MOTOR
750	268	620	6x8x16.5	350	1.50	12MBF	10	6720	719	311	175	200	200	N.A.	MOTOR
750	268	620	8x8x16.5	324	1.50	12MBF	10	6720	719	311	175	200	200	200	MOTOR
750	268	620	6x8x16.5	350	1.50	12MBF	10	6720	719	311	185	YES	YES	N.A.	ENGINE
750	268	620	8x8x16.5	324	1.50	12MBF	10	6720	719	311	185	YES	YES	YES	ENGINE
750	270	624	8x8x16.5	324	1.50	12MBF	14	5917	766	332	190	200	NA	200	MOTOR
750	273	630	6x8x16.5	350	1.50	12MBF	10	6825	730	316	180	200	200	N.A.	MOTOR
750	273	630	8x8x16.5	324	1.50	12MBF	10	6825	730	316	180	200	200	200	MOTOR
750	273	630	8x8x16.5	324	1.50	12MBF	10	6825	730	316	190	YES	YES	YES	ENGINE
750	273	630	6x8x16.5	350	1.50	12MBF	10	6825	730	316	190	YES	YES	N.A.	ENGINE
750	275	635	8x8x16.5	324	1.50	12MBF	14	6036	744	322	190	200	NA	200	MOTOR
750	277	640	6x8x16.5	350	1.50	12MBF	10	6930	740	320	185	200	200	N.A.	MOTOR
750	277	640	8x8x16.5	324	1.50	12MBF	10	6930	740	320	185	200	200	200	MOTOR
750	277	640	6x8x16.5	350	1.50	12MBF	10	6930	740	320	195	YES	YES	N.A.	ENGINE
750	277	640	8x8x16.5	324	1.50	12MBF	10	6930	740	320	195	YES	YES	YES	ENGINE
750	280	647	8x8x16.5	324	1.50	12MBF	14	6145	756	327	192	200	NA	200	MOTOR
750	280	647	6x8x16.5	350	1.50	12MBF	10	7004	748	324	187	200	200	N.A.	MOTOR
750	280	647	8x8x16.5	324	1.50	12MBF	10	7004	748	324	187	200	200	200	MOTOR
750	280	647	8x8x16.5	324	1.50	12MBF	10	7004	748	324	197	YES	YES	YES	ENGINE
750	280	647	6x8x16.5	350	1.50	12MBF	10	7004	748	324	197	YES	YES	N.A.	ENGINE
750	285	658	8x8x16.5	324	1.50	12MBF	14	6370	768	332	192	200	NA	200	MOTOR
750	286	660	8x8x16.5	510	1.50	12LDF	8	5608	752	326	183	200	200	N.A.	MOTOR
750	286	660	6x8x16.5	350	1.50	12LDF	8	5608	752	326	183	200	200	N.A.	MOTOR
750	286	660	8x8x16.5	510	1.50	12LDF	8	5608	752	326	194	YES	YES	YES	ENGINE
750	286	660	6x8x16.5	400	1.50	12LDF	8	5608	752	326	194	YES	YES	N.A.	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
750	286	660	6x8x16.5	350	1.50	12LDF	8	5608	752	326	194	YES	YES	N.A.	ENGINE
750	290	670	8x8x16.5	510	1.50	12LDF	8	5686	764	331	188	200	200	200	MOTOR
750	290	670	6x8x16.5	350	1.50	12LDF	8	5686	764	331	188	200	200	N.A.	MOTOR
750	290	670	6x8x16.5	400	1.50	12LDF	8	5686	764	331	199	YES	YES	N.A.	ENGINE
750	290	670	8x8x16.5	510	1.50	12LDF	8	5686	764	331	199	YES	YES	YES	ENGINE
750	290	670	6x8x16.5	350	1.50	12LDF	8	5686	764	331	199	YES	YES	N.A.	ENGINE
750	291	672	8x8x16.5	324	1.50	12MBF	14	6370	768	332	192	200	NA	200	MOTOR
750	294	680	6x8x16.5	350	1.50	12LDF	8	5764	775	335	193	200	200	N.A.	MOTOR
750	294	680	8x8x16.5	510	1.50	12LDF	8	5764	775	335	193	200	200	200	MOTOR
750	294	680	8x8x16.5	510	1.50	12LDF	8	5764	775	335	205	YES	YES	YES	ENGINE
750	294	680	8x8x16.5	510	1.50	12LDF	8	5764	775	335	205	YES	YES	YES	ENGINE
750	294	680	6x8x16.5	350	1.50	12LDF	8	5764	775	335	205	YES	YES	N.A.	ENGINE
750	294	680	6x8x16.5	400	1.50	12LDF	8	5764	775	335	205	YES	YES	N.A.	ENGINE
750	299	690	6x8x16.5	350	1.50	12LDF	8	5842	786	340	199	200	200	N.A.	MOTOR
750	299	690	8x8x16.5	510	1.50	12LDF	8	5842	786	340	199	200	200	200	MOTOR
750	299	690	8x8x16.5	510	1.50	12LDF	8	5842	786	340	211	YES	YES	YES	ENGINE
750	299	690	6x8x16.5	400	1.50	12LDF	8	5842	786	340	211	YES	YES	N.A.	ENGINE
750	303	700	6x8x16.5	350	1.50	12LDF	9	5940	798	345	196	200	200	N.A.	MOTOR
750	303	700	8x8x16.5	510	1.50	12LDF	9	5940	798	345	196	200	200	200	MOTOR
750	303	700	6x8x16.5	350	1.50	12LDF	9	5940	798	345	208	YES	YES	N.A.	ENGINE
750	303	700	6x8x16.5	400	1.50	12LDF	9	5940	798	345	208	YES	YES	N.A.	ENGINE
750	303	700	8x8x16.5	510	1.50	12LDF	9	5940	798	345	208	YES	YES	YES	ENGINE
750	307	710	6x8x16.5	350	1.50	12LDF	9	6018	809	350	199	200	200	N.A.	MOTOR
750	307	710	8x8x16.5	510	1.50	12LDF	9	6018	809	350	199	200	200	200	MOTOR
750	307	710	6x8x16.5	400	1.50	12LDF	9	6018	809	350	211	YES	YES	N.A.	ENGINE
750	307	710	6x8x16.5	350	1.50	12LDF	9	6018	809	350	211	YES	YES	N.A.	ENGINE
750	307	710	8x8x16.5	510	1.50	12LDF	9	6018	809	350	211	YES	YES	YES	ENGINE
750	312	720	8x8x16.5	510	1.50	12LDF	9	6096	820	355	200	200	200	200	MOTOR
750	312	720	6x8x16.5	350	1.50	12LDF	9	6096	820	355	200	200	200	N.A.	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
750	312	720	8x8x16.5	510	1.50	12LDF	9	6096	820	355	212	YES	YES	YES	ENGINE
750	312	720	6x8x16.5	350	1.50	12LDF	9	6096	820	355	212	YES	YES	N.A.	ENGINE
750	312	720	6x8x16.5	400	1.50	12LDF	9	6096	820	355	212	YES	YES	N.A.	ENGINE
750	316	730	8x8x16.5	510	1.50	12LDF	9	6174	832	360	203	200	200	200	MOTOR
750	316	730	6x8x16.5	350	1.50	12LDF	9	6174	832	360	203	200	200	N.A.	MOTOR
750	316	730	8x8x16.5	400	1.50	12LDF	9	6174	832	360	203	200	200	N.A.	MOTOR
750	316	730	6x8x16.5	400	1.50	12LDF	9	6174	832	360	215	YES	YES	N.A.	ENGINE
750	316	730	8x8x16.5	510	1.50	12LDF	9	6174	832	360	215	YES	YES	YES	ENGINE
750	316	730	6x8x16.5	350	1.50	12LDF	9	6174	832	360	215	YES	YES	N.A.	ENGINE
750	320	740	6x8x16.5	350	1.50	12LDF	9	6252	844	365	206	200	200	N.A.	MOTOR
750	320	740	8x8x16.5	400	1.50	12LDF	9	6252	844	365	206	200	200	N.A.	MOTOR
750	320	740	8x8x16.5	510	1.50	12LDF	9	6252	844	365	206	200	200	200	MOTOR
750	320	740	8x8x16.5	510	1.50	12LDF	9	6252	844	365	218	YES	YES	YES	ENGINE
750	320	740	6x8x16.5	400	1.50	12LDF	9	6252	844	365	218	YES	YES	N.A.	ENGINE
750	320	740	6x8x16.5	350	1.50	12LDF	9	6252	844	365	218	YES	YES	N.A.	ENGINE
750	325	750	8x8x16.5	400	1.50	12LDF	9	6330	855	370	210	200	200	N.A.	MOTOR
750	325	750	8x8x16.5	510	1.50	12LDF	9	6330	855	370	210	200	200	200	MOTOR
750	325	750	6x8x16.5	350	1.50	12LDF	9	6330	855	370	210	200	200	N.A.	MOTOR
750	325	750	6x8x16.5	350	1.50	12LDF	9	6330	855	370	223	YES	YES	N.A.	ENGINE
750	325	750	6x8x16.5	400	1.50	12LDF	9	6330	855	370	223	YES	YES	N.A.	ENGINE
750	325	750	8x8x16.5	510	1.50	12LDF	9	6330	855	370	223	YES	YES	YES	ENGINE
750	329	760	8x8x16.5	510	1.50	12LDF	9	6408	866	375	215	200	200	200	MOTOR
750	329	760	8x8x16.5	400	1.50	12LDF	9	6408	866	375	215	200	200	N.A.	MOTOR
750	329	760	8x8x16.5	400	1.50	12LDF	9	6408	866	375	228	YES	YES	N.A.	ENGINE
750	329	760	8x8x16.5	510	1.50	12LDF	9	6408	866	375	228	YES	YES	YES	ENGINE
750	333	770	8x8x16.5	510	1.50	12LDF	9	6486	878	380	219	200	200	200	MOTOR
750	333	770	8x8x16.5	400	1.50	12LDF	9	6486	878	380	219	200	200	N.A.	MOTOR
750	333	770	8x8x16.5	510	1.50	12LDF	9	6486	878	380	232	YES	YES	YES	ENGINE
750	333	770	8x8x16.5	400	1.50	12LDF	9	6486	878	380	232	YES	YES	N.A.	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
750	338	780	8x8x16.5	510	1.50	12LDF	9	6564	889	385	224	200	200	200	MOTOR
750	338	780	8x8x16.5	400	1.50	12LDF	9	6564	889	385	224	200	200	N.A.	MOTOR
750	338	780	8x8x16.5	510	1.50	12LDF	9	6564	889	385	237	YES	YES	YES	ENGINE
750	338	780	8x8x16.5	400	1.50	12LDF	9	6564	889	385	237	YES	YES	N.A.	ENGINE
750	342	790	8x8x16.5	400	1.50	12LDF	10	6662	900	390	221	200	200	N.A.	MOTOR
750	342	790	8x8x16.5	510	1.50	12LDF	10	6662	900	390	221	200	200	200	MOTOR
750	342	790	8x8x16.5	400	1.50	12LDF	10	6662	900	390	234	YES	YES	N.A.	ENGINE
750	342	790	8x8x16.5	510	1.50	12LDF	10	6662	900	390	234	YES	YES	YES	ENGINE
750	346	800	8x8x16.5	510	1.50	12LDF	10	6740	912	395	224	200	200	200	MOTOR
750	346	800	8x8x16.5	400	1.50	12LDF	10	6740	912	395	224	200	200	N.A.	MOTOR
750	346	800	8x8x16.5	510	1.50	12LDF	10	6740	912	395	237	YES	YES	YES	ENGINE
750	346	800	8x8x16.5	400	1.50	12LDF	10	6740	912	395	237	YES	YES	N.A.	ENGINE
750	351	810	8x8x16.5	510	1.50	12LDF	10	6818	923	400	226	200	200	200	MOTOR
750	351	810	8x8x16.5	510	1.50	12LDF	10	6818	923	400	240	YES	YES	YES	ENGINE
750	355	820	8x8x16.5	510	1.50	12LDF	10	6896	935	405	229	200	200	200	MOTOR
750	355	820	8x8x16.5	510	1.50	12LDF	10	6896	935	405	243	YES	YES	YES	ENGINE
750	359	830	8x8x16.5	510	1.50	12LDF	10	6974	946	410	233	250	250	250	MOTOR
750	359	830	8x8x16.5	510	1.50	12LDF	10	6974	946	410	247	YES	YES	YES	ENGINE
750	364	840	8x8x16.5	510	1.50	12LDF	10	7052	957	414	251	YES	YES	YES	ENGINE
750	368	850	8x8x16.5	510	1.50	12LDF	10	7130	969	419	242	250	250	250	MOTOR
750	368	850	8x8x16.5	510	1.50	12LDF	10	7130	969	419	256	YES	YES	YES	ENGINE
750	372	860	8x8x16.5	510	1.50	12LDF	10	7208	980	424	246	250	250	250	MOTOR
750	372	860	8x8x16.5	510	1.50	12LDF	10	7208	980	424	261	YES	YES	YES	ENGINE
750	377	870	8x8x16.5	510	1.50	12LDF	10	7286	992	429	250	250	250	250	MOTOR
750	377	870	8x8x16.5	510	1.50	12LDF	10	7286	992	429	265	YES	YES	YES	ENGINE
750	381	880	8x8x16.5	510	1.69	12LDF	11	7464	1003	434	247	250	250	250	MOTOR
750	381	880	8x8x16.5	510	1.69	12LDF	11	7464	1003	434	262	YES	YES	YES	ENGINE
750	385	890	8x8x16.5	510	1.69	12LDF	11	7542	1015	439	250	250	250	250	MOTOR
750	385	890	8x8x16.5	510	1.69	12LDF	11	7542	1015	439	265	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
750	390	900	8x8x16.5	510	1.69	12LDF	11	7620	1026	444	252	250	250	250	MOTOR
750	390	900	8x8x16.5	510	1.69	12LDF	11	7620	1026	444	267	YES	YES	YES	ENGINE
750	394	910	8x8x16.5	510	1.69	12LDF	11	7698	1037	449	254	250	250	250	MOTOR
750	394	910	8x8x16.5	510	1.69	12LDF	11	7698	1037	449	269	YES	YES	YES	ENGINE
750	398	920	8x8x16.5	510	1.69	12LDF	11	7776	1049	454	259	250	250	250	MOTOR
750	398	920	8x8x16.5	510	1.69	12LDF	11	7776	1049	454	274	YES	YES	YES	ENGINE
750	403	930	8x8x16.5	510	1.69	12LDF	11	7854	1060	459	263	250	250	250	MOTOR
750	403	930	8x8x16.5	510	1.69	12LDF	11	7854	1060	459	279	YES	YES	YES	ENGINE
750	407	940	8x8x16.5	510	1.69	12LDF	11	7932	1072	464	268	250	250	250	MOTOR
750	407	940	8x8x16.5	510	1.69	12LDF	11	7932	1072	464	284	YES	YES	YES	ENGINE
750	411	950	8x8x16.5	510	1.69	12LDF	11	8010	1083	469	272	250	250	250	MOTOR
750	411	950	8x8x16.5	510	1.69	12LDF	11	8010	1083	469	288	YES	YES	YES	ENGINE
750	416	960	8x8x16.5	510	1.69	12LDF	12	8088	1094	474	276	250	250	250	MOTOR
750	416	960	8x8x16.5	510	1.69	12LDF	11	8088	1094	474	292	YES	YES	YES	ENGINE
750	420	970	8x8x16.5	510	1.69	12LDF	12	8186	1106	479	273	250	250	250	MOTOR
750	420	970	8x8x16.5	510	1.69	12LDF	12	8186	1106	479	289	YES	YES	YES	ENGINE
750	424	980	8x8x16.5	510	1.69	12LDF	12	8264	1117	484	275	250	250	250	MOTOR
750	424	980	8x8x16.5	510	1.69	12LDF	12	8264	1117	484	291	YES	YES	YES	ENGINE
750	429	990	8x8x16.5	510	1.69	12LDF	12	8342	1126	487	278	250	250	250	MOTOR
750	429	990	8x8x16.5	510	1.69	12LDF	12	8342	1126	487	295	YES	YES	YES	ENGINE
750	433	1000	8x8x16.5	510	1.69	12LDF	12	8420	1134	491	281	250	250	250	MOTOR
750	433	1000	8x8x16.5	510	1.69	12LDF	12	8420	1134	491	298	YES	YES	YES	ENGINE
750	437	1010	8x8x16.5	510	1.69	12LDF	12	8498	1151	498	285	250	250	250	MOTOR
750	437	1010	8x8x16.5	510	1.69	12LDF	12	8498	1151	498	302	YES	YES	YES	ENGINE
750	442	1020	8x8x16.5	510	1.69	12LDF	12	8576	1163	503	290	300	300	300	MOTOR
750	442	1020	8x8x16.5	510	1.69	12LDF	12	8576	1163	503	307	YES	YES	YES	ENGINE
750	446	1030	8x8x16.5	510	1.69	12LDF	12	8654	1172	507	294	300	300	300	MOTOR
750	446	1030	8x8x16.5	510	1.69	12LDF	12	8654	1172	507	311	YES	YES	YES	ENGINE
750	450	1040	8x8x16.5	510	1.69	12LDF	12	8732	1186	513	298	300	300	300	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
750	450	1040	8x8x16.5	510	1.69	12LDF	12	8732	1186	513	316	YES	YES	YES	ENGINE
750	455	1050	8x8x16.5	600	1.69	12LDF	13	8830	1197	518	296	300	300	N.A.	MOTOR
750	455	1050	8x8x16.5	600	1.69	12LDF	13	8830	1197	518	314	YES	YES	N.A.	ENGINE
750	459	1060	8x8x16.5	600	1.69	12LDF	13	8908	1208	523	299	300	300	N.A.	MOTOR
750	459	1060	8x8x16.5	600	1.69	12LDF	13	8908	1208	523	317	YES	YES	N.A.	ENGINE
750	463	1070	8x8x16.5	600	1.69	12LDF	13	8986	1220	528	301	300	300	N.A.	MOTOR
750	463	1070	8x8x16.5	600	1.69	12LDF	13	8986	1220	528	319	YES	YES	N.A.	ENGINE
750	468	1080	8x8x16.5	600	1.69	12LDF	13	9064	1231	533	304	300	300	N.A.	MOTOR
750	468	1080	8x8x16.5	600	1.69	12LDF	13	9064	1231	533	322	YES	YES	N.A.	ENGINE
750	472	1090	8x8x16.5	600	1.69	12LDF	13	9142	1243	538	307	300	300	N.A.	MOTOR
750	472	1090	8x8x16.5	600	1.69	12LDF	13	9142	1243	538	325	YES	YES	N.A.	ENGINE
750	476	1100	8x8x16.5	600	1.69	12LDF	13	9220	1254	543	312	300	300	N.A.	MOTOR
750	476	1100	8x8x16.5	600	1.69	12LDF	13	9220	1254	543	330	YES	YES	N.A.	ENGINE
750	481	1110	8x8x16.5	600	1.69	12LDF	13	9298	1265	548	316	300	300	N.A.	MOTOR
750	481	1110	8x8x16.5	600	1.69	12LDF	13	9298	1265	548	335	YES	YES	N.A.	ENGINE
750	485	1120	8x8x16.5	600	1.69	12LDF	13	9376	1277	553	321	300	300	N.A.	MOTOR
750	485	1120	8x8x16.5	600	1.69	12LDF	13	9376	1277	553	340	YES	YES	N.A.	ENGINE
750	489	1130	8x8x16.5	600	1.69	12LDF	13	9454	1288	558	325	300	300	N.A.	MOTOR
750	489	1130	8x8x16.5	600	1.69	12LDF	13	9454	1288	558	344	YES	YES	N.A.	ENGINE
750	494	1140	8x8x16.5	600	1.69	12LDF	13	9552	1300	563	322	300	300	N.A.	MOTOR
750	494	1140	8x8x16.5	600	1.69	12LDF	13	9552	1300	563	341	YES	YES	N.A.	ENGINE
750	498	1150	8x8x16.5	600	1.69	12LDF	14	9630	1311	568	325	300	300	N.A.	MOTOR
750	498	1150	8x8x16.5	600	1.69	12LDF	14	9630	1311	568	344	YES	YES	N.A.	ENGINE
750	502	1160	8x8x16.5	600	1.69	12LDF	14	9730	1322	572	327	300	300	N.A.	MOTOR
750	502	1160	8x8x16.5	600	1.69	12LDF	14	9703	1322	572	346	YES	YES	N.A.	ENGINE
750	506	1170	8x8x16.5	600	1.69	12LDF	14	9786	1334	577	329	300	300	N.A.	MOTOR
750	506	1170	8x8x16.5	600	1.69	12LDF	14	9786	1334	577	349	YES	YES	N.A.	ENGINE
750	509	1176	8x8x16.5	600	1.69	12LDF	14	9864	1340	580	332	300	300	N.A.	MOTOR
750	509	1176	8x8x16.5	600	1.69	12LDF	14	9864	1340	580	352	YES	YES	N.A.	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
1000	40	92	10x10x16.5 or 20	175	1.94	14MCF	2	935	118	51	34	30	NA	30	MOTOR
1000	45	104	10x10x16.5 or 20	175	1.94	14MCF	2	1048	129	56	40	40	NA	40	MOTOR
1000	50	116	10x10x16.5 or 20	175	1.94	14MCF	2	1152	140	60	46	40	NA	40	MOTOR
1000	51	118	6x8x16.5	175	1.50	12MBF	2	1325	150	65	41	40	40	40	MOTOR
1000	51	118	6x8x16.5	175	1.50	12MBF	2	1278	150	65	47	YES	YES	YES	ENGINE
1000	55	127	6x8x16.5	175	1.50	12MBF	2	1396	158	68	45	40	40	40	MOTOR
1000	55	127	6x8x16.5	175	1.50	12MBF	2	1348	157	68	51	YES	YES	YES	ENGINE
1000	55	127	10x10x16.5 or 20	175	1.94	14MCF	3	1298	167	72	46	40	NA	40	MOTOR
1000	60	139	10x10x16.5 or 20	175	1.94	14MCF	3	1411	179	77	52	50	NA	50	MOTOR
1000	60	139	6x8x16.5	175	1.50	12MBF	3	1513	194	84	49	50	50	50	MOTOR
1000	60	139	6x8x16.5	175	1.50	12MBF	3	1451	194	84	55	YES	YES	YES	ENGINE
1000	65	150	6x8x16.5	175	1.50	12MBF	3	1601	200	87	51	50	50	50	MOTOR
1000	65	150	6x8x16.5	175	1.50	12MBF	3	1537	201	87	57	YES	YES	YES	ENGINE
1000	65	150	10x10x16.5 or 20	175	1.94	14MCF	3	1515	188	82	57	50	NA	50	MOTOR
1000	70	162	10x10x16.5 or 20	175	1.94	14MCF	3	1629	199	86	64	60	NA	60	MOTOR
1000	70	162	6x8x16.5	175	1.50	12MBF	3	1697	215	93	56	50	50	50	MOTOR
1000	70	162	6x8x16.5	175	1.50	12MBF	3	1631	215	93	62	YES	YES	YES	ENGINE
1000	75	173	6x8x16.5	175	1.50	12MBF	3	1785	219	95	57	50	50	50	MOTOR
1000	75	173	6x8x16.5	175	1.50	12MBF	3	1716	219	95	64	YES	YES	YES	ENGINE
1000	75	173	10x10x16.5 or 20	175	1.94	14MCF	3	1732	210	91	69	60	NA	60	MOTOR
1000	80	185	10x10x16.5 or 20	175	1.94	14MCF	4	1879	238	103	69	60	NA	60	MOTOR
1000	80	185	6x8x16.5	175	1.50	12MBF	3	1880	231	100	64	60	60	60	MOTOR
1000	80	185	6x8x16.5	175	1.50	12MBF	3	1810	231	100	70	YES	YES	YES	ENGINE
1000	85	196	6x8x16.5	175	1.50	12MBF	4	1968	259	112	65	60	60	60	MOTOR
1000	85	196	6x8x16.5	175	1.50	12MBF	4	1906	259	112	71	YES	YES	YES	ENGINE
1000	85	196	10x10x16.5 or 20	175	1.94	14MCF	4	1983	248	107	74	75	NA	75	MOTOR
1000	90	208	10x10x16.5 or 20	175	1.94	14MCF	4	2096	258	112	80	75	NA	75	MOTOR
1000	90	208	6x8x16.5	175	1.50	12MBF	4	2085	270	117	68	60	60	60	MOTOR
1000	90	208	6x8x16.5	175	1.50	12MBF	4	1998	270	117	74	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
1000	95	219	6x8x16.5	175	1.50	12MBF	4	2173	284	123	74	75	75	75	MOTOR
1000	95	219	6x8x16.5	175	1.50	12MBF	4	2084	284	123	80	YES	YES	YES	ENGINE
1000	95	219	10x10x16.5 or 20	175	1.94	14MCF	4	2209	270	117	86	75	NA	75	MOTOR
1000	100	231	6x8x16.5	175	1.50	12MBF	4	2269	291	126	78	75	75	75	MOTOR
1000	100	231	6x8x16.5	175	1.50	12MBF	4	2178	291	126	84	YES	YES	YES	ENGINE
1000	100	231	10x10x16.5 or 20	175	1.94	14MCF	4	2313	280	121	92	100	NA	100	MOTOR
1000	104	240	6x8x16.5	175	1.50	12MBF	4	2100	298	129	81	75	75	75	MOTOR
1000	104	240	6x8x16.5	175	1.50	12MBF	4	2100	298	129	86	YES	YES	YES	ENGINE
1000	105	243	10x10x16.5 or 20	175	1.94	14MCF	5	2459	308	133	92	100	NA	100	MOTOR
1000	108	250	6x8x16.5	175	1.50	12MBF	4	2184	314	136	86	75	75	75	MOTOR
1000	108	250	6x8x16.5	175	1.50	12MBF	4	2184	314	136	92	YES	YES	YES	ENGINE
1000	110	254	10x10x16.5 or 20	175	1.94	14MCF	5	2563	318	138	97	100	NA	100	MOTOR
1000	113	260	6x8x16.5	175	1.50	12MBF	4	2268	316	137	93	100	100	100	MOTOR
1000	113	260	6x8x16.5	175	1.50	12MBF	4	2268	316	137	99	YES	YES	YES	ENGINE
1000	115	266	10x10x16.5 or 20	175	1.94	14MCF	5	2677	328	142	104	100	NA	100	MOTOR
1000	117	270	6x8x16.5	175	1.50	12MBF	4	2352	318	138	99	100	100	100	MOTOR
1000	117	270	6x8x16.5	175	1.50	12MBF	4	2352	318	138	105	YES	YES	YES	ENGINE
1000	120	277	10x10x16.5 or 20	175	1.94	14MCF	5	2781	340	147	109	100	NA	100	MOTOR
1000	121	280	6x8x16.5	175	1.50	12MBF	5	2457	355	154	93	100	100	100	MOTOR
1000	121	280	6x8x16.5	175	1.50	12MBF	5	2457	355	154	99	YES	YES	YES	ENGINE
1000	125	289	10x10x16.5 or 20	175	1.94	14MCF	5	2894	350	152	115	100	NA	100	MOTOR
1000	126	290	6x8x16.5	175	1.50	12MBF	5	2541	364	158	97	100	100	100	MOTOR
1000	126	290	6x8x16.5	175	1.50	12MBF	5	2541	364	158	103	YES	YES	YES	ENGINE
1000	130	300	6x8x16.5	175	1.50	12MBF	5	2625	373	161	102	100	100	100	MOTOR
1000	130	300	6x8x16.5	175	1.50	12MBF	5	2625	373	161	108	YES	YES	YES	ENGINE
1000	130	300	10x10x16.5 or 20	175	1.94	14MCF	6	3031	377	163	114	100	NA	100	MOTOR
1000	134	310	6x8x16.5	175	1.50	12MBF	5	2709	383	166	106	100	100	100	MOTOR
1000	134	310	6x8x16.5	175	1.50	12MBF	5	2709	383	166	112	YES	YES	YES	ENGINE
1000	135	312	10x10x16.5 or 20	175	1.94	14MCF	6	3135	387	168	120	125	NA	125	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
1000	139	320	6x8x16.5	175	1.50	12MBF	5	2793	392	170	110	100	100	100	MOTOR
1000	139	320	6x8x16.5	175	1.50	12MBF	5	2793	392	170	116	YES	YES	YES	ENGINE
1000	140	323	10x10x16.5 or 20	175	1.94	14MCF	6	3257	398	172	127	125	NA	125	MOTOR
1000	143	330	6x8x16.5	175	1.50	12MBF	5	2877	394	171	115	100	100	100	MOTOR
1000	143	330	6x8x16.5	175	1.50	12MBF	5	2877	394	171	123	YES	YES	YES	ENGINE
1000	145	335	10x10x16.5 or 20	175	1.94	14MCF	6	3371	410	177	133	125	NA	125	MOTOR
1000	147	340	6x8x16.5	175	1.50	12MBF	5	2961	397	172	123	125	125	125	MOTOR
1000	147	340	6x8x16.5	175	1.50	12MBF	5	2961	397	172	131	YES	YES	YES	ENGINE
1000	150	347	10x10x16.5 or 20	175	1.94	14MCF	6	3474	420	182	139	125	NA	125	MOTOR
1000	152	350	6x8x16.5	175	1.50	12MBF	6	3066	436	189	126	125	125	125	MOTOR
1000	152	350	6x8x16.5	230	1.50	12MBF	6	3066	436	189	134	YES	YES	YES	ENGINE
1000	152	350	6x8x16.5	175	1.50	12MBF	6	3066	436	189	134	YES	YES	YES	ENGINE
1000	155	358	10x10x16.5 or 20	175	1.94	14MCF	6	3578	430	186	144	125	NA	125	MOTOR
1000	156	360	6x8x16.5	230	1.50	12MBF	6	3150	442	191	128	125	125	125	MOTOR
1000	156	360	6x8x16.5	175	1.50	12MBF	6	3150	442	191	128	125	125	125	MOTOR
1000	156	360	6x8x16.5	175	1.50	12MBF	6	3150	442	191	136	YES	YES	YES	ENGINE
1000	156	360	6x8x16.5	230	1.50	12MBF	6	3150	442	191	136	YES	YES	YES	ENGINE
1000	160	370	10x10x16.5 or 20	175	1.94	14MCF	7	3725	458	198	144	125	NA	125	MOTOR
1000	160	370	6x8x16.5	175	1.50	12MBF	6	3234	453	196	132	125	125	125	MOTOR
1000	160	370	6x8x16.5	230	1.50	12MBF	6	3234	453	196	132	125	125	125	MOTOR
1000	160	370	6x8x16.5	230	1.50	12MBF	6	3234	453	196	140	YES	YES	YES	ENGINE
1000	165	380	6x8x16.5	230	1.50	12MBF	6	3318	463	200	137	125	125	125	MOTOR
1000	165	380	6x8x16.5	230	1.50	12MBF	6	3318	463	200	145	YES	YES	YES	ENGINE
1000	165	381	10x10x16.5 or 20	175	1.94	14MCF	7	3838	470	203	150	150	NA	150	MOTOR
1000	169	390	6x8x16.5	230	1.50	12MBF	6	3402	469	203	143	125	125	125	MOTOR
1000	169	390	6x8x16.5	230	1.50	12MBF	6	3402	469	203	152	YES	YES	YES	ENGINE
1000	170	393	10x10x16.5 or 20	175	1.94	14MCF	7	3942	479	207	155	150	NA	150	MOTOR
1000	173	400	6x8x16.5	230	1.50	12MBF	7	3507	493	213	142	125	125	125	MOTOR
1000	173	400	6x8x16.5	230	1.50	12MBF	7	3507	498	216	151	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 - Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
1000	175	404	10x10x16.5 or 20	175	1.94	14MCF	7	4046	489	212	162	150	NA	150	MOTOR
1000	177	410	6x8x16.5	230	1.50	12MBF	7	3591	507	219	146	150	150	150	MOTOR
1000	177	410	6x8x16.5	230	1.50	12MBF	7	3591	507	219	155	YES	YES	YES	ENGINE
1000	180	416	10x10x16.5 or 20	400	1.94	14MCF	7	4159	500	216	168	150	NA	150	MOTOR
1000	182	420	6x8x16.5	230	1.50	12MBF	7	3675	516	223	151	150	150	150	MOTOR
1000	182	420	6x8x16.5	230	1.50	12MBF	7	3675	516	223	160	YES	YES	YES	ENGINE
1000	185	427	10x10x16.5 or 20	400	1.94	14MCF	8	4296	527	228	166	150	NA	150	MOTOR
1000	186	430	6x8x16.5	230	1.50	12MBF	7	3759	527	228	157	150	150	150	MOTOR
1000	186	430	6x8x16.5	230	1.50	12MBF	7	3759	527	228	166	YES	YES	YES	ENGINE
1000	190	439	10x10x16.5 or 20	400	1.94	14MCF	8	4409	539	233	172	150	NA	150	MOTOR
1000	190	440	6x8x16.5	230	1.50	12MBF	7	3843	538	233	161	150	150	150	MOTOR
1000	190	440	6x8x16.5	230	1.50	12MBF	7	3843	538	233	170	YES	YES	YES	ENGINE
1000	195	450	6x8x16.5	230	1.50	12MBF	7	3927	543	235	163	150	150	150	MOTOR
1000	195	450	6x8x16.5	230	1.50	12MBF	7	3927	543	235	173	YES	YES	YES	ENGINE
1000	195	450	8x8x16.5	324	1.50	12MBF	7	3927	543	235	173	YES	YES	YES	ENGINE
1000	195	450	8x8x16.5	324	1.50	12MBF	7	3927	543	235	173	YES	YES	YES	ENGINE
1000	195	450	10x10x16.5 or 20	400	1.94	14MCF	8	4513	548	237	178	200	NA	200	MOTOR
1000	199	460	6x8x16.5	230	1.50	12MBF	7	4011	553	239	172	150	150	150	MOTOR
1000	199	460	8x8x16.5	324	1.50	12MBF	7	4011	553	239	183	YES	YES	YES	ENGINE
1000	199	460	6x8x16.5	230	1.50	12MBF	7	4011	553	239	183	YES	YES	YES	ENGINE
1000	200	462	10x10x16.5 or 20	400	1.94	14MCF	8	4626	559	242	185	200	NA	200	MOTOR
1000	203	470	6x8x16.5	230	1.50	12MBF	8	4095	582	252	168	150	150	150	MOTOR
1000	203	470	6x8x16.5	350	1.50	12MBF	8	4095	582	252	178	YES	YES	N.A.	ENGINE
1000	203	470	8x8x16.5	324	1.50	12MBF	8	4095	582	252	178	YES	YES	YES	ENGINE
1000	205	474	10x10x16.5 or 20	400	1.94	14MCF	8	4740	570	247	191	200	NA	200	MOTOR
1000	208	480	6x8x16.5	350	1.50	12MBF	8	4200	596	258	174	200	200	N.A.	MOTOR
1000	208	480	8x8x16.5	324	1.50	12MBF	8	4200	596	258	174	200	200	200	MOTOR
1000	208	480	8x8x16.5	324	1.50	12MBF	8	4200	596	258	185	YES	YES	YES	ENGINE
1000	208	480	6x8x16.5	350	1.50	12MBF	8	4200	596	258	185	YES	YES	N.A.	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
1000	210	485	10x10x16.5 or 20	400	1.94	14MCF	9	4877	597	258	190	200	NA	200	MOTOR
1000	212	490	6x8x16.5	350	1.50	12MBF	8	4284	604	261	177	200	200	N.A.	MOTOR
1000	212	490	8x8x16.5	324	1.50	12MBF	8	4284	604	261	177	200	200	200	MOTOR
1000	212	490	8x8x16.5	324	1.50	12MBF	8	4284	604	261	188	YES	YES	YES	ENGINE
1000	212	490	6x8x16.5	350	1.50	12MBF	8	4284	604	261	188	YES	YES	N.A.	ENGINE
1000	215	497	10x10x16.5 or 20	400	1.94	14MCF	9	4990	609	264	195	200	NA	200	MOTOR
1000	216	500	6x8x16.5	350	1.50	12MBF	8	4368	611	265	180	200	200	N.A.	MOTOR
1000	216	500	8x8x16.5	324	1.50	12MBF	8	4368	611	265	180	200	200	200	MOTOR
1000	216	500	8x8x16.5	324	1.50	12MBF	8	4368	611	265	191	YES	YES	YES	ENGINE
1000	216	500	6x8x16.5	350	1.50	12MBF	8	4368	611	265	191	YES	YES	N.A.	ENGINE
1000	220	508	10x10x16.5 or 20	400	1.94	14MCF	9	5094	618	268	202	200	NA	200	MOTOR
1000	221	510	8x8x16.5	324	1.50	12MBF	8	4452	618	268	186	200	200	200	MOTOR
1000	221	510	6x8x16.5	350	1.50	12MBF	8	4452	618	268	186	200	200	N.A.	MOTOR
1000	221	510	8x8x16.5	324	1.50	12MBF	8	4452	618	268	197	YES	YES	YES	ENGINE
1000	221	510	6x8x16.5	350	1.50	12MBF	8	4452	618	268	197	YES	YES	N.A.	ENGINE
1000	225	520	10x10x16.5 or 20	400	1.94	14MCF	9	5207	628	272	208	200	NA	200	MOTOR
1000	225	520	6x8x16.5	350	1.50	12MBF	8	4536	629	272	192	200	200	N.A.	MOTOR
1000	225	520	8x8x16.5	324	1.50	12MBF	8	4536	629	272	192	200	200	200	MOTOR
1000	225	520	6x8x16.5	350	1.50	12MBF	8	4536	629	272	204	YES	YES	N.A.	ENGINE
1000	225	520	8x8x16.5	324	1.50	12MBF	8	4536	629	272	204	YES	YES	YES	ENGINE
1000	229	530	8x8x16.5	324	1.50	12MBF	8	4620	636	275	200	200	200	200	MOTOR
1000	229	530	6x8x16.5	350	1.50	12MBF	8	4620	636	275	200	200	200	N.A.	MOTOR
1000	229	530	8x8x16.5	324	1.50	12MBF	8	4620	636	275	212	YES	YES	YES	ENGINE
1000	229	530	6x8x16.5	350	1.50	12MBF	8	4620	636	275	212	YES	YES	N.A.	ENGINE
1000	230	531	10x10x16.5 or 20	400	1.94	14MCF	9	5311	640	277	214	200	NA	200	MOTOR
1000	234	540	6x8x16.5	350	1.50	12MBF	8	4704	639	277	207	200	200	N.A.	MOTOR
1000	234	540	8x8x16.5	324	1.50	12MBF	8	4704	639	277	207	200	200	200	MOTOR
1000	234	540	8x8x16.5	324	1.50	12MBF	8	4704	639	277	219	YES	YES	YES	ENGINE
1000	234	540	6x8x16.5	350	1.50	12MBF	8	4704	639	277	219	YES	YES	N.A.	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
1000	235	543	10x10x16.5 or 20	400	1.94	14MCF	10	5457	668	289	212	200	NA	200	MOTOR
1000	238	550	6x8x16.5	350	1.50	12MBF	9	4809	676	293	200	200	200	N.A.	MOTOR
1000	238	550	8x8x16.5	324	1.50	12MBF	9	4809	676	293	200	200	200	200	MOTOR
1000	238	550	8x8x16.5	324	1.50	12MBF	9	4809	676	293	212	YES	YES	YES	ENGINE
1000	238	550	6x8x16.5	350	1.50	12MBF	9	4809	676	293	212	YES	YES	N.A.	ENGINE
1000	240	554	10x10x16.5 or 20	400	1.94	14MCF	10	5561	678	294	218	200	NA	200	MOTOR
1000	242	560	8x8x16.5	324	1.50	12MBF	9	4893	684	296	202	200	200	200	MOTOR
1000	242	560	6x8x16.5	350	1.50	12MBF	9	4893	684	296	202	200	200	N.A.	MOTOR
1000	242	560	6x8x16.5	350	1.50	12MBF	9	4893	684	296	214	YES	YES	N.A.	ENGINE
1000	242	560	8x8x16.5	324	1.50	12MBF	9	4893	684	296	214	YES	YES	YES	ENGINE
1000	245	566	10x10x16.5 or 20	400	1.94	14MCF	10	5674	688	298	225	200	NA	200	MOTOR
1000	247	570	6x8x16.5	350	1.50	12MBF	9	4977	691	299	205	200	200	N.A.	MOTOR
1000	247	570	8x8x16.5	324	1.50	12MBF	9	4977	691	299	205	200	200	200	MOTOR
1000	247	570	6x8x16.5	350	1.50	12MBF	9	4977	691	299	217	YES	YES	N.A.	ENGINE
1000	247	570	8x8x16.5	324	1.50	12MBF	9	4977	691	299	217	YES	YES	YES	ENGINE
1000	250	578	10x10x16.5 or 20	400	1.94	14MCF	10	5788	700	303	230	200	NA	200	MOTOR
1000	251	580	6x8x16.5	350	1.50	12MBF	9	5061	698	302	213	200	200	N.A.	MOTOR
1000	251	580	8x8x16.5	324	1.50	12MBF	9	5061	698	302	213	200	200	200	MOTOR
1000	251	580	8x8x16.5	324	1.50	12MBF	9	5061	698	302	226	YES	YES	YES	ENGINE
1000	251	580	6x8x16.5	350	1.50	12MBF	9	5061	698	302	226	YES	YES	N.A.	ENGINE
1000	255	589	10x10x16.5 or 20	400	1.94	14MCF	10	5892	710	307	237	250	NA	250	MOTOR
1000	255	590	8x8x16.5	324	1.50	12MBF	9	5145	709	307	222	200	200	200	MOTOR
1000	255	590	6x8x16.5	350	1.50	12MBF	9	5145	709	307	222	200	200	N.A.	MOTOR
1000	255	590	8x8x16.5	324	1.50	12MBF	9	5145	709	307	236	YES	YES	YES	ENGINE
1000	255	590	6x8x16.5	350	1.50	12MBF	9	5145	709	307	236	YES	YES	N.A.	ENGINE
1000	260	600	6x8x16.5	350	1.50	12MBF	9	5229	714	309	229	200	200	N.A.	MOTOR
1000	260	600	8x8x16.5	324	1.50	12MBF	9	5229	714	309	229	200	200	200	MOTOR
1000	260	600	6x8x16.5	350	1.50	12MBF	9	5229	714	309	243	YES	YES	N.A.	ENGINE
1000	260	600	8x8x16.5	324	1.50	12MBF	9	5229	714	309	243	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 - Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
1000	260	601	10x10x16.5 or 20	400	1.94	14MCF	10	6038	721	312	246	250	NA	250	MOTOR
1000	264	610	6x8x16.5	350	1.50	12MBF	9	5313	719	311	236	250	250	N.A.	MOTOR
1000	264	610	8x8x16.5	324	1.50	12MBF	9	5313	719	311	236	250	250	250	MOTOR
1000	264	610	8x8x16.5	324	1.50	12MBF	9	5313	719	311	250	YES	YES	YES	ENGINE
1000	264	610	6x8x16.5	350	1.50	12MBF	9	5313	719	311	250	YES	YES	N.A.	ENGINE
1000	265	612	6x8x16.5	350	1.50	12MBF	10	5629	746	323	256	250	N.A.	N.A.	MOTOR
1000	265	612	8x8x16.5	324	1.50	12MBF	10	5629	746	323	256	250	N.A.	250	MOTOR
1000	265	612	8x8x16.5	324	1.50	12MBF	10	5444	751	325	268	YES	N.A.	YES	ENGINE
1000	265	612	6x8x16.5	350	1.50	12MBF	10	5444	751	325	268	YES	N.A.	N.A.	ENGINE
1000	265	612	10x10x16.5 or 20	400	1.94	14MCF	10	6142	740	320	248	250	NA	250	MOTOR
1000	270	624	10x10x16.5 or 20	400	1.94	14MCF	10	6255	751	325	250	250	NA	250	MOTOR
1000	270	624	8x8x16.5	324	1.50	12MBF	10	5725	756	327	257	250	N.A.	250	MOTOR
1000	270	624	6x8x16.5	350	1.50	12MBF	10	5725	756	327	257	250	N.A.	N.A.	MOTOR
1000	270	624	8x8x16.5	400	1.50	12MBF	10	5416	761	329	240	YES	N.A.	N.A.	ENGINE
1000	270	624	8x8x16.5	324	1.50	12MBF	10	5416	761	329	240	YES	N.A.	YES	ENGINE
1000	270	624	6x8x16.5	350	1.50	12MBF	10	5416	761	329	240	YES	N.A.	N.A.	ENGINE
1000	275	635	6x8x16.5	350	1.50	12MBF	10	5813	764	331	270	250	N.A.	N.A.	MOTOR
1000	275	635	8x8x16.5	324	1.50	12MBF	10	5813	764	331	270	250	N.A.	250	MOTOR
1000	275	635	6x8x16.5	350	1.50	12MBF	10	5623	769	333	244	YES	N.A.	N.A.	ENGINE
1000	275	635	8x8x16.5	324	1.50	12MBF	10	5623	769	333	244	YES	N.A.	YES	ENGINE
1000	275	635	8x8x16.5	400	1.50	12MBF	10	5623	769	333	244	YES	N.A.	N.A.	ENGINE
1000	275	635	10x10x16.5 or 20	400	1.94	14MCF	10	6472	756	327	252	250	NA	250	MOTOR
1000	280	647	10x10x16.5 or 20	400	1.94	14MCF	10	6472	756	327	252	250	NA	250	MOTOR
1000	280	647	6x8x16.5	350	1.50	12MBF	10	5909	770	333	271	250	N.A.	N.A.	MOTOR
1000	280	647	8x8x16.5	324	1.50	12MBF	10	5909	770	333	271	250	N.A.	250	MOTOR
1000	280	647	8x8x16.5	400	1.50	12MBF	10	5595	780	338	252	YES	N.A.	N.A.	ENGINE
1000	280	647	6x8x16.5	350	1.50	12MBF	10	5595	780	338	252	YES	N.A.	N.A.	ENGINE
1000	280	647	8x8x16.5	324	1.50	12MBF	10	5595	780	338	252	YES	N.A.	YES	ENGINE
1000	285	658	6x8x16.5	350	1.50	12MBF	10	5875	785	340	246	250	N.A.	N.A.	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
1000	285	658	8x8x16.5	324	1.50	12MBF	10	5875	785	340	246	250	N.A.	250	MOTOR
1000	285	658	6x8x16.5	350	1.50	12MBF	10	5679	778	337	256	YES	N.A.	N.A.	ENGINE
1000	285	658	8x8x16.5	400	1.50	12MBF	10	5679	778	337	256	YES	N.A.	N.A.	ENGINE
1000	285	658	6x8x16.5	350	1.50	12MBF	10	5679	778	337	256	YES	N.A.	N.A.	ENGINE
1000	285	658	8x8x16.5	324	1.50	12MBF	10	5679	778	337	256	YES	N.A.	YES	ENGINE
1000	290	670	6x8x16.5	350	1.50	12MBF	10	6092	784	339	250	250	N.A.	N.A.	MOTOR
1000	290	670	8x8x16.5	324	1.50	12MBF	10	6092	784	339	250	250	N.A.	250	MOTOR
1000	290	670	6x8x16.5	350	1.50	12MBF	10	5893	789	342	263	YES	N.A.	N.A.	ENGINE
1000	290	670	8x8x16.5	324	1.50	12MBF	10	5893	789	342	263	YES	N.A.	YES	ENGINE
1000	290	670	8x8x16.5	400	1.50	12MBF	10	5893	789	342	263	YES	N.A.	N.A.	ENGINE
1000	295	681	8x8x16.5	510	1.69	12MBF	11	6201	826	358	285	250	N.A.	250	MOTOR
1000	295	681	6x8x16.5	350	1.69	12MBF	11	6201	826	358	285	250	N.A.	N.A.	MOTOR
1000	295	681	8x8x16.5	400	1.50	12MBF	11	5991	831	360	298	YES	N.A.	N.A.	ENGINE
1000	295	681	6x8x16.5	510	1.69	12MBF	11	5991	831	360	298	YES	N.A.	YES	ENGINE
1000	300	693	6x8x16.5	350	1.69	12MBF	11	6297	836	362	285	250	N.A.	N.A.	MOTOR
1000	300	693	8x8x16.5	510	1.69	12MBF	11	6297	836	362	285	250	N.A.	250	MOTOR
1000	300	693	8x8x16.5	400	1.50	12MBF	11	5589	866	375	299	YES	N.A.	N.A.	ENGINE
1000	300	693	6x8x16.5	510	1.69	12MBF	11	5589	866	375	299	YES	N.A.	YES	ENGINE
1000	305	704	6x8x16.5	350	1.69	12MBF	11	6385	844	365	299	300	N.A.	N.A.	MOTOR
1000	305	704	8x8x16.5	510	1.69	12MBF	11	6385	844	365	299	300	N.A.	300	MOTOR
1000	305	704	6x8x16.5	510	1.69	12MBF	11	6167	839	363	271	YES	N.A.	YES	ENGINE
1000	305	704	8x8x16.5	400	1.50	12MBF	11	6167	839	363	271	YES	N.A.	N.A.	ENGINE
1000	310	716	6x8x16.5	350	1.69	12MBF	11	6480	855	370	266	250	N.A.	N.A.	MOTOR
1000	310	716	8x8x16.5	510	1.69	12MBF	11	6480	855	370	266	250	N.A.	250	MOTOR
1000	310	716	8x8x16.5	400	1.50	12MBF	11	6264	861	373	282	YES	N.A.	N.A.	ENGINE
1000	310	716	6x8x16.5	510	1.69	12MBF	11	6264	861	373	282	YES	N.A.	YES	ENGINE
1000	315	728	8x8x16.5	400	1.69	12MBF	11	6576	867	375	272	250	N.A.	N.A.	MOTOR
1000	315	728	8x8x16.5	510	1.69	12MBF	11	6576	867	375	272	250	N.A.	250	MOTOR
1000	315	728	6x8x16.5	510	1.69	12MBF	11	6354	858	371	283	YES	N.A.	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
1000	315	728	8x8x16.5	400	1.50	12MBF	11	6354	858	371	283	YES	N.A.	N.A.	ENGINE
1000	320	739	8x8x16.5	400	1.69	12MBF	11	6664	863	374	276	250	N.A.	N.A.	MOTOR
1000	320	739	8x8x16.5	510	1.69	12MBF	11	6664	863	374	276	250	N.A.	250	MOTOR
1000	320	739	8x8x16.5	400	1.50	12MBF	11	6440	868	376	290	YES	N.A.	N.A.	ENGINE
1000	320	739	6x8x16.5	510	1.69	12MBF	11	6440	868	376	290	YES	N.A.	YES	ENGINE
1000	325	751	8x8x16.5	400	1.69	12MBF	12	6781	908	393	314	300	N.A.	N.A.	MOTOR
1000	325	751	8x8x16.5	510	1.69	12MBF	12	6781	908	393	314	300	N.A.	300	MOTOR
1000	325	751	8x8x16.5	400	1.50	12MBF	12	6546	913	395	327	YES	N.A.	N.A.	ENGINE
1000	325	751	6x8x16.5	510	1.69	12MBF	12	6546	913	395	327	YES	N.A.	YES	ENGINE
1000	330	762	8x8x16.5	400	1.69	12MBF	12	6869	917	397	280	250	N.A.	N.A.	MOTOR
1000	330	762	8x8x16.5	510	1.69	12MBF	12	6869	917	397	280	250	N.A.	250	MOTOR
1000	330	762	6x8x16.5	510	1.69	12MBF	12	6629	909	394	333	YES	N.A.	YES	ENGINE
1000	330	762	8x8x16.5	400	1.50	12MBF	12	6629	909	394	333	YES	N.A.	N.A.	ENGINE
1000	335	774	8x8x16.5	400	1.69	12MBF	12	6965	926	401	327	300	N.A.	N.A.	MOTOR
1000	335	774	8x8x16.5	510	1.69	12MBF	12	6965	926	401	327	300	N.A.	300	MOTOR
1000	335	774	8x8x16.5	400	1.50	12MBF	12	6730	920	398	298	YES	N.A.	N.A.	ENGINE
1000	335	774	6x8x16.5	510	1.69	12MBF	12	6730	920	398	298	YES	N.A.	YES	ENGINE
1000	340	785	8x8x16.5	510	1.69	12MBF	12	7052	936	405	291	300	N.A.	300	MOTOR
1000	340	785	8x8x16.5	400	1.69	12MBF	12	7052	936	405	291	300	N.A.	N.A.	MOTOR
1000	345	797	8x8x16.5	400	1.69	12MBF	12	7148	947	410	298	300	N.A.	N.A.	MOTOR
1000	345	797	8x8x16.5	510	1.69	12MBF	12	7148	947	410	298	300	N.A.	300	MOTOR
1000	345	797	8x8x16.5	400	1.50	12MBF	12	6909	938	406	310	YES	N.A.	N.A.	ENGINE
1000	345	797	8x8x16.5	400	1.50	12MBF	12	6909	938	406	310	YES	N.A.	N.A.	ENGINE
1000	345	797	6x8x16.5	510	1.69	12MBF	12	6909	938	406	310	YES	N.A.	YES	ENGINE
1000	350	808	8x8x16.5	400	1.69	12MBF	12	7236	943	408	302	300	N.A.	N.A.	MOTOR
1000	350	808	8x8x16.5	510	1.69	12MBF	12	7236	943	408	302	300	N.A.	300	MOTOR
1000	350	808	6x8x16.5	510	1.69	12MBF	12	6994	947	410	317	YES	N.A.	YES	ENGINE
1000	350	808	8x8x16.5	400	1.50	12MBF	12	6994	947	410	317	YES	N.A.	N.A.	ENGINE
1000	355	820	8x8x16.5	510	1.69	12MBF	13	7353	988	428	300	300	N.A.	300	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
1000	355	820	6x8x16.5	510	1.69	12MBF	13	7101	994	430	356	YES	N.A.	YES	ENGINE
1000	360	832	8x8x16.5	510	1.69	12MBF	13	7449	999	432	306	300	N.A.	300	MOTOR
1000	360	832	6x8x16.5	510	1.69	12MBF	13	7192	990	429	363	YES	N.A.	YES	ENGINE
1000	365	843	8x8x16.5	510	1.69	12MBF	13	7536	1006	435	356	350	N.A.	350	MOTOR
1000	365	843	6x8x16.5	510	1.69	12MBF	13	7285	1001	433	325	YES	N.A.	YES	ENGINE
1000	368	850	8x8x16.5	510	1.69	12MBF	13	7592	1012	438	315	300	N.A.	300	MOTOR
1000	368	850	6x8x16.5	510	1.69	12MBF	13	7343	1021	442	334	YES	N.A.	YES	ENGINE
1500	46	106	10x10x16.5 or 20	175	1.94	14MDF	2	2703	141	61	68	60	N.A.	60	MOTOR
1500	50	116	10x10x16.5 or 20	175	1.94	14MDF	2	2917	154	67	72	75	N.A.	75	MOTOR
1500	55	127	10x10x16.5 or 20	175	1.94	14MDF	2	3153	167	72	80	75	N.A.	75	MOTOR
1500	60	139	10x10x16.5 or 20	175	1.94	14MDF	2	3411	181	78	82	75	N.A.	75	MOTOR
1500	65	150	10x10x16.5 or 20	175	1.94	14MDF	3	3520	211	91	102	100	N.A.	100	MOTOR
1500	70	162	10x10x16.5 or 20	175	1.94	14MDF	3	3968	216	94	104	100	N.A.	100	MOTOR
1500	75	173	10x10x16.5 or 20	175	1.94	14MDF	3	4204	229	99	108	100	N.A.	100	MOTOR
1500	78	180	10x10x16.5 or 20	175	1.50	14MDF	2	3974	229	99	122	125	125	125	MOTOR
1500	78	180	10x10x16.5 or 20	175	1.50	14MDF	2	3969	229	99	128	YES	YES	YES	ENGINE
1500	80	185	10x10x16.5 or 20	175	1.94	14MDF	3	4462	244	106	118	125	N.A.	125	MOTOR
1500	80	185	10x10x16.5 or 20	175	1.50	14MDF	2	4082	234	101	125	125	125	125	MOTOR
1500	80	185	10x10x16.5 or 20	175	1.50	14MDF	2	4077	235	102	131	YES	YES	YES	ENGINE
1500	85	196	10x10x16.5 or 20	175	1.50	14MDF	2	4320	246	106	135	125	125	125	MOTOR
1500	85	196	10x10x16.5 or 20	175	1.50	14MDF	2	4314	247	107	141	YES	YES	YES	ENGINE
1500	85	196	10x10x16.5 or 20	175	1.94	14MDF	3	4698	257	111	120	125	N.A.	125	MOTOR
1500	90	208	10x10x16.5 or 20	175	1.94	14MDF	3	4977	272	118	123	125	N.A.	125	MOTOR
1500	90	208	10x10x16.5 or 20	175	1.50	14MDF	2	4579	262	113	146	150	150	150	MOTOR
1500	90	208	10x10x16.5 or 20	175	1.50	14MDF	2	4573	263	114	153	YES	YES	YES	ENGINE
1500	95	219	10x10x16.5 or 20	175	1.50	14MDF	2	4817	275	119	152	150	150	150	MOTOR
1500	95	219	10x10x16.5 or 20	175	1.50	14MDF	2	4811	275	119	158	YES	YES	YES	ENGINE
1500	95	219	10x10x16.5 or 20	175	1.94	14MDF	4	5255	291	126	139	125	N.A.	125	MOTOR
1500	100	231	10x10x16.5 or 20	175	1.94	14MDF	4	5513	306	132	143	125	N.A.	125	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 - Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
1500	100	231	10x10x16.5 or 20	175	1.50	14MDF	3	5118	304	132	148	150	150	150	MOTOR
1500	100	231	10x10x16.5 or 20	175	1.50	14MDF	3	5111	297	129	154	YES	YES	YES	ENGINE
1500	104	240	10x10x16.5 or 20	400	1.50	14MCF	3	2067	296	128	133	125	125	125	MOTOR
1500	104	240	10x10x16.5 or 20	175	1.50	14MCF	3	1760	296	128	141	YES	YES	YES	ENGINE
1500	105	243	10x10x16.5 or 20	175	1.94	14MDF	4	5770	320	139	149	150	N.A.	150	MOTOR
1500	105	243	10x10x16.5 or 20	175	1.50	14MDF	3	5378	311	135	157	150	150	150	MOTOR
1500	105	243	10x10x16.5 or 20	175	1.50	14MDF	3	5371	311	135	163	YES	YES	YES	ENGINE
1500	108	250	10x10x16.5 or 20	400	1.50	14MCF	3	2149	310	134	142	125	125	125	MOTOR
1500	108	250	10x10x16.5 or 20	175	1.50	14MCF	3	2149	310	134	150	YES	YES	YES	ENGINE
1500	110	254	10x10x16.5 or 20	175	1.50	14MDF	3	5616	323	140	165	150	150	150	MOTOR
1500	110	254	10x10x16.5 or 20	175	1.50	14MDF	3	5608	324	140	172	YES	YES	YES	ENGINE
1500	110	254	10x10x16.5 or 20	175	1.94	14MDF	4	6107	335	145	160	150	N.A.	150	MOTOR
1500	113	260	10x10x16.5 or 20	400	1.50	14MCF	3	2231	315	136	148	150	150	150	MOTOR
1500	113	260	10x10x16.5 or 20	175	1.50	14MCF	3	2231	315	136	157	YES	YES	YES	ENGINE
1500	115	266	10x10x16.5 or 20	175	1.94	14MDF	4	6365	349	151	162	150	N.A.	150	MOTOR
1500	115	266	10x10x16.5 or 20	175	1.50	14MDF	3	5875	337	146	177	200	200	200	MOTOR
1500	115	266	10x10x16.5 or 20	175	1.50	14MDF	3	5867	338	146	185	YES	YES	YES	ENGINE
1500	117	270	10x10x16.5 or 20	400	1.50	14MCF	3	2313	330	143	155	150	150	150	MOTOR
1500	117	270	10x10x16.5 or 20	175	1.50	14MCF	3	2313	330	143	164	YES	YES	YES	ENGINE
1500	120	277	10x10x16.5 or 20	175	1.50	14MDF	3	6113	349	151	185	200	200	200	MOTOR
1500	120	277	10x10x16.5 or 20	175	1.50	14MDF	3	6104	350	152	193	YES	YES	YES	ENGINE
1500	120	277	10x10x16.5 or 20	175	1.94	14MDF	4	6601	362	157	164	150	N.A.	150	MOTOR
1500	121	280	10x10x16.5 or 20	400	1.50	14MCF	3	2395	336	145	160	150	150	150	MOTOR
1500	121	280	10x10x16.5 or 20	175	1.50	14MCF	3	2385	336	145	169	YES	YES	YES	ENGINE
1500	125	289	10x10x16.5 or 20	175	1.94	14MDF	5	6901	383	166	180	200	N.A.	200	MOTOR
1500	125	289	10x10x16.5 or 20	175	1.50	14MDF	3	6372	365	158	199	200	200	200	MOTOR
1500	125	289	10x10x16.5 or 20	175	1.50	14MDF	3	6363	366	158	208	YES	YES	YES	ENGINE
1500	126	290	10x10x16.5 or 20	400	1.50	14MCF	4	2510	375	162	158	150	150	150	MOTOR
1500	126	290	10x10x16.5 or 20	175	1.50	14MCF	4	2510	375	162	167	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 - Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
1500	130	300	10x10x16.5 or 20	400	1.50	14MCF	4	2592	385	167	163	150	150	150	MOTOR
1500	130	300	10x10x16.5 or 20	175	1.50	14MCF	4	2592	385	167	173	YES	YES	YES	ENGINE
1500	130	300	10x10x16.5 or 20	175	1.50	14MDF	3	6610	378	164	209	200	200	200	MOTOR
1500	130	300	10x10x16.5 or 20	175	1.50	14MDF	3	6601	379	164	218	YES	YES	YES	ENGINE
1500	130	300	10x10x16.5 or 20	175	1.94	14MDF	5	7158	397	172	185	200	N.A.	200	MOTOR
1500	134	310	10x10x16.5 or 20	400	1.50	14MCF	4	2674	390	169	171	200	200	200	MOTOR
1500	134	310	10x10x16.5 or 20	175	1.50	14MCF	4	2674	390	169	182	YES	YES	YES	ENGINE
1500	135	312	10x10x16.5 or 20	175	1.94	14MDF	5	7416	411	178	198	200	N.A.	200	MOTOR
1500	135	312	10x10x16.5 or 20	175	1.50	14MDF	4	6911	400	173	199	200	200	200	MOTOR
1500	135	312	10x10x16.5 or 20	175	1.50	14MDF	4	6901	401	174	208	YES	YES	YES	ENGINE
1500	139	320	10x10x16.5 or 20	400	1.50	14MCF	4	2756	403	174	177	200	200	200	MOTOR
1500	139	320	10x10x16.5 or 20	175	1.50	14MCF	4	2756	403	174	188	YES	YES	YES	ENGINE
1500	140	323	10x10x16.5 or 20	175	1.50	14MDF	4	7149	413	179	208	200	200	200	MOTOR
1500	140	323	10x10x16.5 or 20	175	1.50	14MDF	4	7139	414	179	216	YES	YES	YES	ENGINE
1500	140	323	10x10x16.5 or 20	175	1.94	14MDF	5	7652	425	184	200	200	N.A.	200	MOTOR
1500	143	330	10x10x16.5 or 20	400	1.50	14MCF	4	2838	413	179	183	200	200	200	MOTOR
1500	143	330	10x10x16.5 or 20	175	1.50	14MCF	4	2838	413	179	194	YES	YES	YES	ENGINE
1500	145	335	10x10x16.5 or 20	400	1.94	14MDF	5	7909	439	190	203	200	N.A.	200	MOTOR
1500	145	335	10x10x16.5 or 20	175	1.94	14MDF	4	7408	428	185	220	200	200	200	MOTOR
1500	145	335	10x10x16.5 or 20	175	1.94	14MDF	4	7398	429	186	230	YES	YES	YES	ENGINE
1500	147	340	10x10x16.5 or 20	400	1.50	14MCF	4	2920	418	181	188	200	200	200	MOTOR
1500	147	340	10x10x16.5 or 20	175	1.50	14MCF	4	2920	418	181	199	YES	YES	YES	ENGINE
1500	147	340	10x10x16.5 or 20	175	1.50	14MCF	4	2920	418	181	199	YES	YES	YES	ENGINE
1500	150	347	10x10x16.5 or 20	400	1.94	14MDF	5	8167	453	196	205	200	N.A.	200	MOTOR
1500	150	347	10x10x16.5 or 20	175	1.94	14MDF	4	7667	441	191	229	200	200	200	MOTOR
1500	150	347	10x10x16.5 or 20	175	1.94	14MDF	4	7657	442	191	238	YES	YES	YES	ENGINE
1500	152	350	10x10x16.5 or 20	400	1.50	14MCF	4	3002	425	184	194	200	200	200	MOTOR
1500	152	350	10x10x16.5 or 20	175	1.50	14MCF	4	3002	425	184	205	YES	YES	YES	ENGINE
1500	152	350	10x10x16.5 or 20	175	1.50	14MCF	4	3002	425	184	205	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
1500	155	358	10x10x16.5 or 20	175	1.94	14MDF	4	7905	454	197	237	250	250	250	MOTOR
1500	155	358	10x10x16.5 or 20	175	1.94	14MDF	4	7894	455	197	248	YES	YES	YES	ENGINE
1500	155	358	10x10x16.5 or 20	400	1.94	14MDF	6	8466	474	205	220	200	N.A.	200	MOTOR
1500	156	360	10x10x16.5 or 20	400	1.50	14MCF	4	3084	440	190	200	200	200	200	MOTOR
1500	156	360	10x10x16.5 or 20	175	1.50	14MCF	4	3064	440	190	212	YES	YES	YES	ENGINE
1500	156	360	10x10x16.5 or 20	175	1.50	14MCF	4	3064	440	190	212	YES	YES	YES	ENGINE
1500	160	370	10x10x16.5 or 20	400	1.94	14MDF	6	8845	488	211	237	250	N.A.	250	MOTOR
1500	160	370	10x10x16.5 or 20	400	1.50	14MCF	4	3166	445	193	206	200	200	200	MOTOR
1500	160	370	10x10x16.5 or 20	175	1.50	14MCF	4	3166	445	193	218	YES	YES	YES	ENGINE
1500	160	370	10x10x16.5 or 20	175	1.50	14MCF	4	3166	445	193	218	YES	YES	YES	ENGINE
1500	160	370	10x10x16.5 or 20	175	1.94	14MDF	4	8165	468	203	250	250	250	250	MOTOR
1500	160	370	10x10x16.5 or 20	175	1.94	14MDF	4	8154	470	203	261	YES	YES	YES	ENGINE
1500	165	380	10x10x16.5 or 20	400	1.50	14MCF	4	3248	453	196	212	200	200	200	MOTOR
1500	165	380	10x10x16.5 or 20	175	1.50	14MCF	4	3248	453	196	224	YES	YES	YES	ENGINE
1500	165	381	10x10x16.5 or 20	175	1.94	14MDF	4	8402	480	208	258	250	250	250	MOTOR
1500	165	381	10x10x16.5 or 20	175	1.94	14MDF	4	8391	482	209	269	YES	YES	YES	ENGINE
1500	165	381	10x10x16.5 or 20	400	1.94	14MDF	6	9081	501	217	240	250	N.A.	250	MOTOR
1500	169	390	10x10x16.5 or 20	400	1.94	14MCF	5	3363	490	212	220	200	200	200	MOTOR
1500	169	390	10x10x16.5 or 20	175	1.94	14MCF	5	3363	490	212	233	YES	YES	YES	ENGINE
1500	170	393	10x10x16.5 or 20	400	1.94	14MDF	6	9339	516	223	242	250	N.A.	250	MOTOR
1500	170	393	10x10x16.5 or 20	175	1.94	14MDF	4	8662	496	215	272	250	250	250	MOTOR
1500	170	393	10x10x16.5 or 20	175	1.94	14MDF	4	8650	498	216	284	YES	YES	YES	ENGINE
1500	173	400	10x10x16.5 or 20	400	1.94	14MCF	5	3445	493	213	225	200	200	200	MOTOR
1500	173	400	10x10x16.5 or 20	175	1.94	14MCF	5	3445	493	213	239	YES	YES	YES	ENGINE
1500	175	404	10x10x16.5 or 20	175	1.94	14MDF	4	8899	509	220	282	250	250	250	MOTOR
1500	175	404	10x10x16.5 or 20	175	1.94	14MDF	4	8887	511	221	295	YES	YES	YES	ENGINE
1500	175	404	10x10x16.5 or 20	400	1.94	14MDF	6	9596	530	229	244	250	N.A.	250	MOTOR
1500	177	410	10x10x16.5 or 20	400	1.94	14MCF	5	3527	513	222	230	200	200	200	MOTOR
1500	177	410	10x10x16.5 or 20	400	1.94	14MCF	5	3527	513	222	244	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
1500	180	416	10x10x16.5 or 20	400	1.94	14MDF	6	9733	544	235	246	250	N.A.	250	MOTOR
1500	180	416	10x10x16.5 or 20	400	1.94	14MDF	4	9201	531	230	272	250	250	250	MOTOR
1500	180	416	10x10x16.5 or 20	175	1.94	14MDF	4	9188	533	231	283	YES	YES	YES	ENGINE
1500	182	420	10x10x16.5 or 20	400	1.94	14MCF	5	3609	519	225	235	250	250	250	MOTOR
1500	182	420	10x10x16.5 or 20	400	1.94	14MCF	5	3609	519	225	249	YES	YES	YES	ENGINE
1500	185	427	10x10x16.5 or 20	400	1.94	14MDF	4	9438	543	235	279	250	250	250	MOTOR
1500	185	427	10x10x16.5 or 20	175	1.94	14MDF	4	9426	544	235	291	YES	YES	YES	ENGINE
1500	185	427	10x10x16.5 or 20	400	1.94	14MDF	7	10132	564	244	275	250	N.A.	250	MOTOR
1500	186	430	10x10x16.5 or 20	400	1.94	14MCF	5	3691	525	227	240	250	250	250	MOTOR
1500	186	430	10x10x16.5 or 20	400	1.94	14MCF	5	3691	525	227	255	YES	YES	YES	ENGINE
1500	190	439	10x10x16.5 or 20	400	1.94	14MCF	5	3773	532	230	245	250	250	250	MOTOR
1500	190	439	10x10x16.5 or 20	400	1.94	14MCF	5	3773	532	230	260	YES	YES	YES	ENGINE
1500	190	439	10x10x16.5 or 20	400	1.94	14MDF	7	10390	578	250	278	250	N.A.	250	MOTOR
1500	190	439	10x10x16.5 or 20	400	1.94	14MDF	5	9698	559	242	292	300	300	300	MOTOR
1500	190	439	10x10x16.5 or 20	175	1.94	14MDF	5	9685	560	242	305	YES	YES	YES	ENGINE
1500	190	440	10x10x16.5 or 20	400	1.94	14MCF	5	3773	532	230	260	YES	YES	N.A.	ENGINE
1500	195	450	10x10x16.5 or 20	400	1.94	14MCF	5	3855	550	238	250	250	250	N.A.	MOTOR
1500	195	450	10x10x16.5 or 20	400	1.94	14MCF	5	3855	550	238	265	YES	YES	N.A.	ENGINE
1500	195	450	10x10x16.5 or 20	400	1.94	14MDF	5	9936	571	247	300	300	300	300	MOTOR
1500	195	450	10x10x16.5 or 20	175	1.94	14MDF	5	9922	572	248	313	YES	YES	YES	ENGINE
1500	195	450	10x10x16.5 or 20	400	1.94	14MDF	7	10647	592	256	280	250	N.A.	250	MOTOR
1500	200	462	10x10x16.5 or 20	400	1.94	14MCF	5	3955	557	241	256	250	250	N.A.	MOTOR
1500	200	462	10x10x16.5 or 20	400	1.94	14MCF	5	3955	557	241	271	YES	YES	N.A.	ENGINE
1500	200	462	10x10x16.5 or 20	400	1.94	14MDF	7	10905	607	263	283	250	N.A.	250	MOTOR
1500	200	462	10x10x16.5 or 20	400	1.94	14MDF	5	10195	584	253	309	300	300	300	MOTOR
1500	200	462	10x10x16.5 or 20	175	1.94	14MDF	5	10181	585	253	323	YES	YES	YES	ENGINE
1500	203	470	10x10x16.5 or 20	400	1.94	14MCF	6	4052	572	248	262	250	250	N.A.	MOTOR
1500	204	471	10x10x16.5 or 20	400	1.94	14MCF	6	4052	572	248	277	YES	YES	N.A.	ENGINE
1500	205	474	10x10x16.5 or 20	400	1.94	14MDF	7	11162	621	269	285	250	N.A.	250	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
1500	205	474	10x10x16.5 or 20	400	1.94	14MDF	5	10454	599	259	323	300	300	300	MOTOR
1500	205	474	10x10x16.5 or 20	175	1.94	14MDF	5	10440	601	260	337	YES	YES	YES	ENGINE
1500	208	480	10x10x16.5 or 20	400	1.94	14MCF	6	4134	587	254	268	250	250	N.A.	MOTOR
1500	208	480	10x10x16.5 or 20	400	1.94	14MCF	6	4134	587	254	284	YES	YES	N.A.	ENGINE
1500	210	485	10x10x16.5 or 20	400	1.94	14MDF	5	10692	612	265	331	300	300	300	MOTOR
1500	210	485	10x10x16.5 or 20	175	1.94	14MDF	5	10678	613	265	345	YES	YES	YES	ENGINE
1500	210	485	10x10x16.5 or 20	400	1.94	14MDF	7	11398	634	274	287	250	N.A.	250	MOTOR
1500	212	490	10x10x16.5 or 20	400	1.94	14MCF	6	4216	602	261	274	250	250	N.A.	MOTOR
1500	212	490	10x10x16.5 or 20	400	1.94	14MCF	6	4216	602	261	291	YES	YES	N.A.	ENGINE
1500	215	497	10x10x16.5 or 20	400	1.94	14MDF	8	11698	655	284	317	300	N.A.	300	MOTOR
1500	215	497	10x10x16.5 or 20	400	1.94	14MDF	5	10951	627	271	345	300	300	300	MOTOR
1500	215	497	10x10x16.5 or 20	175	1.94	14MDF	5	10937	629	272	361	YES	YES	YES	ENGINE
1500	216	500	10x10x16.5 or 20	400	1.94	14MCF	6	4298	617	267	280	250	250	N.A.	MOTOR
1500	216	500	10x10x16.5 or 20	400	1.94	14MCF	6	4298	617	267	297	YES	YES	N.A.	ENGINE
1500	220	508	10x10x16.5 or 20	400	1.94	14MDF	5	11189	640	277	355	350	350	350	MOTOR
1500	220	508	10x10x16.5 or 20	175	1.94	14MDF	5	11174	642	278	371	YES	YES	YES	ENGINE
1500	220	508	10x10x16.5 or 20	400	1.94	14MDF	8	11956	669	290	320	300	N.A.	300	MOTOR
1500	221	510	10x10x16.5 or 20	400	1.94	14MCF	6	4380	632	274	286	250	250	N.A.	MOTOR
1500	221	510	10x10x16.5 or 20	400	1.94	14MCF	6	4380	632	274	303	YES	YES	N.A.	ENGINE
1500	225	520	10x10x16.5 or 20	400	1.94	14MDF	8	12213	684	296	322	300	N.A.	300	MOTOR
1500	225	520	10x10x16.5 or 20	400	1.94	14MCF	6	4462	647	280	292	300	300	N.A.	MOTOR
1500	225	520	10x10x16.5 or 20	400	1.94	14MCF	6	4462	647	280	310	YES	YES	N.A.	ENGINE
1500	225	520	10x10x16.5 or 20	400	1.94	14MDF	6	11490	662	287	344	300	300	300	MOTOR
1500	225	520	10x10x16.5 or 20	175	1.94	14MDF	6	11475	664	287	359	YES	YES	YES	ENGINE
1500	229	530	10x10x16.5 or 20	400	1.94	14MCF	6	4544	662	287	298	300	300	N.A.	MOTOR
1500	229	530	10x10x16.5 or 20	400	1.94	14MCF	6	4544	662	287	316	YES	YES	N.A.	ENGINE
1500	230	531	10x10x16.5 or 20	400	1.94	14MDF	6	11728	674	292	352	350	350	350	MOTOR
1500	230	531	10x10x16.5 or 20	175	1.94	14MDF	6	11712	676	293	367	YES	YES	YES	ENGINE
1500	230	531	10x10x16.5 or 20	400	1.94	14MDF	8	12449	697	302	327	300	N.A.	300	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
1500	234	540	10x10x16.5 or 20	400	1.94	14MCF	6	4626	677	293	304	300	300	N.A.	MOTOR
1500	234	540	10x10x16.5 or 20	400	1.94	14MCF	6	4626	676	293	322	YES	YES	N.A.	ENGINE
1500	235	543	10x10x16.5 or 20	400	1.94	14MDF	8	12707	711	308	329	300	N.A.	300	MOTOR
1500	235	543	10x10x16.5 or 20	400	1.94	14MDF	6	11988	690	299	365	350	350	350	MOTOR
1500	235	543	10x10x16.5 or 20	175	1.94	14MDF	6	11971	692	300	381	YES	YES	YES	ENGINE
1500	238	550	10x10x16.5 or 20	400	1.94	14MCF	7	4741	692	300	310	300	300	N.A.	MOTOR
1500	238	550	10x10x16.5 or 20	400	1.94	14MCF	7	4741	692	300	328	YES	YES	N.A.	ENGINE
1500	240	554	10x10x16.5 or 20	400	1.94	14MDF	6	12225	702	304	373	350	350	350	MOTOR
1500	240	554	10x10x16.5 or 20	175	1.94	14MDF	6	12209	704	305	390	YES	YES	YES	ENGINE
1500	240	554	10x10x16.5 or 20	400	1.94	14MDF	8	13119	733	317	330	300	N.A.	300	MOTOR
1500	242	560	10x10x16.5 or 20	400	1.94	14MCF	7	4823	707	306	316	300	300	N.A.	MOTOR
1500	242	560	10x10x16.5 or 20	400	1.94	14MCF	7	4823	707	306	335	YES	YES	N.A.	ENGINE
1500	244	564	10x10x16.5 or 20	400	1.94	14MDF	8	13119	733	317	330	300	N.A.	300	MOTOR
1500	245	566	10x10x16.5 or 20	400	1.94	14MDF	6	12485	715	310	382	350	350	350	MOTOR
1500	245	566	10x10x16.5 or 20	175	2.19	14MDF	6	12468	719	311	404	YES	YES	YES	ENGINE
1500	247	570	10x10x16.5 or 20	400	1.94	14MCF	7	4905	722	313	322	300	300	N.A.	MOTOR
1500	247	570	10x10x16.5 or 20	400	1.94	14MCF	7	4905	722	313	342	YES	YES	N.A.	ENGINE
1500	250	578	10x10x16.5 or 20	400	1.94	14MDF	6	12744	730	316	396	350	350	350	MOTOR
1500	250	578	10x10x16.5 or 20	175	2.19	14MDF	6	12727	733	317	414	YES	YES	YES	ENGINE
1500	251	580	10x10x16.5 or 20	400	1.94	14MCF	7	4987	737	319	328	300	300	N.A.	MOTOR
1500	251	580	10x10x16.5 or 20	400	1.94	14MCF	7	4967	737	319	348	YES	YES	N.A.	ENGINE
1500	255	589	10x10x16.5 or 20	400	2.19	14MDF	6	12982	742	321	402	350	350	350	MOTOR
1500	255	589	10x10x16.5 or 20	175	2.19	14MDF	6	12964	745	323	422	YES	YES	YES	ENGINE
1500	255	590	10x10x16.5 or 20	400	1.94	14MCF	7	5069	752	326	334	350	350	N.A.	MOTOR
1500	255	590	10x10x16.5 or 20	400	1.94	14MCF	7	5069	752	326	354	YES	YES	N.A.	ENGINE
1500	260	600	10x10x16.5 or 20	400	1.94	14MCF	7	5151	767	332	340	350	350	N.A.	MOTOR
1500	260	600	10x10x16.5 or 20	400	1.94	14MCF	7	5151	767	332	357	YES	YES	N.A.	ENGINE
1500	260	601	10x10x16.5 or 20	400	2.19	14MDF	6	13241	758	328	419	400	400	400	MOTOR
1500	260	601	10x10x16.5 or 20	175	2.19	14MDF	6	13223	760	329	437	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 - Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
1500	264	610	10x10x16.5 or 20	400	1.94	14MCF	7	5233	782	339	345	350	350	N.A.	MOTOR
1500	264	610	10x10x16.5 or 20	400	1.94	14MCF	7	5233	782	339	366	YES	YES	N.A.	ENGINE
1500	265	612	10x10x16.5 or 20	400	2.19	14MDF	6	13479	771	334	428	400	400	400	MOTOR
1500	265	612	10x10x16.5 or 20	175	2.19	14MDF	6	13461	774	335	448	YES	YES	YES	ENGINE
1500	270	624	10x10x16.5 or 20	400	1.94	14MCF	7	5347	797	345	352	350	350	N.A.	MOTOR
1500	270	624	10x10x16.5 or 20	400	1.94	14MCF	7	5347	797	345	372	YES	YES	N.A.	ENGINE
1500	270	624	10x10x16.5 or 20	400	2.19	14MDF	6	14027	741	321	428	400	400	400	MOTOR
1500	270	624	10x10x16.5 or 20	175	2.19	14MDF	6	14033	743	322	468	YES	YES	YES	ENGINE
1500	275	635	10x10x16.5 or 20	400	2.19	14MDF	6	14256	751	325	442	400	400	400	MOTOR
1500	275	635	10x10x16.5 or 20	175	2.19	14MDF	6	14261	753	326	466	YES	YES	YES	ENGINE
1500	280	647	10x10x16.5 or 20	400	2.19	14MDF	6	14504	763	330	442	400	400	400	MOTOR
1500	280	647	10x10x16.5 or 20	175	2.19	14MDF	6	14510	765	331	464	YES	YES	YES	ENGINE
1500	285	658	10x10x16.5 or 20	400	2.19	14MDF	6	14628	769	333	451	400	400	400	MOTOR
1500	285	658	10x10x16.5 or 20	175	2.19	14MDF	6	14592	769	333	469	YES	YES	YES	ENGINE
1500	288	665	10x10x16.5 or 20	400	2.19	14MDF	6	14628	769	333	451	400	400	400	MOTOR
1500	288	665	10x10x16.5 or 20	175	2.19	14MDF	6	14592	769	333	469	YES	YES	YES	ENGINE
2000	65	150	12x12x20	175	1.94	18HXBF	2	4445	199	86	160	150	N.A.	N.A.	MOTOR
2000	70	162	10x10x16.5 or 20	175	1.50	14MDF	2	3381	219	95	113	100	100	100	MOTOR
2000	70	162	10x10x16.5 or 20	175	1.50	14MDF	2	3580	221	96	119	YES	YES	YES	ENGINE
2000	70	162	12x12x20	175	1.94	18HXBF	2	4456	200	87	161	150	N.A.	150	MOTOR
2000	75	173	10x10x16.5 or 20	175	1.50	14MDF	2	3605	234	101	126	125	125	125	MOTOR
2000	75	173	10x10x16.5 or 20	175	1.50	14MDF	2	3580	235	102	132	YES	YES	YES	ENGINE
2000	75	173	12x12x20	175	1.94	18HXBF	2	4693	208	90	172	150	N.A.	150	MOTOR
2000	80	185	10x10x16.5 or 20	175	1.50	14MDF	2	3850	249	108	137	125	125	125	MOTOR
2000	80	185	10x10x16.5 or 20	175	1.50	14MDF	2	3823	250	108	144	YES	YES	YES	ENGINE
2000	80	185	12x12x20	175	1.94	18HXBF	2	5008	218	94	187	200	N.A.	200	MOTOR
2000	85	196	10x10x16.5 or 20	175	1.50	14MDF	2	4074	263	114	147	150	150	150	MOTOR
2000	85	196	10x10x16.5 or 20	175	1.50	14MDF	2	4045	264	114	154	YES	YES	YES	ENGINE
2000	85	196	10x10x16.5 or 20	175	1.94	16MCF	3	2172	262	113	139	125	125	125	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
2000	85	196	12x12x20	175	1.94	18HXBF	2	5298	227	98	202	200	N.A.	200	MOTOR
2000	90	208	10x10x16.5 or 20	175	1.50	14MDF	2	4318	275	119	152	150	150	150	MOTOR
2000	90	208	10x10x16.5 or 20	175	1.50	14MDF	2	4186	276	119	157	YES	YES	YES	ENGINE
2000	90	208	10x10x16.5 or 20	175	1.94	16MCF	3	2296	274	119	148	150	150	150	MOTOR
2000	90	208	12x12x20	175	1.94	18HXBF	3	5685	269	116	193	200	N.A.	200	MOTOR
2000	95	219	10x10x16.5 or 20	175	1.50	14MDF	3	4584	301	130	150	150	150	150	MOTOR
2000	95	219	10x10x16.5 or 20	175	1.50	14MDF	3	4552	303	131	158	YES	YES	YES	ENGINE
2000	95	219	10x10x16.5 or 20	175	1.94	16MCF	3	2409	285	123	158	150	150	150	MOTOR
2000	95	219	12x12x20	175	1.94	18HXBF	3	5974	279	121	206	200	N.A.	200	MOTOR
2000	100	231	10x10x16.5 or 20	175	1.50	14MDF	3	4828	315	136	160	150	150	150	MOTOR
2000	100	231	10x10x16.5 or 20	175	1.50	14MDF	3	4794	317	137	167	YES	YES	YES	ENGINE
2000	100	231	10x10x16.5 or 20	175	1.94	16MCF	3	2533	291	126	171	150	150	150	MOTOR
2000	100	231	12x12x20	175	1.94	18HXBF	3	6290	287	124	221	200	N.A.	200	MOTOR
2000	104	240	10x10x16.5 or 20	400	1.94	16MCF	2	3028	300	130	172	150	150	150	MOTOR
2000	104	240	10x10x16.5 or 20	175	1.94	16MCF	2	3028	300	130	183	YES	YES	YES	ENGINE
2000	105	243	10x10x16.5 or 20	175	1.50	14MDF	3	5072	331	143	172	150	150	150	MOTOR
2000	105	243	10x10x16.5 or 20	175	1.50	14MDF	3	5037	332	144	181	YES	YES	YES	ENGINE
2000	105	243	10x10x16.5 or 20	175	1.94	16MCF	4	2707	330	143	170	150	150	150	MOTOR
2000	105	243	12x12x20	175	1.94	18HXBF	3	6605	299	129	235	250	N.A.	250	MOTOR
2000	108	250	10x10x16.5 or 20	400	1.94	16MCF	3	3200	350	152	175	200	200	200	MOTOR
2000	108	250	10x10x16.5 or 20	175	1.94	16MCF	3	3200	350	152	186	YES	YES	YES	ENGINE
2000	110	254	10x10x16.5 or 20	175	1.50	14MDF	3	5296	344	149	182	200	200	200	MOTOR
2000	110	254	10x10x16.5 or 20	175	1.50	14MDF	3	5259	345	149	190	YES	YES	YES	ENGINE
2000	110	254	10x10x16.5 or 20	175	1.94	16MCF	4	2820	339	147	180	200	200	200	MOTOR
2000	110	254	12x12x20	175	1.94	18HXBF	3	6895	308	133	249	250	N.A.	250	MOTOR
2000	113	260	10x10x16.5 or 20	400	1.94	16MCF	3	3322	358	155	178	200	200	200	MOTOR
2000	113	260	10x10x16.5 or 20	175	1.94	16MCF	3	3322	358	155	190	YES	YES	YES	ENGINE
2000	115	266	10x10x16.5 or 20	175	1.50	14MDF	3	5540	360	156	195	200	200	200	MOTOR
2000	115	266	10x10x16.5 or 20	175	1.50	14MDF	3	5502	361	156	204	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
2000	115	266	10x10x16.5 or 20	175	1.94	16MCF	4	2944	351	152	189	200	200	200	MOTOR
2000	115	266	12x12x20	175	1.94	18HXBF	3	7210	318	138	264	250	N.A.	250	MOTOR
2000	117	270	10x10x16.5 or 20	400	1.94	16MCF	3	3444	362	157	184	200	200	200	MOTOR
2000	117	270	10x10x16.5 or 20	175	1.94	16MCF	3	3444	362	157	196	YES	YES	YES	ENGINE
2000	120	277	10x10x16.5 or 20	175	1.50	14MDF	3	5764	373	161	204	200	200	200	MOTOR
2000	120	277	10x10x16.5 or 20	175	1.50	14MDF	3	5724	374	162	213	YES	YES	YES	ENGINE
2000	120	277	10x10x16.5 or 20	175	1.94	16MCF	4	3058	359	155	199	200	200	200	MOTOR
2000	120	277	12x12x20	175	1.94	18HXBF	3	7499	328	142	278	250	N.A.	250	MOTOR
2000	121	280	10x10x16.5 or 20	400	1.94	16MCF	3	3566	370	160	190	200	200	200	MOTOR
2000	121	280	10x10x16.5 or 20	175	1.94	16MCF	3	3566	370	160	202	YES	YES	YES	ENGINE
2000	125	289	10x10x16.5 or 20	175	1.50	14MDF	3	6009	388	168	218	200	200	200	MOTOR
2000	125	289	10x10x16.5 or 20	175	1.94	14MDF	3	5966	389	168	228	YES	YES	YES	ENGINE
2000	125	289	10x10x16.5 or 20	175	1.94	16MCF	4	3182	371	161	210	200	200	200	MOTOR
2000	125	289	12x12x20	175	1.94	18HXBF	3	7815	337	146	294	300	N.A.	300	MOTOR
2000	126	290	10x10x16.5 or 20	400	1.94	16MCF	3	3688	378	164	196	200	200	200	MOTOR
2000	126	290	10x10x16.5 or 20	175	1.94	16MCF	3	3688	378	164	208	YES	YES	YES	ENGINE
2000	130	300	10x10x16.5 or 20	175	1.50	14MDF	4	6274	411	178	206	200	200	200	MOTOR
2000	130	300	10x10x16.5 or 20	175	1.94	14MDF	4	6231	413	179	216	YES	YES	YES	ENGINE
2000	130	300	10x10x16.5 or 20	175	1.94	16MCF	4	3295	379	164	220	200	200	200	MOTOR
2000	130	300	10x10x16.5 or 20	400	1.94	16MCF	3	3810	386	167	202	200	200	200	MOTOR
2000	130	300	10x10x16.5 or 20	175	1.94	16MCF	3	3810	386	167	214	YES	YES	YES	ENGINE
2000	130	300	12x12x20	175	1.94	18HXBF	3	8104	347	150	308	300	N.A.	300	MOTOR
2000	134	310	10x10x16.5 or 20	400	1.94	16MCF	3	3932	394	171	207	200	200	200	MOTOR
2000	134	310	10x10x16.5 or 20	175	1.94	16MCF	3	3932	394	171	219	YES	YES	YES	ENGINE
2000	135	312	10x10x16.5 or 20	175	1.94	14MDF	4	6519	425	184	215	200	200	200	MOTOR
2000	135	312	10x10x16.5 or 20	175	1.94	14MDF	4	6473	429	186	229	YES	YES	YES	ENGINE
2000	135	312	10x10x16.5 or 20	175	1.94	16MCF	4	3419	390	169	230	200	200	200	MOTOR
2000	135	312	12x12x20	175	1.94	18HXBF	4	8492	389	168	298	300	N.A.	300	MOTOR
2000	139	320	10x10x16.5 or 20	400	1.94	16MCF	3	4056	402	174	214	200	200	200	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
2000	139	320	10x10x16.5 or 20	175	1.94	16MCF	3	4056	402	174	226	YES	YES	YES	ENGINE
2000	140	323	10x10x16.5 or 20	175	1.94	14MDF	4	6743	439	190	228	200	200	200	MOTOR
2000	140	323	10x10x16.5 or 20	175	1.94	14MDF	4	6695	442	191	238	YES	YES	YES	ENGINE
2000	140	323	10x10x16.5 or 20	175	1.94	16MCF	5	2582	429	186	228	200	200	200	MOTOR
2000	140	323	12x12x20	175	1.94	18HXBF	4	8781	395	171	311	300	N.A.	300	MOTOR
2000	143	330	10x10x16.5 or 20	400	1.94	16MCF	3	4176	407	176	230	250	250	250	MOTOR
2000	143	330	10x10x16.5 or 20	175	1.94	16MCF	3	4176	407	176	234	YES	YES	YES	ENGINE
2000	145	335	10x10x16.5 or 20	175	1.94	14MDF	4	6987	454	197	237	250	250	250	MOTOR
2000	145	335	10x10x16.5 or 20	175	1.94	14MDF	4	6938	456	197	249	YES	YES	YES	ENGINE
2000	145	335	10x10x16.5 or 20	175	1.94	16MCF	5	3706	439	190	239	250	250	250	MOTOR
2000	145	335	12x12x20	175	1.94	18HXBF	4	9096	407	176	326	300	N.A.	300	MOTOR
2000	147	340	10x10x16.5 or 20	400	1.94	16MCF	3	4298	424	184	235	250	250	250	MOTOR
2000	147	340	10x10x16.5 or 20	175	1.94	16MCF	3	4298	424	184	249	YES	YES	YES	ENGINE
2000	147	340	10x10x16.5 or 20	175	1.94	16MCF	3	4298	424	184	249	YES	YES	YES	ENGINE
2000	150	347	10x10x16.5 or 20	175	1.94	14MDF	4	7231	469	203	251	250	250	250	MOTOR
2000	150	347	10x10x16.5 or 20	175	1.94	14MDF	4	7181	471	204	262	YES	YES	YES	ENGINE
2000	150	347	10x10x16.5 or 20	175	1.94	16MCF	5	3830	451	195	249	250	250	250	MOTOR
2000	150	347	12x12x20	175	1.94	18HXBF	4	9412	419	181	341	300	N.A.	300	MOTOR
2000	152	350	10x10x16.5 or 20	400	1.94	16MCF	3	4493	450	195	240	250	250	250	MOTOR
2000	152	350	10x10x16.5 or 20	175	1.94	16MCF	3	4493	450	195	255	YES	YES	YES	ENGINE
2000	152	350	10x10x16.5 or 20	175	1.94	16MCF	3	4493	450	195	255	YES	YES	YES	ENGINE
2000	155	358	10x10x16.5 or 20	175	1.94	14MDF	4	7455	482	209	260	250	250	250	MOTOR
2000	155	358	10x10x16.5 or 20	175	1.94	14MDF	4	7403	485	210	271	YES	YES	YES	ENGINE
2000	155	358	10x10x16.5 or 20	175	1.94	16MCF	5	3943	459	199	259	250	250	250	MOTOR
2000	155	358	12x12x20	175	1.94	18HXBF	4	9701	428	185	355	350	N.A.	350	MOTOR
2000	156	360	10x10x16.5 or 20	400	1.94	16MCF	4	4590	481	208	244	250	250	250	MOTOR
2000	156	360	10x10x16.5 or 20	175	1.94	16MCF	4	4590	481	208	255	YES	YES	YES	ENGINE
2000	160	370	10x10x16.5 or 20	175	1.94	14MDF	4	7699	498	216	274	250	250	250	MOTOR
2000	160	370	10x10x16.5 or 20	175	1.94	14MDF	4	7645	500	216	286	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
2000	160	370	10x10x16.5 or 20	175	1.94	16MCF	5	4067	471	204	269	250	250	250	MOTOR
2000	160	370	10x10x16.5 or 20	400	1.94	16MCF	4	4712	489	212	250	250	250	250	MOTOR
2000	160	370	10x10x16.5 or 20	175	1.94	16MCF	4	4712	489	212	265	YES	YES	YES	ENGINE
2000	160	370	12x12x20	175	1.94	18HXBF	4	10017	437	189	370	350	N.A.	350	MOTOR
2000	165	380	10x10x16.5 or 20	400	1.94	16MCF	4	4834	497	215	256	250	250	250	MOTOR
2000	165	380	10x10x16.5 or 20	175	1.94	16MCF	4	4834	497	215	271	YES	YES	YES	ENGINE
2000	165	381	10x10x16.5 or 20	175	1.94	14MDF	4	7923	512	222	285	250	250	250	MOTOR
2000	165	381	10x10x16.5 or 20	175	1.94	14MDF	4	7868	514	223	298	YES	YES	YES	ENGINE
2000	165	381	10x10x16.5 or 20	175	1.94	16MCF	5	4181	479	207	281	250	250	250	MOTOR
2000	165	381	12x12x20	175	1.94	18HXBF	4	10306	447	194	384	350	N.A.	350	MOTOR
2000	169	390	10x10x16.5 or 20	400	1.94	16MCF	4	4956	505	219	262	250	250	250	MOTOR
2000	169	390	10x10x16.5 or 20	175	1.94	16MCF	4	4956	505	219	277	YES	YES	YES	ENGINE
2000	170	393	10x10x16.5 or 20	175	1.94	14MDF	5	8210	536	232	275	250	250	250	MOTOR
2000	170	393	10x10x16.5 or 20	175	1.94	14MDF	5	8152	539	233	288	YES	YES	YES	ENGINE
2000	170	393	10x10x16.5 or 20	175	1.94	16MCF	5	4305	490	212	287	250	250	250	MOTOR
2000	170	393	12x12x20	175	1.94	18HXBF	4	10621	457	198	401	350	N.A.	350	MOTOR
2000	173	400	10x10x16.5 or 20	400	1.94	16MCF	4	5078	513	222	268	250	250	250	MOTOR
2000	173	400	10x10x16.5 or 20	175	1.94	16MCF	4	5078	513	222	284	YES	YES	YES	ENGINE
2000	175	404	10x10x16.5 or 20	175	1.94	14MDF	5	8433	549	238	284	250	250	250	MOTOR
2000	175	404	10x10x16.5 or 20	175	1.94	14MDF	5	8374	552	239	296	YES	YES	YES	ENGINE
2000	175	404	10x10x16.5 or 20	175	1.94	16MCF	6	4468	530	229	287	250	250	250	MOTOR
2000	175	404	12x12x20	175	1.94	18HXBF	4	10911	466	202	415	400	N.A.	400	MOTOR
2000	177	410	10x10x16.5 or 20	400	1.94	16MCF	4	5200	520	225	277	250	250	250	MOTOR
2000	177	410	10x10x16.5 or 20	400	1.94	16MCF	4	5200	520	225	294	YES	YES	YES	ENGINE
2000	180	416	10x10x16.5 or 20	175	1.94	14MDF	5	8678	565	245	296	300	300	300	MOTOR
2000	180	416	10x10x16.5 or 20	400	1.94	14MDF	5	8617	568	246	310	YES	YES	YES	ENGINE
2000	180	416	10x10x16.5 or 20	400	1.94	16MCF	6	4592	539	233	299	300	300	300	MOTOR
2000	180	416	12x12x20	380	1.94	18HXBF	5	11298	509	220	403	400	N.A.	400	MOTOR
2000	182	420	10x10x16.5 or 20	400	1.94	16MCF	4	5322	528	229	286	250	250	250	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
2000	182	420	10x10x16.5 or 20	400	1.94	16MCF	4	5322	528	229	303	YES	YES	YES	ENGINE
2000	185	427	10x10x16.5 or 20	175	1.94	14MDF	5	8902	578	250	305	300	300	300	MOTOR
2000	185	427	10x10x16.5 or 20	400	1.94	14MDF	5	8839	581	252	319	YES	YES	YES	ENGINE
2000	185	427	10x10x16.5 or 20	400	1.94	16MCF	6	4705	550	238	308	300	300	300	MOTOR
2000	185	427	12x12x20	380	1.94	18HXBF	5	11587	515	223	417	400	N.A.	400	MOTOR
2000	186	430	10x10x16.5 or 20	400	1.94	16MCF	4	5444	536	232	295	300	300	300	MOTOR
2000	186	430	10x10x16.5 or 20	400	1.94	16MCF	4	5444	536	232	313	YES	YES	YES	ENGINE
2000	190	439	10x10x16.5 or 20	175	1.94	14MDF	5	9146	594	257	319	300	300	300	MOTOR
2000	190	439	10x10x16.5 or 20	400	1.94	14MDF	5	9081	596	258	334	YES	YES	YES	ENGINE
2000	190	439	10x10x16.5 or 20	400	1.94	16MCF	6	4829	559	242	319	300	300	300	MOTOR
2000	190	439	12x12x20	380	1.94	18HXBF	5	11903	527	228	431	400	N.A.	400	MOTOR
2000	190	440	10x10x16.5 or 20	400	1.94	16MCF	4	5566	541	234	306	300	300	300	MOTOR
2000	190	440	10x10x16.5 or 20	400	1.94	16MCF	4	5566	541	234	324	YES	YES	YES	ENGINE
2000	195	450	10x10x16.5 or 20	175	1.94	14MDF	5	9370	607	263	328	330	330	330	MOTOR
2000	195	450	10x10x16.5 or 20	400	1.94	14MDF	5	9304	609	264	343	YES	YES	YES	ENGINE
2000	195	450	10x10x16.5 or 20	400	1.94	16MCF	6	4943	570	247	239	300	300	300	MOTOR
2000	195	450	10x10x16.5 or 20	400	1.94	16MCF	4	5688	556	241	316	300	300	300	MOTOR
2000	195	450	10x10x16.5 or 20	400	1.94	16MCF	4	5688	556	241	335	YES	YES	YES	ENGINE
2000	195	450	12x12x20	380	1.94	18HXBF	5	12192	538	233	446	400	N.A.	400	MOTOR
2000	199	460	10x10x16.5 or 20	400	1.94	16MCF	4	5810	571	247	325	300	300	300	MOTOR
2000	199	460	10x10x16.5 or 20	400	1.94	16MCF	4	5810	571	247	345	YES	YES	YES	ENGINE
2000	200	462	10x10x16.5 or 20	175	1.94	14MDF	5	9614	622	269	342	350	350	350	MOTOR
2000	200	462	10x10x16.5 or 20	400	1.94	14MDF	5	9547	625	271	358	YES	YES	YES	ENGINE
2000	200	462	10x10x16.5 or 20	400	1.94	16MCF	6	5066	579	251	341	300	300	300	MOTOR
2000	200	462	12x12x20	380	1.94	18HXBF	5	12508	547	237	460	400	N.A.	400	MOTOR
2000	203	470	10x10x16.5 or 20	400	1.94	16MCF	4	5932	586	254	336	350	350	350	MOTOR
2000	203	470	10x10x16.5 or 20	400	1.94	16MCF	4	5932	586	254	356	YES	YES	YES	ENGINE
2000	205	474	10x10x16.5 or 20	175	1.94	14MDF	5	9858	637	276	352	350	350	350	MOTOR
2000	205	474	10x10x16.5 or 20	400	1.94	14MDF	5	9789	639	277	369	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
2000	205	474	10x10x16.5 or 20	400	1.94	16MCF	6	5190	589	255	345	300	300	300	MOTOR
2000	205	474	12x12x20	380	1.94	18HXBF	5	12797	556	241	474	450	N.A.	450	MOTOR
2000	208	480	10x10x16.5 or 20	400	1.94	16MCF	4	6000	600	260	345	350	350	350	MOTOR
2000	208	480	10x10x16.5 or 20	400	1.94	16MCF	4	6000	600	260	365	YES	YES	YES	ENGINE
2000	210	485	10x10x16.5 or 20	175	1.94	14MDF	5	10082	650	281	365	350	350	350	MOTOR
2000	210	485	10x10x16.5 or 20	400	1.94	14MDF	6	10053	664	287	359	YES	YES	YES	ENGINE
2000	210	485	10x10x16.5 or 20	400	1.94	16MCF	6	5221	616	267	357	350	350	350	MOTOR
2000	210	485	12x12x20	380	1.94	18HXBF	5	13113	567	245	491	450	N.A.	450	MOTOR
2000	212	490	10x10x16.5 or 20	400	1.94	16MCF	6	5221	616	267	357	350	350	350	MOTOR
2000	212	490	10x10x16.5 or 20	400	1.94	16MCF	5	5890	630	273	327	300	300	300	MOTOR
2000	212	490	10x10x16.5 or 20	400	1.94	16MCF	5	5890	630	273	347	YES	YES	YES	ENGINE
2000	215	497	10x10x16.5 or 20	175	1.94	14MDF	6	10368	675	292	352	350	350	350	MOTOR
2000	215	497	10x10x16.5 or 20	400	1.94	14MDF	6	10296	678	294	368	YES	YES	YES	ENGINE
2000	215	497	12x12x20	380	1.94	18HXBF	5	13428	576	249	504	450	N.A.	450	MOTOR
2000	216	500	10x10x16.5 or 20	400	1.94	16MCF	5	6042	641	277	337	350	350	350	MOTOR
2000	216	500	10x10x16.5 or 20	400	1.94	16MCF	5	6042	641	277	357	YES	YES	YES	ENGINE
2000	220	508	10x10x16.5 or 20	175	1.94	14MDF	6	10592	689	298	365	350	350	350	MOTOR
2000	220	508	10x10x16.5 or 20	400	1.94	14MDF	6	10518	693	300	382	YES	YES	YES	ENGINE
2000	220	508	12x12x20	380	1.94	18HXBF	5	13717	593	257	505	450	N.A.	450	MOTOR
2000	221	510	10x10x16.5 or 20	400	1.94	16MCF	5	6195	652	282	347	350	350	350	MOTOR
2000	221	510	10x10x16.5 or 20	400	1.94	16MCF	5	6195	656	284	367	YES	YES	YES	ENGINE
2000	225	520	10x10x16.5 or 20	175	1.94	14MDF	6	10837	703	304	374	350	350	350	MOTOR
2000	225	520	10x10x16.5 or 20	400	1.94	14MDF	6	10761	707	306	391	YES	YES	YES	ENGINE
2000	225	520	10x10x16.5 or 20	400	1.94	16MCF	5	6347	663	287	357	350	350	350	MOTOR
2000	225	520	10x10x16.5 or 20	400	1.94	16MCF	5	6347	663	287	378	YES	YES	YES	ENGINE
2000	225	520	12x12x20	380	1.94	18HXBF	5	13717	593	257	505	450	N.A.	450	MOTOR
2000	229	530	10x10x16.5 or 20	400	1.94	16MCF	5	6500	674	292	367	350	350	350	MOTOR
2000	229	530	10x10x16.5 or 20	400	1.94	16MCF	5	6500	674	292	389	YES	YES	YES	ENGINE
2000	230	531	10x10x16.5 or 20	175	1.94	14MDF	6	11061	717	310	383	350	350	350	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
2000	230	531	10x10x16.5 or 20	400	2.19	14MDF	6	10983	721	312	406	YES	YES	YES	ENGINE
2000	230	531	12x12x20	380	1.94	18HXBF	5	13717	593	257	505	450	N.A.	450	MOTOR
2000	234	540	10x10x16.5 or 20	400	1.94	16MCF	5	6652	685	297	377	350	350	350	MOTOR
2000	234	540	10x10x16.5 or 20	400	1.94	16MCF	5	6652	685	297	400	YES	YES	YES	ENGINE
2000	235	543	10x10x16.5 or 20	175	1.94	14MDF	6	11305	732	317	397	350	350	350	MOTOR
2000	235	543	10x10x16.5 or 20	400	2.19	14MDF	6	11225	735	318	415	YES	YES	YES	ENGINE
2000	238	550	10x10x16.5 or 20	400	1.94	16MCF	5	6805	696	301	397	400	400	400	MOTOR
2000	238	550	10x10x16.5 or 20	400	1.94	16MCF	5	6805	696	301	421	YES	YES	YES	ENGINE
2000	239	552	12x12x20	380	1.94	18HXBF	5	13717	600	260	510	N.A.	N.A.	450	MOTOR
2000	240	554	10x10x16.5 or 20	175	2.19	14MDF	6	11529	745	323	402	350	350	350	MOTOR
2000	240	554	10x10x16.5 or 20	400	2.19	14MDF	6	11448	749	324	424	YES	YES	YES	ENGINE
2000	242	560	10x10x16.5 or 20	400	1.94	16MCF	5	6957	707	306	407	400	400	400	MOTOR
2000	242	560	10x10x16.5 or 20	400	1.94	16MCF	5	6967	707	306	431	YES	YES	YES	ENGINE
2000	245	566	10x10x16.5 or 20	175	2.19	14MDF	6	11773	761	329	421	400	400	400	MOTOR
2000	245	566	10x10x16.5 or 20	400	2.19	14MDF	6	11690	764	331	439	YES	YES	YES	ENGINE
2000	247	570	10x10x16.5 or 20	400	1.94	16MCF	5	7110	718	311	417	400	400	400	MOTOR
2000	247	570	10x10x16.5 or 20	400	1.94	16MCF	5	7110	718	311	443	YES	YES	YES	ENGINE
2000	250	578	10x10x16.5 or 20	175	2.19	14MDF	6	12017	776	336	434	400	400	400	MOTOR
2000	250	578	10x10x16.5 or 20	400	2.19	14MDF	6	11933	779	337	454	YES	YES	YES	ENGINE
2000	251	580	10x10x16.5 or 20	400	1.94	16MCF	5	7262	729	316	427	400	400	400	MOTOR
2000	251	580	10x10x16.5 or 20	400	1.94	16MCF	5	7262	729	316	453	YES	YES	YES	ENGINE
2000	255	589	10x10x16.5 or 20	175	2.19	14MDF	6	13285	746	323	458	400	400	400	MOTOR
2000	255	589	10x10x16.5 or 20	400	2.19	14MDF	6	13279	749	324	458	YES	YES	YES	ENGINE
2000	255	590	10x10x16.5 or 20	400	1.94	16MCF	5	7415	740	320	437	400	400	400	MOTOR
2000	255	590	10x10x16.5 or 20	400	1.94	16MCF	5	7415	740	320	463	YES	YES	YES	ENGINE
2000	260	600	10x10x16.5 or 20	400	1.94	16MCF	5	7500	751	325	447	450	450	450	MOTOR
2000	260	600	10x10x16.5 or 20	400	1.94	16MCF	5	7500	751	325	474	YES	YES	YES	ENGINE
2000	260	601	10x10x16.5 or 20	175	2.19	14MDF	6	13554	758	328	428	400	400	400	MOTOR
2000	260	601	10x10x16.5 or 20	400	2.19	14MDF	6	13548	761	329	458	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
2000	265	612	10x10x16.5 or 20	175	2.19	14MDF	6	13781	769	333	451	400	400	400	MOTOR
2000	265	612	10x10x16.5 or 20	400	2.19	14MDF	6	13776	772	334	472	YES	YES	YES	ENGINE
2000	270	624	10x10x16.5 or 20	175	2.19	14MDF	6	13781	769	333	451	400	400	400	MOTOR
2000	270	624	10x10x16.5 or 20	400	2.19	14MDF	6	13781	769	333	469	YES	YES	YES	ENGINE
2500	61	141	12x12x20	175	1.94	18HXBF	2	3720	195	84	155	150	N.A.	N.A.	MOTOR
2500	65	150	12x12x20	175	1.94	18HXBF	2	3728	197	85	155	150	N.A.	150	MOTOR
2500	70	162	12x12x20	175	1.94	18HXBF	2	4015	206	89	169	150	N.A.	150	MOTOR
2500	75	173	12x12x20	175	1.94	18HXBF	2	4278	216	94	183	200	N.A.	200	MOTOR
2500	80	185	12x12x20	175	1.94	18HXBF	2	4565	225	97	199	200	N.A.	200	MOTOR
2500	85	196	12x12x20	175	1.94	18HXBF	3	4900	271	117	195	200	N.A.	200	MOTOR
2500	90	208	12x12x20	175	1.94	18HXBF	3	5187	278	120	210	200	N.A.	200	MOTOR
2500	95	219	12x12x20	175	1.94	18HXBF	3	5449	289	125	222	200	N.A.	200	MOTOR
2500	100	231	12x12x20	175	1.94	18HXBF	3	5736	301	130	237	250	N.A.	250	MOTOR
2500	104	240	12x12x20	175	1.94	16HXBF	3	4665	336	145	210	200	200	200	MOTOR
2500	104	240	12x12x20	175	1.94	16HXBF	3	4665	336	145	222	YES	YES	YES	ENGINE
2500	105	243	12x12x20	175	1.94	18HXBF	3	6023	311	135	253	250	N.A.	250	MOTOR
2500	108	250	12x12x20	175	1.94	16HXBF	3	4855	350	152	220	200	200	200	MOTOR
2500	108	250	12x12x20	175	1.94	16HXBF	3	4855	350	152	233	YES	YES	YES	ENGINE
2500	110	254	12x12x20	175	1.94	18HXBF	3	6286	319	138	265	250	N.A.	250	MOTOR
2500	113	260	12x12x20	175	1.94	16HXBF	3	5045	361	156	230	200	200	200	MOTOR
2500	113	260	12x12x20	175	1.94	16HXBF	3	5045	361	156	244	YES	YES	YES	ENGINE
2500	115	266	12x12x20	175	1.94	18HXBF	3	6573	330	143	281	250	N.A.	250	MOTOR
2500	117	270	12x12x20	175	1.94	16HXBF	3	5235	372	161	240	250	250	250	MOTOR
2500	117	270	12x12x20	175	1.94	16HXBF	3	5235	372	161	255	YES	YES	YES	ENGINE
2500	120	277	12x12x20	175	1.94	18HXBF	3	6836	338	146	296	300	N.A.	300	MOTOR
2500	121	280	12x12x20	175	1.94	16HXBF	3	5425	380	165	250	250	250	250	MOTOR
2500	121	280	12x12x20	175	1.94	16HXBF	3	5425	380	165	265	YES	YES	YES	ENGINE
2500	125	289	12x12x20	175	1.94	18HXBF	3	7122	349	151	311	300	N.A.	300	MOTOR
2500	126	290	12x12x20	175	1.94	16HXBF	3	5615	389	168	260	250	250	250	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
2500	126	290	12x12x20	175	1.94	16HXBF	3	5615	389	168	275	YES	YES	YES	ENGINE
2500	130	300	12x12x20	175	1.94	16HXBF	3	5805	403	174	270	250	250	250	MOTOR
2500	130	300	12x12x20	175	1.94	16HXBF	3	5805	403	174	287	YES	YES	YES	ENGINE
2500	130	300	12x12x20	175	1.94	18HXBF	4	7457	395	171	306	300	N.A.	300	MOTOR
2500	134	310	12x12x20	380	1.94	16HXBF	3	5995	421	182	280	250	250	250	MOTOR
2500	134	310	12x12x20	175	1.94	16HXBF	3	5995	421	182	280	250	250	250	MOTOR
2500	134	310	12x12x20	380	1.94	16HXBF	3	5995	421	182	298	YES	YES	YES	ENGINE
2500	134	310	12x12x20	175	1.94	16HXBF	3	5995	421	182	298	YES	YES	YES	ENGINE
2500	135	312	12x12x20	175	1.94	18HXBF	4	7744	402	174	320	300	N.A.	300	MOTOR
2500	139	320	12x12x20	175	1.94	16HXBF	3	6185	431	187	288	250	250	250	MOTOR
2500	139	320	12x12x20	380	1.94	16HXBF	3	6185	431	187	288	250	250	250	MOTOR
2500	139	320	12x12x20	380	1.94	16HXBF	3	6185	431	187	306	YES	YES	YES	ENGINE
2500	139	320	12x12x20	175	1.94	16HXBF	3	6185	431	187	306	YES	YES	YES	ENGINE
2500	140	323	12x12x20	175	1.94	18HXBF	4	8007	413	179	333	300	N.A.	300	MOTOR
2500	143	330	12x12x20	380	1.94	16HXBF	3	6375	440	190	300	300	300	300	MOTOR
2500	143	330	12x12x20	175	1.94	16HXBF	3	6375	440	190	300	300	300	300	MOTOR
2500	143	330	12x12x20	380	1.94	16HXBF	3	6375	440	190	318	YES	YES	YES	ENGINE
2500	143	330	12x12x20	175	1.94	16HXBF	3	6375	440	190	318	YES	YES	YES	ENGINE
2500	145	335	12x12x20	175	1.94	18HXBF	4	8294	424	184	345	300	N.A.	300	MOTOR
2500	147	340	12x12x20	380	1.94	16HXBF	3	6565	454	197	310	300	300	300	MOTOR
2500	147	340	12x12x20	380	1.94	16HXBF	3	6565	454	197	329	YES	YES	YES	ENGINE
2500	150	347	12x12x20	175	1.94	18HXBF	4	8580	432	187	363	350	N.A.	350	MOTOR
2500	152	350	12x12x20	380	1.94	16HXBF	4	6904	480	208	305	300	300	300	MOTOR
2500	152	350	12x12x20	380	1.94	16HXBF	4	6904	480	208	323	YES	YES	YES	ENGINE
2500	155	358	12x12x20	175	1.94	18HXBF	4	8843	443	192	377	350	N.A.	350	MOTOR
2500	156	360	12x12x20	380	1.94	16HXBF	4	6980	490	212	310	300	300	300	MOTOR
2500	156	360	12x12x20	380	1.94	16HXBF	4	6980	490	212	330	YES	YES	YES	ENGINE
2500	160	370	12x12x20	380	1.94	16HXBF	4	7170	495	214	319	300	300	300	MOTOR
2500	160	370	12x12x20	380	1.94	16HXBF	4	7170	495	214	339	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 - Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
2500	160	370	12x12x20	175	1.94	18HXBF	4	9130	453	196	394	350	N.A.	350	MOTOR
2500	165	380	12x12x20	380	1.94	16HXBF	4	7360	505	219	332	300	300	300	MOTOR
2500	165	380	12x12x20	380	1.94	16HXBF	4	7360	505	219	352	YES	YES	YES	ENGINE
2500	165	381	12x12x20	175	1.94	18HXBF	4	9393	462	200	402	350	N.A.	350	MOTOR
2500	169	390	12x12x20	380	1.94	16HXBF	4	7550	517	224	346	350	350	350	MOTOR
2500	169	390	12x12x20	380	1.94	16HXBF	4	7550	517	224	367	YES	YES	YES	ENGINE
2500	170	393	12x12x20	175	1.94	18HXBF	5	9752	508	220	402	350	N.A.	350	MOTOR
2500	173	400	12x12x20	380	1.94	16HXBF	4	7740	536	232	360	350	350	350	MOTOR
2500	173	400	12x12x20	380	1.94	16HXBF	4	7740	536	232	381	YES	YES	YES	ENGINE
2500	175	404	12x12x20	175	1.94	18HXBF	5	10015	514	223	416	400	N.A.	400	MOTOR
2500	177	410	12x12x20	380	1.94	16HXBF	4	7930	560	242	372	350	350	350	MOTOR
2500	177	410	12x12x20	380	1.94	16HXBF	4	7930	560	242	395	YES	YES	YES	ENGINE
2500	180	416	12x12x20	380	1.94	18HXBF	5	10301	526	228	430	400	N.A.	400	MOTOR
2500	182	420	12x12x20	380	1.94	16HXBF	4	8120	573	248	386	350	350	350	MOTOR
2500	182	420	12x12x20	380	1.94	16HXBF	4	8120	573	248	409	YES	YES	YES	ENGINE
2500	185	427	12x12x20	380	1.94	18HXBF	5	10564	537	232	445	400	N.A.	400	MOTOR
2500	186	430	12x12x20	380	1.94	16HXBF	4	8310	585	253	400	350	350	350	MOTOR
2500	186	430	12x12x20	380	1.94	16HXBF	4	8310	585	253	424	YES	YES	YES	ENGINE
2500	190	439	12x12x20	380	1.94	18HXBF	5	10851	547	237	460	400	N.A.	400	MOTOR
2500	190	440	12x12x20	380	1.94	16HXBF	4	8500	604	261	412	400	400	400	MOTOR
2500	190	440	12x12x20	380	1.94	16HXBF	4	8500	604	261	437	YES	YES	YES	ENGINE
2500	195	450	12x12x20	380	1.94	16HXBF	5	8752	600	260	381	350	350	350	MOTOR
2500	195	450	12x12x20	380	1.94	16HXBF	5	8752	600	260	404	YES	YES	YES	ENGINE
2500	195	450	12x12x20	380	1.94	18HXBF	5	11114	555	240	474	450	N.A.	450	MOTOR
2500	199	460	12x12x20	380	1.94	16HXBF	5	8915	618	268	398	350	350	350	MOTOR
2500	199	460	12x12x20	380	1.94	16HXBF	5	8915	618	268	422	YES	YES	YES	ENGINE
2500	200	462	12x12x20	380	1.94	18HXBF	5	11401	566	245	489	450	N.A.	450	MOTOR
2500	205	473	12x12x20	380	1.94	16HXBF	5	9105	631	273	415	400	400	400	MOTOR
2500	205	473	12x12x20	380	1.94	16HXBF	5	9105	631	273	441	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
2500	205	474	12x12x20	380	1.94	18HXBF	5	11663	575	249	503	450	N.A.	450	MOTOR
2500	208	480	12x12x20	380	1.94	16HXBF	5	9795	640	277	424	400	N.A.	N.A.	MOTOR
2500	208	480	12x12x20	380	1.94	16HXBF	5	9795	647	280	459	YES	N.A.	N.A.	ENGINE
2500	210	485	12x12x20	380	1.94	18HXBF	5	11950	585	253	504	450	N.A.	450	MOTOR
2500	212	490	12x12x20	380	1.94	16HXBF	5	9985	647	280	432	400	N.A.	N.A.	MOTOR
2500	212	490	12x12x20	380	1.94	16HXBF	5	9985	658	285	467	YES	N.A.	N.A.	ENGINE
2500	215	497	12x12x20	380	1.94	18HXBF	5	12000	593	257	505	450	N.A.	450	MOTOR
2500	216	500	12x12x20	380	1.94	16HXBF	5	10175	670	290	450	400	N.A.	N.A.	MOTOR
2500	216	500	12x12x20	380	1.94	16HXBF	5	10175	670	290	476	YES	N.A.	N.A.	ENGINE
2500	220	508	12x12x20	380	1.94	18HXBF	5	12000	593	257	505	450	N.A.	450	MOTOR
2500	221	510	12x12x20	380	1.94	16HXBF	5	10365	698	302	465	450	N.A.	N.A.	MOTOR
2500	221	510	12x12x20	380	1.94	16HXBF	5	10365	700	303	494	YES	N.A.	N.A.	ENGINE
2500	221	511	12x12x20	380	1.94	18HXBF	5	12000	593	257	505	450	N.A.	450	MOTOR
2500	224	517	12x12x20	380	1.94	18HXBF	5	12000	593	257	505	450	N.A.	N.A.	MOTOR
2500	225	520	12x12x20	380	1.94	16HXBF	5	10555	716	310	482	450	N.A.	N.A.	MOTOR
2500	225	520	12x12x20	380	1.94	16HXBF	5	10555	716	310	512	YES	N.A.	N.A.	ENGINE
2500	229	530	12x12x20	380	1.94	16HXBF	5	10745	723	313	491	450	N.A.	N.A.	MOTOR
2500	229	530	12x12x20	380	1.94	16HXBF	5	10745	723	313	521	YES	N.A.	N.A.	ENGINE
2500	234	540	12x12x20	380	1.94	16HXBF	5	10935	730	316	500	450	N.A.	N.A.	MOTOR
2500	234	540	12x12x20	380	1.94	16HXBF	5	10935	730	316	530	YES	N.A.	N.A.	ENGINE
2500	238	550	12x12x20	380	1.94	16HXBF	5	11125	755	327	515	450	N.A.	N.A.	MOTOR
2500	238	550	12x12x20	380	1.94	16HXBF	5	11125	755	327	546	YES	N.A.	N.A.	ENGINE
2500	242	560	12x12x20	380	1.94	16HXBF	6	11350	758	328	500	450	N.A.	N.A.	MOTOR
2500	242	560	12x12x20	380	1.94	16HXBF	6	11350	751	325	518	YES	N.A.	N.A.	ENGINE
2500	247	570	12x12x20	380	1.94	16HXBF	6	11540	767	332	510	450	N.A.	N.A.	MOTOR
2500	247	570	12x12x20	380	1.94	16HXBF	6	11540	758	328	528	YES	N.A.	N.A.	ENGINE
2500	251	580	12x12x20	380	1.94	16HXBF	6	11730	776	336	520	500	N.A.	N.A.	MOTOR
2500	251	580	12x12x20	380	1.94	16HXBF	6	11730	776	336	550	YES	N.A.	N.A.	ENGINE
2500	255	590	12x12x20	380	1.94	16HXBF	6	11920	790	342	530	500	N.A.	N.A.	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
2500	255	590	12x12x20	380	1.94	16HXBF	6	11920	790	342	560	YES	N.A.	N.A.	ENGINE
2500	260	600	12x12x20	380	1.94	16HXBF	6	12100	804	348	540	500	N.A.	N.A.	MOTOR
2500	260	600	12x12x20	380	1.94	16HXBF	6	12100	804	348	571	YES	N.A.	N.A.	ENGINE
2500	264	610	12x12x20	380	1.94	16HXBF	6	12300	822	356	550	500	N.A.	N.A.	MOTOR
2500	264	610	12x12x20	380	1.94	16HXBF	6	12300	839	363	592	YES	N.A.	N.A.	ENGINE
2500	268	620	12x12x20	380	1.94	16HXBF	6	12490	841	364	560	500	N.A.	N.A.	MOTOR
2500	268	620	12x12x20	380	1.94	16HXBF	6	12490	848	367	602	YES	N.A.	N.A.	ENGINE
2500	273	630	12x12x20	380	1.94	16HXBF	6	12680	864	374	576	600	N.A.	N.A.	MOTOR
2500	273	630	12x12x20	380	1.94	16HXBF	6	12680	859	372	613	YES	N.A.	N.A.	ENGINE
2500	277	640	12x12x20	380	1.94	16HXBF	6	12870	871	377	588	600	N.A.	N.A.	MOTOR
2500	277	640	12x12x20	380	1.94	16HXBF	6	12870	878	380	636	YES	N.A.	N.A.	ENGINE
2500	280	647	12x12x20	380	1.94	16HXBF	6	13003	878	380	600	600	N.A.	N.A.	MOTOR
2500	280	647	12x12x20	380	1.94	16HXBF	6	13003	908	393	655	YES	N.A.	N.A.	ENGINE
3000	61	141	12x12x20	175	1.94	18HXBF	2	2977	189	82	144	125	N.A.	125	MOTOR
3000	65	150	12x12x20	175	1.94	18HXBF	2	3316	202	87	164	150	N.A.	150	MOTOR
3000	70	162	12x12x20	175	1.94	18HXBF	2	3569	213	92	180	150	N.A.	150	MOTOR
3000	75	173	12x12x20	175	1.94	18HXBF	2	3802	223	97	196	200	N.A.	200	MOTOR
3000	80	185	12x12x20	175	1.94	18HXBF	2	4056	236	102	211	200	N.A.	200	MOTOR
3000	85	196	12x12x20	175	1.94	18HXBF	3	4360	285	123	207	200	N.A.	200	MOTOR
3000	90	208	12x12x20	175	1.94	18HXBF	3	4614	294	127	223	200	N.A.	200	MOTOR
3000	95	219	12x12x20	175	1.94	18HXBF	3	4846	301	130	237	250	N.A.	250	MOTOR
3000	100	231	12x12x20	175	1.94	18HXBF	3	5100	312	135	254	250	N.A.	250	MOTOR
3000	105	243	12x12x20	175	1.94	18HXBF	3	5354	321	139	268	250	N.A.	250	MOTOR
3000	110	254	12x12x20	175	1.94	18HXBF	3	5586	331	143	284	250	N.A.	250	MOTOR
3000	112	259	12x12x20	175	1.94	18HXBF	2	6348	319	138	334	300	300	300	MOTOR
3000	115	266	12x12x20	175	1.94	18HXBF	2	6516	325	141	344	300	300	300	MOTOR
3000	115	266	12x12x20	175	1.94	18HXBF	3	5840	341	148	300	300	N.A.	300	MOTOR
3000	117	270	14x14x24.5	150	2.19	20HXBF	2	9690	339	147	421	400	400	400	MOTOR
3000	117	270	14x14x24.5	150	2.19	20HXBF	2	9690	339	147	447	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
3000	120	277	12x12x20	175	1.94	18HXBF	4	6145	387	168	296	300	N.A.	300	MOTOR
3000	120	277	12x12x20	175	1.94	18HXBF	2	6780	335	145	361	350	350	350	MOTOR
3000	121	280	14x14x24.5	150	2.19	20HXBF	2	10040	351	152	436	400	400	400	MOTOR
3000	121	280	14x14x24.5	150	2.19	20HXBF	2	10040	351	152	462	YES	YES	YES	ENGINE
3000	125	289	12x12x20	175	1.94	18HXBF	3	7139	397	172	348	350	350	350	MOTOR
3000	125	289	12x12x20	175	1.94	18HXBF	4	6398	396	171	312	300	N.A.	300	MOTOR
3000	126	290	14x14x24.5	250	2.19	20HXBF	2	10390	363	157	451	400	400	400	MOTOR
3000	126	290	14x14x24.5	150	2.19	20HXBF	2	10390	363	157	451	400	400	400	MOTOR
3000	126	290	14x14x24.5	150	2.19	20HXBF	2	10390	363	157	478	YES	YES	YES	ENGINE
3000	130	300	12x12x20	175	1.94	18HXBF	4	6631	407	176	326	300	N.A.	300	MOTOR
3000	130	300	14x14x24.5	150	2.19	20HXBF	2	10740	375	162	466	450	450	450	MOTOR
3000	130	300	14x14x24.5	250	2.19	20HXBF	2	10740	375	162	466	450	450	450	MOTOR
3000	130	300	14x14x24.5	250	2.19	20HXBF	2	10740	375	162	495	YES	YES	YES	ENGINE
3000	130	300	14x14x24.5	150	2.19	20HXBF	2	10740	375	162	495	YES	YES	YES	ENGINE
3000	130	300	12x12x20	175	1.94	18HXBF	3	7402	401	174	364	350	350	350	MOTOR
3000	134	310	14x14x24.5	150	2.19	20HXBF	2	11090	387	168	481	450	450	450	MOTOR
3000	134	310	14x14x24.5	250	2.19	20HXBF	2	11090	387	168	481	450	450	450	MOTOR
3000	134	310	14x14x24.5	150	2.19	20HXBF	2	11090	387	168	509	YES	YES	YES	ENGINE
3000	134	310	14x14x24.5	250	2.19	20HXBF	2	11090	387	168	509	YES	YES	YES	ENGINE
3000	135	312	12x12x20	175	1.94	18HXBF	3	7690	413	179	381	350	350	350	MOTOR
3000	135	312	12x12x20	175	1.94	18HXBF	4	6885	419	181	341	300	N.A.	300	MOTOR
3000	139	320	14x14x24.5	250	2.19	20HXBF	2	11440	399	173	495	450	450	450	MOTOR
3000	139	320	14x14x24.5	150	2.19	20HXBF	2	11440	399	173	495	450	450	450	MOTOR
3000	139	320	14x14x24.5	250	2.19	20HXBF	2	11440	399	173	525	YES	YES	YES	ENGINE
3000	140	323	12x12x20	175	1.94	18HXBF	4	7117	429	186	357	350	N.A.	350	MOTOR
3000	140	323	12x12x20	175	1.94	18HXBF	3	7953	424	184	396	350	350	350	MOTOR
3000	143	330	14x14x24.5	250	2.19	20HXBF	2	11790	411	178	511	450	450	450	MOTOR
3000	143	330	14x14x24.5	250	2.19	20HXBF	2	11790	411	178	542	YES	YES	YES	ENGINE
3000	145	335	12x12x20	175	1.94	18HXBF	3	8240	436	189	414	400	400	400	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
3000	145	335	12x12x20	175	1.94	18HXBF	4	7371	438	190	371	350	N.A.	350	MOTOR
3000	147	340	14x14x24.5	250	2.19	20HXBF	2	12140	423	183	526	500	500	500	MOTOR
3000	147	340	14x14x24.5	250	2.19	20HXBF	2	12490	435	188	574	YES	YES	YES	ENGINE
3000	147	340	14x14x24.5	250	2.19	20HXBF	2	12140	423	183	558	YES	YES	YES	ENGINE
3000	150	347	12x12x20	175	1.94	18HXBF	3	8528	446	193	432	400	400	400	MOTOR
3000	150	347	12x12x20	175	1.94	18HXBF	4	7625	449	194	388	350	N.A.	350	MOTOR
3000	152	350	14x14x24.5	250	2.19	20HXBF	2	12490	435	188	541	500	500	500	MOTOR
3000	152	350	14x14x24.5	250	2.19	20HXBF	2	12490	435	188	574	YES	YES	YES	ENGINE
3000	155	358	12x12x20	175	1.94	18HXBF	4	7857	459	199	402	350	N.A.	350	MOTOR
3000	155	358	12x12x20	175	1.94	18HXBF	3	8792	455	197	449	400	400	400	MOTOR
3000	156	360	12x12x20	380	1.94	16HXBF	4	7400	510	221	370	350	N.A.	N.A.	MOTOR
3000	156	360	12x12x20	380	1.94	16HXBF	4	7400	501	217	385	YES	N.A.	N.A.	ENGINE
3000	160	370	12x12x20	175	1.94	18HXBF	3	9079	464	201	460	400	400	400	MOTOR
3000	160	370	12x12x20	380	1.94	16HXBF	4	7600	520	225	387	350	N.A.	N.A.	MOTOR
3000	160	370	12x12x20	380	1.94	16HXBF	4	7600	514	223	403	YES	N.A.	N.A.	ENGINE
3000	160	370	12x12x20	175	1.94	18HXBF	5	8183	506	219	399	400	N.A.	400	MOTOR
3000	165	380	12x12x20	380	1.94	16HXBF	4	8200	530	229	390	350	N.A.	N.A.	MOTOR
3000	165	380	12x12x20	380	1.94	16HXBF	4	8200	530	229	406	YES	N.A.	N.A.	ENGINE
3000	165	381	12x12x20	175	1.94	18HXBF	5	8416	513	222	415	400	N.A.	400	MOTOR
3000	165	381	12x12x20	175	1.94	18HXBF	3	9343	475	206	483	450	450	450	MOTOR
3000	170	393	12x12x20	175	1.94	18HXBF	3	9630	484	210	503	450	450	450	MOTOR
3000	170	393	12x12x20	175	1.94	18HXBF	5	8670	525	227	429	400	N.A.	400	MOTOR
3000	175	404	12x12x20	175	1.94	18HXBF	5	8902	536	232	443	400	N.A.	400	MOTOR
3000	175	404	12x12x20	175	1.94	18HXBF	3	9894	493	213	517	450	450	450	MOTOR
3000	180	416	12x12x20	400	1.94	18HXBF	3	10181	503	218	538	500	500	500	MOTOR
3000	180	416	12x12x20	380	1.94	18HXBF	5	9156	547	237	460	400	N.A.	400	MOTOR
3000	185	427	12x12x20	380	1.94	18HXBF	5	9388	555	240	474	450	N.A.	450	MOTOR
3000	185	427	12x12x20	400	1.94	18HXBF	4	10516	565	245	522	500	500	500	MOTOR
3000	190	439	12x12x20	400	1.94	18HXBF	4	10804	576	249	540	500	500	500	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
3000	190	439	12x12x20	380	1.94	18HXBF	5	9642	567	245	491	450	N.A.	450	MOTOR
3000	195	450	12x12x20	380	1.94	18HXBF	5	9875	576	249	508	450	N.A.	450	MOTOR
3000	195	450	12x12x20	400	1.94	18HXBF	4	11067	581	252	555	500	NA	NA	MOTOR
3000	200	462	12x12x20	380	1.94	18HXBF	5	10128	587	254	517	450	N.A.	450	MOTOR
3000	200	462	12x12x20	400	1.94	18HXBF	4	11355	593	257	572	500	NA	NA	MOTOR
3000	205	474	12x12x20	400	1.94	18HXBF	4	11642	604	261	590	600	NA	NA	MOTOR
3000	205	474	12x12x20	380	1.94	18HXBF	5	10128	587	254	517	450	N.A.	450	MOTOR
3000	210	485	12x12x20	400	1.94	18HXBF	4	11906	614	266	607	600	NA	NA	MOTOR
3000	215	497	12x12x20	400	1.94	18HXBF	4	12193	624	270	626	600	NA	NA	MOTOR
3000	220	508	12x12x20	400	1.94	18HXBF	4	12457	631	273	641	600	NA	NA	MOTOR
3000	225	520	12x12x20	400	1.94	18HXBF	4	12744	643	278	659	600	NA	NA	MOTOR
3000	230	531	12x12x20	400	1.94	18HXBF	4	13008	652	282	678	600	NA	NA	MOTOR
3000	235	543	12x12x20	400	1.94	18HXBF	4	13295	662	287	690	600	NA	NA	MOTOR
3000	240	554	12x12x20	400	1.94	18HXBF	4	13559	671	290	715	700	NA	NA	MOTOR
3500	108	250	12x12x20	175	1.94	18HXBF	2	6178	326	141	324	300	300	300	MOTOR
3500	108	250	12x12x20	175	1.94	18HXBF	2	6178	326	141	343	YES	YES	YES	ENGINE
3500	113	260	12x12x20	175	1.94	18HXBF	2	6398	333	144	340	300	300	300	MOTOR
3500	113	260	12x12x20	175	1.94	18HXBF	2	6398	333	144	360	YES	YES	YES	ENGINE
3500	113	260	14x14x24.5	150	2.19	20HXBF	2	9690	339	147	421	400	400	400	MOTOR
3500	113	260	14x14x24.5	150	2.19	20HXBF	2	9690	339	147	447	YES	YES	YES	ENGINE
3500	117	270	12x12x20	175	1.94	18HXBF	2	6618	340	147	355	350	350	350	MOTOR
3500	117	270	12x12x20	175	1.94	18HXBF	2	6618	340	147	376	YES	YES	YES	ENGINE
3500	117	270	14x14x24.5	150	2.19	20HXBF	2	10040	351	152	436	400	400	400	MOTOR
3500	117	270	14x14x24.5	150	2.19	20HXBF	2	10040	351	152	462	YES	YES	YES	ENGINE
3500	121	280	12x12x20	175	1.94	18HXBF	2	6838	353	153	373	350	350	350	MOTOR
3500	121	280	12x12x20	175	1.94	18HXBF	2	6838	353	153	395	YES	YES	YES	ENGINE
3500	121	280	14x14x24.5	150	2.19	20HXBF	2	10390	363	157	451	400	400	400	MOTOR
3500	121	280	14x14x24.5	150	2.19	20HXBF	2	10390	363	157	479	YES	YES	YES	ENGINE
3500	121	280	14x14x24.5	250	2.19	20HXBF	2	11090	363	157	479	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
3500	126	290	12x12x20	175	1.94	18HXBF	3	7121	390	169	365	350	350	350	MOTOR
3500	126	290	12x12x20	175	1.94	18HXBF	3	7121	390	169	387	YES	YES	YES	ENGINE
3500	126	290	14x14x24.5	250	2.19	20HXBF	2	10740	375	162	466	450	450	450	MOTOR
3500	126	290	14x14x24.5	150	2.19	20HXBF	2	10740	375	162	466	450	450	450	MOTOR
3500	126	290	14x14x24.5	250	2.19	20HXBF	2	10740	399	173	495	YES	YES	YES	ENGINE
3500	126	290	14x14x24.5	150	2.19	20HXBF	2	10740	399	173	495	YES	YES	YES	ENGINE
3500	130	300	12x12x20	175	1.94	18HXBF	3	7341	407	176	391	350	350	350	MOTOR
3500	130	300	12x12x20	175	1.94	18HXBF	3	7341	407	176	414	YES	YES	YES	ENGINE
3500	130	300	14x14x24.5	150	2.19	20HXBF	2	11090	387	168	481	450	450	450	MOTOR
3500	130	300	14x14x24.5	250	2.19	20HXBF	2	11090	387	168	481	450	450	450	MOTOR
3500	130	300	14x14x24.5	250	2.19	20HXBF	2	11090	387	168	509	YES	YES	YES	ENGINE
3500	134	310	12x12x20	175	1.94	18HXBF	3	7561	413	179	402	350	350	350	MOTOR
3500	134	310	12x12x20	380	1.94	18HXBF	3	7561	413	179	426	YES	YES	YES	ENGINE
3500	134	310	12x12x20	175	1.94	18HXBF	3	7561	413	179	426	YES	YES	YES	ENGINE
3500	134	310	14x14x24.5	250	2.19	20HXBF	2	11440	399	173	495	450	450	450	MOTOR
3500	134	310	14x14x24.5	150	2.19	20HXBF	2	11440	399	173	495	450	450	450	MOTOR
3500	134	310	14x14x24.5	250	2.19	20HXBF	2	11440	399	173	525	YES	YES	YES	ENGINE
3500	139	320	12x12x20	380	1.94	18HXBF	3	7781	417	181	410	400	400	400	MOTOR
3500	139	320	12x12x20	175	1.94	18HXBF	3	7781	417	181	410	400	400	400	MOTOR
3500	139	320	12x12x20	380	1.94	18HXBF	3	7781	417	181	435	YES	YES	YES	ENGINE
3500	139	320	12x12x20	380	1.94	18HXBF	3	7781	417	181	435	YES	YES	YES	ENGINE
3500	139	320	12x12x20	175	1.94	18HXBF	3	7781	417	181	435	YES	YES	YES	ENGINE
3500	139	320	14x14x24.5	250	2.19	20HXBF	2	11790	411	178	511	450	450	450	MOTOR
3500	139	320	14x14x24.5	250	2.19	20HXBF	2	10390	363	157	451	400	400	400	MOTOR
3500	139	320	14x14x24.5	250	2.19	20HXBF	2	11790	411	178	542	YES	YES	YES	ENGINE
3500	143	330	12x12x20	380	1.94	18HXBF	3	8001	427	185	417	400	400	400	MOTOR
3500	143	330	12x12x20	175	1.94	18HXBF	3	8001	427	185	417	400	400	400	MOTOR
3500	143	330	12x12x20	380	1.94	18HXBF	3	8001	427	185	442	YES	YES	YES	ENGINE
3500	143	330	12x12x20	380	1.94	18HXBF	3	8001	427	185	442	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
3500	143	330	12x12x20	175	1.94	18HXBF	3	8001	427	185	442	YES	YES	YES	ENGINE
3500	143	330	14x14x24.5	250	2.19	20HXBF	2	12140	423	183	526	500	500	500	MOTOR
3500	143	330	14x14x24.5	250	2.19	20HXBF	2	12140	423	183	558	YES	YES	YES	ENGINE
3500	147	340	12x12x20	175	1.94	18HXBF	3	8221	443	192	427	400	400	400	MOTOR
3500	147	340	12x12x20	380	1.94	18HXBF	3	8221	443	192	427	400	400	400	MOTOR
3500	147	340	12x12x20	380	1.94	18HXBF	3	8221	443	192	453	YES	YES	YES	ENGINE
3500	147	340	12x12x20	175	1.94	18HXBF	3	8221	443	192	453	YES	YES	YES	ENGINE
3500	147	340	14x14x24.5	250	2.19	20HXBF	2	12490	435	188	541	500	500	500	MOTOR
3500	152	350	12x12x20	380	1.94	18HXBF	3	8441	474	205	448	400	400	400	MOTOR
3500	152	350	12x12x20	380	1.94	18HXBF	3	8441	474	205	475	YES	YES	YES	ENGINE
3500	156	360	12x12x20	380	1.94	18HXBF	3	8661	479	207	459	400	400	400	MOTOR
3500	156	360	12x12x20	380	1.94	18HXBF	3	8661	479	207	486	YES	YES	YES	ENGINE
3500	160	370	12x12x20	380	1.94	18HXBF	3	8881	483	209	479	450	450	450	MOTOR
3500	160	370	12x12x20	380	1.94	18HXBF	3	8881	483	209	507	YES	YES	YES	ENGINE
3500	160	370	12x12x20	380	1.94	18HXBF	3	8881	483	209	507	YES	YES	YES	ENGINE
3500	165	380	12x12x20	380	1.94	18HXBF	3	9101	490	212	495	450	450	450	MOTOR
3500	165	380	12x12x20	380	1.94	18HXBF	3	9101	490	212	524	YES	YES	YES	ENGINE
3500	169	390	12x12x20	380	1.94	18HXBF	3	9321	500	216	510	450	450	450	MOTOR
3500	169	390	12x12x20	380	1.94	18HXBF	3	9321	500	216	540	YES	YES	YES	ENGINE
3500	173	400	12x12x20	380	1.94	18HXBF	3	9541	505	219	534	500	500	500	MOTOR
3500	173	400	12x12x20	380	1.94	18HXBF	3	9541	505	219	566	YES	YES	YES	ENGINE
3500	173	400	12x12x20	380	1.94	18HXBF	3	9541	505	219	566	YES	YES	YES	ENGINE
3500	177	410	12x12x20	380	1.94	18HXBF	3	9761	515	223	548	500	500	500	MOTOR
3500	177	410	12x12x20	380	1.94	18HXBF	3	9761	515	223	581	YES	YES	YES	ENGINE
3500	182	420	12x12x20	380	1.94	18HXBF	3	9981	525	227	566	600	600	600	MOTOR
3500	182	420	12x12x20	380	1.94	18HXBF	3	9981	525	227	566	500	500	500	MOTOR
3500	182	420	12x12x20	380	1.94	18HXBF	3	9981	525	227	601	YES	YES	YES	ENGINE
3500	185	427	12x12x20	380	1.94	18HXBF	4	9565	578	250	551	500	NA	NA	MOTOR
3500	190	439	12x12x20	380	1.94	18HXBF	4	9825	590	255	568	500	NA	NA	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
3500	195	450	12x12x20	380	1.94	18HXBF	4	10064	601	260	585	600	NA	NA	MOTOR
3500	200	462	12x12x20	380	1.94	18HXBF	4	10325	612	265	612	600	NA	NA	MOTOR
3500	205	474	12x12x20	380	1.94	18HXBF	4	10586	623	270	623	600	NA	NA	MOTOR
3500	210	485	12x12x20	380	1.94	18HXBF	4	10825	630	273	639	600	NA	NA	MOTOR
3500	215	497	12x12x20	380	1.94	18HXBF	4	11086	642	278	658	600	NA	NA	MOTOR
3500	221	511	12x12x20	380	1.94	18HXBF	4	11325	652	282	677	600	NA	NA	MOTOR
4000	108	250	14x14x24.5	150	2.19	20HXBF	2	9690	339	147	421	400	400	400	MOTOR
4000	108	250	14x14x24.5	150	2.19	20HXBF	2	9690	339	147	447	YES	YES	YES	ENGINE
4000	113	260	14x14x24.5	150	2.19	20HXBF	2	10040	351	152	436	400	400	400	MOTOR
4000	113	260	14x14x24.5	150	2.19	20HXBF	2	10040	351	152	462	YES	YES	YES	ENGINE
4000	117	270	14x14x24.5	250	2.19	20HXBF	2	10390	363	157	451	400	400	400	MOTOR
4000	117	270	14x14x24.5	150	2.19	20HXBF	2	10390	363	157	451	400	400	400	MOTOR
4000	117	270	14x14x24.5	150	2.19	20HXBF	2	10390	363	157	478	YES	YES	YES	ENGINE
4000	121	280	14x14x24.5	250	2.19	20HXBF	2	10740	375	162	466	450	450	450	MOTOR
4000	121	280	14x14x24.5	150	2.19	20HXBF	2	10740	375	162	466	450	450	450	MOTOR
4000	121	280	14x14x24.5	250	2.19	20HXBF	2	10740	375	162	495	YES	YES	YES	ENGINE
4000	121	280	14x14x24.5	150	2.19	20HXBF	2	10740	375	162	495	YES	YES	YES	ENGINE
4000	126	290	14x14x24.5	150	2.19	20HXBF	2	11090	387	168	481	450	450	450	MOTOR
4000	126	290	14x14x24.5	250	2.19	20HXBF	2	11090	387	168	481	450	450	450	MOTOR
4000	126	290	14x14x24.5	250	2.19	20HXBF	2	11090	387	168	509	YES	YES	YES	ENGINE
4000	126	290	14x14x24.5	150	2.19	20HXBF	2	11090	387	168	509	YES	YES	YES	ENGINE
4000	130	300	14x14x24.5	250	2.19	20HXBF	2	11440	399	173	495	450	450	450	MOTOR
4000	130	300	14x14x24.5	150	2.19	20HXBF	2	11440	399	173	495	450	450	450	MOTOR
4000	130	300	14x14x24.5	250	2.19	20HXBF	2	11440	399	173	525	YES	YES	YES	ENGINE
4000	134	310	14x14x24.5	250	2.19	20HXBF	2	11790	411	178	511	450	450	450	MOTOR
4000	134	310	14x14x24.5	250	2.19	20HXBF	2	11790	411	178	542	YES	YES	YES	ENGINE
4000	139	320	14x14x24.5	250	2.19	20HXBF	2	12140	423	183	526	500	500	500	MOTOR
4000	139	320	14x14x24.5	250	2.19	20HXBF	2	12140	423	183	558	YES	YES	YES	ENGINE
4000	143	330	14x14x24.5	250	2.19	20HXBF	2	12490	435	188	541	500	500	500	MOTOR



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 • Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
4000	143	330	14x14x24.5	250	2.19	20HXBF	2	12490	435	188	574	YES	YES	YES	ENGINE
4000	147	340	14x14x24.5	250	2.19	20HXBF	2	11460	444	192	575	500	500	500	MOTOR
4000	147	340	14x14x24.5	250	2.19	20HXBF	2	11460	444	192	598	YES	YES	YES	ENGINE
4000	152	350	14x14x24.5	250	2.19	20HXBF	2	11790	457	198	601	600	600	600	MOTOR
4000	152	350	14x14x24.5	250	2.19	20HXBF	2	11790	457	198	625	YES	YES	YES	ENGINE
4000	156	360	14x14x24.5	250	2.19	20HXBF	2	12120	476	206	628	600	600	600	MOTOR
4000	156	360	14x14x24.5	250	2.19	20HXBF	2	12120	476	206	653	YES	YES	YES	ENGINE
4000	162	374	14x14x24.5	250	2.19	20HXBF	2	12582	485	210	635	600	600	600	MOTOR
4000	162	374	14x14x24.5	250	2.19	20HXBF	2	12582	485	210	660	YES	YES	YES	ENGINE
4500	104	240	14x14x24.5	150	2.19	20HXBF	2	9690	339	147	421	400	400	400	MOTOR
4500	104	240	14x14x24.5	150	2.19	20HXBF	2	9690	339	147	447	YES	YES	YES	ENGINE
4500	108	250	14x14x24.5	150	2.19	20HXBF	2	10040	357	155	436	400	400	400	MOTOR
4500	108	250	14x14x24.5	150	2.19	20HXBF	2	10040	351	152	462	YES	YES	YES	ENGINE
4500	113	260	14x14x24.5	150	2.19	20HXBF	2	10390	363	157	451	400	400	400	MOTOR
4500	113	260	14x14x24.5	250	2.19	20HXBF	2	10390	363	157	451	400	400	400	MOTOR
4500	113	260	14x14x24.5	150	2.19	20HXBF	2	10390	363	157	478	YES	YES	YES	ENGINE
4500	117	270	14x14x24.5	150	2.19	20HXBF	2	10740	375	162	466	450	450	450	MOTOR
4500	117	270	14x14x24.5	250	2.19	20HXBF	2	10740	375	162	466	450	450	450	MOTOR
4500	117	270	14x14x24.5	150	2.19	20HXBF	2	10740	375	162	495	YES	YES	YES	ENGINE
4500	117	270	14x14x24.5	250	2.19	20HXBF	2	10740	375	162	495	YES	YES	YES	ENGINE
4500	121	280	14x14x24.5	250	2.19	20HXBF	2	11090	387	168	481	450	450	450	MOTOR
4500	121	280	14x14x24.5	150	2.19	20HXBF	2	11090	387	168	481	450	450	450	MOTOR
4500	121	280	14x14x24.5	150	2.19	20HXBF	2	11090	387	168	509	YES	YES	YES	ENGINE
4500	121	280	14x14x24.5	250	2.19	20HXBF	2	11090	387	168	509	YES	YES	YES	ENGINE
4500	126	290	14x14x24.5	250	2.19	20HXBF	2	11440	399	173	495	450	450	450	MOTOR
4500	126	290	14x14x24.5	150	2.19	20HXBF	2	11440	399	173	495	450	450	450	MOTOR
4500	126	290	14x14x24.5	250	2.19	20HXBF	2	11440	399	173	525	YES	YES	YES	ENGINE
4500	130	300	14x14x24.5	250	2.19	20HXBF	2	11790	411	178	511	450	450	450	MOTOR
4500	130	300	14x14x24.5	250	2.19	20HXBF	2	11790	411	178	542	YES	YES	YES	ENGINE



Peerless Pump Company
 2005 Dr. Martin Luther King Jr. Street
 Indianapolis, IN 46202
 Phone: (317) 925-9661 - Fax: (317) 924-7388

Vertical Turbine Fire Pumps

US GPM	Bowl Head PSI (Measured At Top Bowl Outlet Not Discharge Flg)	Bowl Head Feet (Measured At Top Bowl Outlet Not Discharge Flg)	Discharge Head Size	Discharge Head Maximum Working Pressure PSI	Column Shaft Size	Pump Model 1760 Rpm	No. Of Pump Stgs.	Pump Down Thrust Lb.	Shut Off Head Feet	Shut Off Head PSI	Pump Max Bhp Or Max Pump Gear Bhp	WPI Mtr Hp 1.15 Serv Fact UL or UL Listed For Engine	WPI Mtr Hp ULC or ULC Listed For Engine	WPI Mtr Hp FM or FM Listed For Engine	Driver
4500	134	310	14x14x24.5	250	2.19	20HXBF	2	12140	423	183	526	500	500	500	MOTOR
4500	134	310	14x14x24.5	250	2.19	20HXBF	2	12140	423	183	558	YES	YES	YES	ENGINE
4500	139	320	14x14x24.5	250	2.19	20HXBF	2	12490	435	188	541	500	500	500	MOTOR
4500	139	320	14x14x24.5	250	2.19	20HXBF	2	12490	435	188	574	YES	YES	YES	ENGINE
4500	143	330	14x14x24.5	250	2.19	20HXBF	2	10635	444	192	598	YES	YES	YES	ENGINE
4500	143	330	14x14x24.5	250	2.19	20HXBF	2	10635	444	192	575	500	500	500	MOTOR
4500	147	340	14x14x24.5	250	2.19	20HXBF	2	10950	457	198	601	600	600	600	MOTOR
4500	147	340	14x14x24.5	250	2.19	20HXBF	2	10950	457	198	625	YES	YES	YES	ENGINE
4500	152	350	14x14x24.5	250	2.19	20HXBF	2	11265	476	206	653	YES	YES	YES	ENGINE
4500	152	350	14x14x24.5	250	2.19	20HXBF	2	11265	476	206	628	600	600	600	MOTOR
4500	156	360	14x14x24.5	250	2.19	20HXBF	2	11580	485	210	660	YES	YES	YES	ENGINE
4500	156	360	14x14x24.5	250	2.19	20HXBF	2	11580	485	210	635	600	600	600	MOTOR
4500	165	382	14x14x24.5	250	2.19	20HXBF	3	11815	534	231	600	600	NA	NA	MOTOR
5000	134	310	14x14x24.5	250	2.19	20HXBF	2	9145	430	186	540	500	500	500	MOTOR
5000	134	310	14x14x24.5	250	2.19	20HXBF	2	12490	434	188	574	YES	YES	YES	ENGINE
5000	139	320	14x14x24.5	250	2.19	20HXBF	2	7,615	17591	192	575	500	500	500	MOTOR
5000	139	320	14x14x24.5	250	2.19	20HXBF	2	9680	444	192	598	YES	YES	YES	ENGINE
5000	143	330	14x14x24.5	250	2.19	20HXBF	2	7,615	17591	198	601	600	600	600	MOTOR
5000	143	330	14x14x24.5	250	2.19	20HXBF	2	9975	457	198	625	YES	YES	YES	ENGINE
5000	147	340	14x14x24.5	250	2.19	20HXBF	2	7,615	17591	206	628	600	600	600	MOTOR
5000	147	340	14x14x24.5	250	2.19	20HXBF	2	10270	476	206	653	YES	YES	YES	ENGINE
5000	152	351	14x14x24.5	250	2.19	20HXBF	2	7,615	17591	210	635	600	600	600	MOTOR
5000	152	351	14x14x24.5	250	2.19	20HXBF	2	10595	485	210	660	YES	YES	YES	ENGINE