


IMPELLER: 2692699 (184-215 JM) 2692700 (254-326 JM) CURVE: 3110000



IMPELLER: 2683739 (215 JM) 2683747 (254-326 JM) CURVE: 3114004r

SECTION 2240


INLINE PUMPS Type PV 5 X 5 X 7 Size 5 X 5 X 7



Peerless Pump Company
Indianapolis, IN 46207-7026

3500 RPM

VELOCITY HEAD INCLUDED
TOTAL EYE AREA 12.9 SQ. IN.
SPHERE SIZE .65 IN.
PERFORMANCE AT 1.0 SP. GR.



NPSH IN FEET

1190

IMPELLER 2694280

U.S. GALLONS PER MINUTE

CURVE 3110012




Peerless Pump Company
Indianapolis, IN 46207-7026

INLINE PUMPS
Type PV 5 X 5 X 11 Size 5 X 5 X 10.50

SECTION 2240

3500 RPM

VELOCITY HEAD INCLUDED
TOTAL EYE AREA 12.01 SQ. IN.
SPHERE SIZE .406 IN.
PERFORMANCE AT 1.0 SP. GR.



288

IMPELLER **2692385**

U.S. GALLONS PER MINUTE


CURVE **3110008**

SECTION 2240

INLINE PUMPS
 Type PV 2 X 2 X 6A Size 2 X 2 X 6



Peerless Pump Company
 Indianapolis, IN 46207-7026



IMPELLER: V1788B (143-215 JM)


CURVE: 2899065r

SECTION 2240

INLINE PUMPS
 Type PV 2 X 2 X 8A Size 2 X 2 X 8



Peerless Pump Company
 Indianapolis, IN 46207-7026




IMPELLER: 2684183 (143-215 JM)

CURVE: 4847268

1750 RPM

VELOCITY HEAD INCLUDED.
TOTAL EYE AREA 2.78 SQ. IN.
SPHERE SIZE .281 IN.
PERFORMANCE AT 1.0 SP. GR




IMPELLER: 2678368 (143-215 JM)

CURVE: 2897847r

1750 RPM

VELOCITY HEAD INCLUDED.
TOTAL EYE AREA 4.90 SQ. IN.
SPHERE SIZE .62 IN.
PERFORMANCE AT 1.0 SP. GR



IMPELLER: 2683846 (143-215 JM)

CURVE: 4848016

SECTION 2240


INLINE PUMPS

Type PV 2-1/2 X 2-1/2 X 8A Size 2-1/2 X 2-1/2 X 8



Peerless Pump Company
Indianapolis, IN 46207-7025

1750 RPM



IMPELLER: V1735B (143-215 JM)

CURVE: 2899071r

SECTION 2240


INLINE PUMPS

Type PV 3 X 3 X 8A Size 3 X 3 X 8



Peerless Pump Company
Indianapolis, IN 46207-7025

1750 RPM



IMPELLER: 2683738 (143-215 JM)

CURVE: 2899072r



Peerless Pump Company
Indianapolis, IN 46207-7025

INLINE PUMPS
Type PV 4 X 4 X 8J Size 4 x 4 x 7


SECTION 2240

1750 RPM

VELOCITY HEAD INCLUDED
TOTAL EYE AREA 7.67 SQ.IN.
SPHERE SIZE .88 IN.
PERFORMANCE AT 1.0 SP.GR.

TOTAL HEAD IN FEET

NPSH IN FEET



IMPELLER 2678926

U.S. GALLONS PER MINUTE

CURVE 3110016