

Customer :

Labour/Taber

2005 Dr. Martin Luther King Jr. Street Indianapolis, Indiana

Project :

Quote No. : US-2222-17

Page No. : 1

Contact :

Phone :

Fax :

Date : Wednesday, April 16, 2003

Pump Model: **LaBour - 8x10-15 XLTP LVB**
Type: **LVB - ANSI Standard End Suction**

Nom. Speed: **1180 RPM, 60 Hz Electric**
Impeller Dia.: **15/12.5 inch**

Duty Flow : US gpm
Duty Head : ft
Efficiency : %

Temperature: **68 °F**
Viscosity: **1.009 cP**
Sp. Gravity: **1.000**

Power Required : hp
NPSH Required : ft
Peak Power: **87.46 hp**
Closed Valve Pressure **94 ft**

Curve No.: **8196-049**


Impeller No.

Item : **1**

Fluid: **Water**

Your Ref.:

Tolerance : **Hyd Inst-Peerless Std**



Comments:

Performance curve represents typical performance. See Standard Hydraulic Performance document in the selective printing area of RAPID for testing tolerances & contractual guarantees.



Customer :

Labour/Taber

2005 Dr. Martin Luther King Jr. Street Indianapolis, Indiana

Project :

Quote No. : US-2222-17

Page No. : 1

Contact :

Phone :

Fax :

Date : Wednesday, April 16, 2003

Pump Model: **LaBour - 8x10-15G XLTP LVB**
Type: **LVB - ANSI Standard End Suction**

Nom. Speed: **1150 RPM, 60 Hz Electric**
Impeller Dia.: **15/12 inch**

Duty Flow : US gpm
Duty Head : ft
Efficiency : %

Temperature: **68 °F**
Viscosity: **1.009 cP**
Sp. Gravity: **1.000**

Power Required : hp
NPSH Required : ft
Peak Power: **62.32 hp**

Curve No.: **8196-052**

Impeller No.


Item : **1**

Fluid: **Water**

Closed Valve Pressure **97.163 ft**

Your Ref.:

Tolerance : **Hyd Inst-Peerless Std**



Comments:

Performance curve represents typical performance. See Standard Hydraulic Performance document in the selective printing area of RAPID for testing tolerances & contractual guarantees.



Customer :

Labour/Taber

2005 Dr. Martin Luther King Jr. Street Indianapolis, Indiana

Project :

Quote No. : US-2222-17

Page No. : 1

Contact :

Phone :

Fax :

Date : Wednesday, April 16, 2003

Pump Model: **LaBour - 8x10-15 XLTP LVB**
Type: **LVB - ANSI Standard End Suction**

Nom. Speed: **880 RPM**, 60 Hz Electric
Impeller Dia.: **15/12.5 inch**

Duty Flow : US gpm
Duty Head : ft
Efficiency : %

Temperature: **68 °F**
Viscosity: **1.009 cP**
Sp. Gravity: **1.000**

Power Required : hp
NPSH Required : ft

Curve No.: **8196-050**


Impeller No.

Fluid: **Water**

Peak Power: **36.46 hp**
Closed Valve Pressure **52.279 ft**

Item : **1**

Tolerance : **Hyd Inst-Peerless Std**



Comments:

Performance curve represents typical performance. See Standard Hydraulic Performance document in the selective printing area of RAPID for testing tolerances & contractual guarantees.



Customer :

Labour/Taber

2005 Dr. Martin Luther King Jr. Street Indianapolis, Indiana

Project :

Quote No. : US-2222-17

Page No. : 1

Contact :

Phone :

Fax :

Date : Wednesday, April 16, 2003

Pump Model: **LaBour - 8x10-15G XLTP LVB**
Type: **LVB - ANSI Standard End Suction**

Nom. Speed: **1750 RPM, 60 Hz Electric**
Impeller Dia.: **15/12 inch**

Duty Flow : US gpm
Duty Head : ft
Efficiency : %

Temperature: **68 °F**
Viscosity: **1.009 cP**
Sp. Gravity: **1.000**

Power Required : hp
NPSH Required : ft
Peak Power: **219.61 hp**

Curve No.: **8196-051**

Impeller No.


Item : **1**

Fluid: **Water**

Closed Valve Pressure **225 ft**

Your Ref.:

Tolerance : **Hyd Inst-Peerless Std**



Comments:

Performance curve represents typical performance. See Standard Hydraulic Performance document in the selective printing area of RAPID for testing tolerances & contractual guarantees.

