


Customer :

Peerless Pump Company
2005 Dr. Martin Luther King Jr. Street Indianapolis, Indiana

Project :		Contact :	
Quote No. : US-2222-17	Page No. : 1	Phone :	Fax :
		Date : Monday, April 14, 2003	
Pump Model: Peerless - 4x6-10 MTP 8196	Nom. Speed: 1150 RPM, 60 Hz Electric	Duty Flow :	US gpm
Type: 8196 - ANSI Standard End Suction	Impeller Dia.: 10/8 inch	Duty Head :	ft
	Temperature: 68 °F	Efficiency :	%
	Viscosity: 1.009 cP	Power Required :	hp
Curve No.: 8196-028	Sp. Gravity: 1.000	NPSH Required :	ft
Impeller No.:	Fluid: Water	Peak Power:	7.93 hp
Item : 1		Closed Valve Pressure	43.616 ft
Your Ref.:	Tolerance : Hyd Inst-Peerless Std		



Customer :

Peerless Pump Company
2005 Dr. Martin Luther King Jr. Street Indianapolis, Indiana

Project :
Quote No. : US-2222-17

Page No. : 1

Contact :
Phone :
Date : Monday, April 14, 2003
Fax :

Pump Model: **Peerless - 4x6-10 MTP 8196**
Type: **8196 - ANSI Standard End Suction**

Nom. Speed: **1750 RPM, 60 Hz Electric**
Impeller Dia.: **10/8 inch**

Duty Flow : US gpm
Duty Head : ft
Efficiency : %

Temperature: **68 °F**
Viscosity: **1.009 cP**
Sp. Gravity: **1.000**

Power Required : hp
NPSH Required : ft

Curve No.: **8196-027**

Fluid: **Water**


Peak Power: **27.58 hp**
Closed Valve Pressure **101.002 ft**

Impeller No.

Item : **1**

Your Ref.:

Tolerance : **Hyd Inst-Peerless Std**



Comments:

Performance curve represents typical performance. See Standard Hydraulic Performance document in the selective printing area of RAPID for testing tolerances & contractual guarantees.

