


2 POLE 60 HERTZ  
 PERFORMANCE



Capacity \_\_\_\_\_ gpm  
 Head \_\_\_\_\_ Feet  
 BHP \_\_\_\_\_  
 EFFICIENCY \_\_\_\_\_ %

DRIVER \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

HEAD \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

COLUMN \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

VERTICAL TURBINE PUMPS  
 Model 8LB - 3460 Rpm

CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer
1	2516464	5-15/16	55542	_____
2	2516464	5-1/2 x 5-23/32	55712	Item _____
3	2516464	5-3/16 x 5-1/2	55666	Peerless Ref. No: _____
4				

<b>Laboratory Performance</b>		BOWL	2616457 CIE
SIZE	8LB	RPM	3460
		CURVE	4806268



Peerless Pump Company  
Indianapolis, IN 46207-7025

VERTICAL TURBINE PUMPS  
Model 8LB - 3460 Rpm

SECTION 140  
Page 3460-13  
September, 1985


### 2 POLE 60 HERTZ PERFORMANCE

Capacity \_\_\_\_\_ gpm  
Head \_\_\_\_\_ Feet  
BHP \_\_\_\_\_  
EFFICIENCY \_\_\_\_\_ %

DRIVER \_\_\_\_\_  
HEAD \_\_\_\_\_  
COLUMN \_\_\_\_\_

EFFICIENCY ADJUSTMENT FOR STAGES	
STAGES	NUMBER OF POINTS
1	Lower 6.5
2	Lower 2.5
3	Lower 1.5
4	Lower 0.5

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSEPOWER CORRESPONDINGLY




CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM
1	2616465	5-15/16	55539
2	2616465	5-15/32 x 5-15/16	55634
3	2616465	5-1/4 x 5-11/16	55644
4			

Customer _____	
Item _____	
Peerless Ref. No. _____	
<b>Laboratory Performance</b>	
SIZE 8LB	RPM 3460
BOWL 2616467 CIE	CURVE 4806269

**VERTICAL TURBINE PUMPS**  
Model 8LB-1760 Rpm

SECTION 140  
Page 1760-13  
October, 1974

Total Head in Feet for \_\_\_\_\_ Stages



Horsepower for \_\_\_\_\_ Stages

HYDRAULIC PERFORMANCE WARRANTY Guaranteed at designated point only, and contingent on:  Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____		
	1	26 16464	5 <sup>15</sup> / <sub>16</sub> "	35594	Item _____		
	2	26 16464	5 <sup>23</sup> / <sub>32</sub> " x 5 <sup>15</sup> / <sub>16</sub> "	37216	Peerless Ref. No: _____		
	3	26 16464	5 <sup>7</sup> / <sub>16</sub> " x 5 <sup>15</sup> / <sub>16</sub> "	37236	<b>Laboratory Performance</b>		
4	26 16464	5 <sup>3</sup> / <sub>32</sub> " x 5 <sup>15</sup> / <sub>16</sub> "	37320	SIZE 8 LB	RPM 1760	BOWL 2616457 CIE	CURVE 2831765

PUMP DESCRIPTION: Driver \_\_\_\_\_; Head \_\_\_\_\_; Column \_\_\_\_\_  
 GUARANTEED BOWL  PERFORMANCE: Capacity \_\_\_\_\_ gpm; Head \_\_\_\_\_ ft; Eff \_\_\_\_\_ %; BHP \_\_\_\_\_  
 FIELD


VERTICAL TURBINE PUMPS  
Model 8LB - 1760 Rpm



Peerless Pump Company  
Indianaapolis, IN 46207-7026

Total Head in Feet for \_\_\_\_\_ Stages

Horsepower for \_\_\_\_\_ Stages



EFFICIENCY ADJUSTMENT FOR STAGING	
STAGES	NUMBER OF POINTS
1	Lower 6
2	Lower 4
4	Lower 2
6	Lower 1

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSEPOWER CORRESPONDINGLY

HYDRAULIC PERFORMANCE WARRANTY	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____		
	Guaranteed at designated point only, and contingent on:  Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	1	26 16465	5 <sup>15</sup> / <sub>16</sub> "	35481	Item _____	
2		26 16465	5 <sup>11</sup> / <sub>16</sub> " x 5 <sup>15</sup> / <sub>16</sub> "	37215	Peerless Ref. No: _____		
3		26 16465	5 <sup>7</sup> / <sub>16</sub> " x 5 <sup>15</sup> / <sub>16</sub> "	37225	<b>Laboratory Performance</b>	BOWL	26 16457 CIE
4		26 16465	5 <sup>3</sup> / <sub>16</sub> " x 5 <sup>15</sup> / <sub>16</sub> "	37322	SIZE	8 LB	RPM 1760
						CURVE	<b>2831691r</b>

PUMP DESCRIPTION: Driver \_\_\_\_\_; Head \_\_\_\_\_; Column \_\_\_\_\_  
 GUARANTEED  BOWL  PERFORMANCE: Capacity \_\_\_\_\_ gpm; Head \_\_\_\_\_ ft; Eff \_\_\_\_\_ %; BHP \_\_\_\_\_  
 FIELD



Peerless Pump Company  
Indianapolis, IN 46207-7025


VERTICAL TURBINE PUMPS

Stages \_\_\_\_\_ for \_\_\_\_\_ Horsepower

Section 140  
10-74

CHANGE EFFICIENCY AS FOLLOWS	NUMBER OF POINTS	FOR NUMBER OF STAGES
LOWER	1	6
"	2	4
"	4	2
"	8	1

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY



HYDRAULIC PERFORMANCE WARRANTY at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____		
	1	2616464	5 <sup>15</sup> / <sub>16</sub>	35594	Item _____		
	2	2616464	5 <sup>23</sup> / <sub>32</sub> × 5 <sup>15</sup> / <sub>16</sub>	37216	Peerless Ref. No: _____		
	3	2616464	5 <sup>5</sup> / <sub>16</sub> × 5 <sup>15</sup> / <sub>16</sub>	37236	<b>Laboratory Performance</b>		
4	2616464	5 <sup>3</sup> / <sub>32</sub> × 5 <sup>15</sup> / <sub>16</sub>	37320	SIZE 8 LB	RPM 2900	BOWL 2616457 CIE	CURVE 2831766

PUMP DESCRIPTION: Driver \_\_\_\_\_; Head \_\_\_\_\_; Column \_\_\_\_\_  
 BOWL  PERFORMANCE: Capacity \_\_\_\_\_ gpm; Head \_\_\_\_\_ ft; Eff \_\_\_\_\_ %; BHP \_\_\_\_\_  
 FIELD

VERTICAL TURBINE PUMPS




Peerless Pump Company  
Indianapolis, IN 46207-7025

Total Head in Feet for \_\_\_\_\_ Stages

Horsepower for \_\_\_\_\_ Stages

EFFICIENCY ADJUSTMENT FOR STAGING	
STAGES	NUMBER OF POINTS
1	Lower 6
2	Lower 4
4	Lower 2
6	Lower 1

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSEPOWER CORRESPONDINGLY



HYDRAULIC PERFORMANCE WARRANTY at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____		
	1	2616465	5 <sup>15</sup> / <sub>16</sub>	35481	Item _____		
	2	2616465	5 <sup>11</sup> / <sub>16</sub> x 5 <sup>15</sup> / <sub>16</sub>	37215	Peerless Ref. No: _____		
	3	2616465	5 <sup>7</sup> / <sub>16</sub> x 5 <sup>15</sup> / <sub>16</sub>	37225	<b>Laboratory Performance</b>		
4	2616465	5 <sup>3</sup> / <sub>16</sub> x 5 <sup>15</sup> / <sub>16</sub>	37322	SIZE 8 LB	RPM 2900	BOWL 2616457 CIE	CURVE 2831693r

PUMP DESCRIPTION: Driver \_\_\_\_\_; Head \_\_\_\_\_; Column \_\_\_\_\_

BOWL  FIELD PERFORMANCE: Capacity \_\_\_\_\_ gpm; Head \_\_\_\_\_ ft; Eff \_\_\_\_\_ %; BHP \_\_\_\_\_



Peerless Pump Company  
Indianapolis, IN 46207-7025


VERTICAL TURBINE PUMPS

Stages \_\_\_\_\_ for horsepower

Section 140  
10-74

CHANGE EFFICIENCY AS FOLLOWS	NUMBER OF POINTS	FOR NUMBER OF STAGES
LOWER	1	6
"	2	4
"	4	2
"	8	1

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY



Total Head in Feet for \_\_\_\_\_ Stages

Total Head in Feet per Stage

Horsepower per Stage

U.S. GALLONS PER MINUTE

HYDRAULIC PERFORMANCE WARRANTY at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____				
	1	2616464	5 <sup>15</sup> / <sub>16</sub> "	35594	Item _____				
	2	2616464	5 <sup>23</sup> / <sub>32</sub> " x 5 <sup>15</sup> / <sub>16</sub> "	37216	Peerless Ref. No: _____				
	3	2616464	5 <sup>5</sup> / <sub>16</sub> " x 5 <sup>15</sup> / <sub>16</sub> "	37236	<b>Laboratory Performance</b>				
4	2616464	5 <sup>3</sup> / <sub>32</sub> " x 5 <sup>15</sup> / <sub>16</sub> "	37320	SIZE	8 LB	RPM	1460	BOWL	2616457 CIE
								CURVE	2831767

PUMP DESCRIPTION: Driver \_\_\_\_\_; Head \_\_\_\_\_; Column \_\_\_\_\_  
 BOWL  PERFORMANCE: Capacity \_\_\_\_\_ gpm; Head \_\_\_\_\_ ft; Eff \_\_\_\_\_ %; BHP \_\_\_\_\_  
 FIELD

VERTICAL TURBINE PUMPS




Peerless Pump Company  
Indianapolis, IN 46207-7025

Total Head in Feet for \_\_\_\_\_ Stages

Horsepower for \_\_\_\_\_ Stages

EFFICIENCY ADJUSTMENT FOR STAGING	
STAGES	NUMBER OF POINTS
1	Lower 6
2	Lower 4
4	Lower 2
6	Lower 1

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSEPOWER CORRESPONDINGLY



HYDRAULIC PERFORMANCE WARRANTY	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer
	at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	1	2616465	5 <sup>15</sup> / <sub>16</sub> "	35481
	2	2616465	5 <sup>11</sup> / <sub>16</sub> " x 5 <sup>15</sup> / <sub>16</sub> "	37215	Peerless Ref. No: _____
	3	2616465	5 <sup>7</sup> / <sub>16</sub> " x 5 <sup>15</sup> / <sub>16</sub> "	37225	<b>Laboratory Performance</b>
	4	2616465	5 <sup>3</sup> / <sub>16</sub> " x 5 <sup>15</sup> / <sub>16</sub> "	37322	SIZE <b>8LB</b> RPM <b>1460</b>
					BOWL <b>2616457 CIE</b>
					CURVE <b>2831690r</b>

PUMP DESCRIPTION: Driver \_\_\_\_\_; Head \_\_\_\_\_; Column \_\_\_\_\_  
 BOWL  PERFORMANCE: Capacity \_\_\_\_\_ gpm; Head \_\_\_\_\_ ft; Eff \_\_\_\_\_ %; BHP \_\_\_\_\_  
 FIELD