




Peerless Pump Company
Indianapolis, IN 46207-7025

VERTICAL TURBINE PUMPS
Model 12MB - 1760 Rpm

SECTION 140
Page 1760-48
October, 1974



CHANGE EFFICIENCY AS FOLLOWS	NUMBER OF POINTS	FOR NUMBER OF STAGES
LOWER	1	4
LOWER	2	1
NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY		

Total Head in Feet for _____ Stages

Horsepower for _____ Stages

HYDRAULIC PERFORMANCE WARRANTY	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____			
					Item _____			
Guaranteed at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	1	2626936	8 ⁷ / ₁₆ "	44146	Peerless Ref. No: _____			
	2	2626936	8 ¹¹ / ₁₆ "	44208	Laboratory Performance			
	3	2626936	8 ⁵ / ₁₆ "	44213	SIZE	12 MB	RPM	1760
	4	2626936	7 ¹⁵ / ₁₆ "	44216	BOWL	T-84506-E	CURVE	2845757

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 GUARANTEED BOWL FIELD PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____


VERTICAL TURBINE PUMPS
Model 12MB - 1760 Rpm



Peerless Pump Company
Indianapolis, IN 46207-7025

CHANGE EFFICIENCY AS FOLLOWS	NUMBER OF POINTS	FOR NUMBER OF STAGES
LOWER	1	2
"	2	1

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY



HYDRAULIC PERFORMANCE WARRANTY Guaranteed at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer: _____
	1	2624332	8 ⁷ / ₁₆ "	40375	Item No: _____
	2	2624332	8 ¹¹ / ₁₆ "	40963	Peerless Ref. No: _____
	3	2624332	8 ³ / ₁₆ "	38536	Laboratory Performance BOWL T-84506-E
	4	2624332	7 ¹¹ / ₁₆ "		SIZE 12 MB RPM 1760 CURVE 2842929

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 GUARANTEED FIELD PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____


Horsepower for _____ stages



Peerless Pump Company
Indianapolis, IN 46207-7025

VERTICAL TURBINE PUMPS
Model 12MB - 1760 Rpm

SECTION 140
Page 1760-45
October, 1974



CHANGE EFFICIENCY AS FOLLOWS	NUMBER OF POINTS	FOR NUMBER OF STAGES
LOWER	1	2
"	2	1

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY

HYDRAULIC PERFORMANCE WARRANTY Guaranteed at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____
	1	2624331	8 ⁷ / ₈ "	40385	Item _____
	2	2624331	8 ¹¹ / ₁₆ "	35492	Peerless Ref. No: _____
	3	2624331	8 ³ / ₁₆ "		Laboratory Performance
4	2624331	7 ¹¹ / ₁₆ "			SIZE 12 MB RPM 1760 BOWL T84505-E CURVE 2842487

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 GUARANTEED BOWL PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____
 FIELD


Stages _____ for horsepower

VERTICAL TURBINE PUMPS
Model 12MB - 1160 Rpm



Peerless Pump Company
Indianapolis, IN 46207-7025

Total Head in Feet for _____ Stages



CHANGE EFFICIENCY AS FOLLOWS	NUMBER OF POINTS	FOR NUMBER OF STAGES
LOWER	1	4
LOWER	2	1

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY

Horsepower for _____ Stages

Head and Capacity Warranty Contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____
	1	2626936	8 ⁷ / ₈ "	44146	Item _____
2	2626936	8 ¹¹ / ₁₆ "	44208	Peerless Ref. No: _____	
3	2626936	8 ⁵ / ₁₆ "	44213	Laboratory Performance	
4	2626936	7 ¹⁵ / ₁₆ "	44216	SIZE 12 MB RPM 1160 CURVE 2846755	

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 BOWL PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____
 FIELD




Pearless Pump Company
 Indianapolis, IN 46207-7026

VERTICAL TURBINE PUMPS
 Model 12MB - 1160 Rpm

Stages _____ for _____

SECTION 140
 Page 1160-15
 October, 1974

Total Head in Feet for _____ Stages



CHANGE EFFICIENCY AS FOLLOWS	NUMBER OF POINTS	FOR NUMBER OF STAGES
LOWER	1	2
H	2	1

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY


Head and Capacity Warranty Contingent on:	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer:
	Proper flow to pump suction Proper submergence Field free of gas, air & abrasives Proper lateral setting of impeller	1	2624332	8 ⁷ / ₈ "	40375
	2	2624332	8 ¹¹ / ₁₆ "	40963	Item No: _____
	3	2624332	8 ³ / ₁₆ "	38536	Peerless Ref. No: _____
	4	2624332	7 ¹¹ / ₁₆ "		Laboratory Performance
					SIZE 12 MB RPM 1160 BOWL T-84506-E
					CURVE 2842927

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 FIELD PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____

VERTICAL TURBINE PUMPS
Model 12MB - 1160 Rpm



Peerless Pump Company
Indianapolis, IN 46207-7025



Total Head in Feet for _____ Stages

Horsepower for _____ Stages

Head and Capacity Warranty Contingent on:	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____
	Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	1	2624331	8 ⁷ / ₈ "	40385
2		2624331	8 ¹¹ / ₁₆ "	35492	Peerless Ref. No: _____
3		2624331	8 ³ / ₁₆ "		Laboratory Performance BOWL T-84506-E
4		2624331	7 ¹¹ / ₁₆ "		SIZE 12 MB RPM 1160 CURVE 2842486

PUMP DESCRIPTION: Driver _____; Head _____; Column _____

FIELD PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____

VERTICAL TURBINE PUMPS




Peerless Pump Company
Indianapolis, IN 46207-7025

Total Head in Feet for _____ Stages

Horsepower for _____ Stages

CHANGE EFFICIENCY AS FOLLOWS	NUMBER OF POINTS	FOR NUMBER OF STAGES
LOWER	1	4
LOWER	2	1

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY



HYDRAULIC PERFORMANCE WARRANTY at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____
	1	2626936	8 ⁷ / ₈ "	44146	Item _____
2	2626936	8 ¹¹ / ₁₆ "	44208	Peerless Ref. No: _____	
3	2626936	8 ⁵ / ₁₆ "	44213	Laboratory Performance	
4	2626936	7 ¹⁵ / ₁₆ "	44216	SIZE 12 MB RPM 1460 BOWL T-84506-E	
					CURVE 2846756

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 BOWL FIELD PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____



Peerless Pump Company
Indianapolis, IN 46207-7025


VERTICAL TURBINE PUMPS

Stages _____ for _____ Horsepower

Section 140
11-824

CHANGE EFFICIENCY AS FOLLOWS	NUMBER OF POINTS	FOR NUMBER OF STAGES
LOWER	1	2
"	2	1

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY



Total Head in Feet for _____ Stages

Total Head in Feet per Stage

Horsepower per Stage

U.S. GALLONS PER MINUTE

HYDRAULIC PERFORMANCE WARRANTY at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer: _____
	1	2624332	8 ⁷ / ₈ "	40375	Item No: _____
	2	2624332	8 ¹¹ / ₁₆ "	40963	Peerless Ref. No: _____
	3	2624332	8 ³ / ₁₆ "	38536	Laboratory Performance
	4	2624332	7 ¹¹ / ₁₆ "		SIZE 12 MB RPM 1460 BOWL T-84506-E CURVE 2842928

PUMP DESCRIPTION: Driver _____; Head _____; Column _____

FIELD PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____


VERTICAL TURBINE PUMPS



Peerless Pump Company
Indianapolis, IN 46207-7025

CHANGE EFFICIENCY AS FOLLOWS	NUMBER OF POINTS	FOR NUMBER OF STAGES
LOWER	1	2
"	2	1

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY



HYDRAULIC PERFORMANCE WARRANTY at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____
	1	2624331	8 ⁷ / ₈	40385	Item _____
	2	2624331	8 ¹¹ / ₁₆	35492	Peerless Ref. No: _____
	3	2624331	8 ³ / ₁₆		Laboratory Performance
	4	2624331	7 ¹¹ / ₁₆		SIZE 12 MB RPM 1460 BOWL T-84506-E
					CURVE 2842583

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 BOWL PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____
 FIELD

Stages _____
Horsepower for _____



Peerless Pump Company
Indianapolis, IN 46207-7025


VERTICAL TURBINE PUMPS

Section 140
10-74

Stages _____
Horsepower _____

CHANGE EFFICIENCY AS FOLLOWS	NUMBER OF POINTS	FOR NUMBER OF STAGES
LOWER	1	4
LOWER	2	1

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY



HYDRAULIC PERFORMANCE WARRANTY at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____
	1	2626936	8 ⁷ / ₈ "	44146	Item _____
	2	2626936	8 ¹¹ / ₁₆ "	44208	Peerless Ref. No: _____
	3	2626936	8 ⁵ / ₁₆ "	44213	Laboratory Performance
	4	2626936	7 ¹⁵ / ₁₆ "	44216	SIZE 12 MB RPM 970 BOWL T-84506-E CURVE 2846754

Total Head in Feet for _____ Stages

140-50Hz Page 105

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 BOWL PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____
 FIELD


VERTICAL TURBINE PUMPS



Peerless Pump Company
Indianapolis, IN 46207-7025

Total Head in Feet for _____ Stages

Horsepower for _____ Stages



CHANGE EFFICIENCY AS FOLLOWS	NUMBER OF POINTS	FOR NUMBER OF STAGES
LOWER	1	2
"	2	1

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY

HYDRAULIC PERFORMANCE WARRANTY at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____
	1	2624331	8 ⁷ / ₈ "	40385	Item _____
	2	2624331	8 ¹¹ / ₁₆ "	35492	Peerless Ref. No: _____
	3	2624331	8 ³ / ₁₆ "		Laboratory Performance BOWL T-84506-E
	4	2624331	7 ¹¹ / ₁₆ "		SIZE 12 MB RPM 970 CURVE 2842485

PUMP DESCRIPTION: Driver _____; Head _____; Column _____

FIELD PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____



Peerless Pump Company
Indianapolis, IN 46207-7025


VERTICAL TURBINE PUMPS

Stages _____ for _____ Horsepower

Section 140
10-74

CHANGE EFFICIENCY AS FOLLOWS	NUMBER OF POINTS	FOR NUMBER OF STAGES
LOWER	1	2
H	2	1

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY



HYDRAULIC PERFORMANCE WARRANTY	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer: _____
at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	1	2624332	8 ⁷ / ₈ "	40375	Item No: _____
	2	2624332	8 ¹¹ / ₁₆ "	40963	Peerless Ref. No: _____
	3	2624332	8 ³ / ₁₆ "	38536	Laboratory Performance
	4	2625332	7 ¹¹ / ₁₆ "		BOWL T-84506-E
					SIZE 12 MB RPM 970 CURVE 2842926

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 FIELD PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____