




Peerless Pump Company
Indianapolis, IN 46207-7025

VERTICAL TURBINE PUMPS
Model 15MA - 1760 Rpm

SECTION 140
Page 1760-67
October, 1974



Total Head in Feet for _____ Stages


Horsepower for _____ Stages

HYDRAULIC PERFORMANCE WARRANTY	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer
Guaranteed at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	1	2617049	11"	43533	_____
	2	2617049	10 1/2"	43627	Item _____
	3	2617049	10"	44094	Peerless Ref. No: _____
	4				

Laboratory Performance		BOWL	2617045 CIE
SIZE	15 MA	RPM	1760
		CURVE	2846675

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 GUARANTEED BOWL FIELD PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____

VERTICAL TURBINE PUMPS
Model 15MA - 1760 Rpm



HYDRAULIC PERFORMANCE WARRANTY Guaranteed at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____		
	1	2617046	11"	43914	Item _____		
	2	2617046	10½"	44092	Peerless Ref. No: _____		
	3	2617046	10"	44118	Laboratory Performance	BOWL	2617045 CIE
	4				SIZE	15 MA	RPM 1760
					CURVE	2846730	

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 GUARANTEED BOWL PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____
 FIELD

Total Head in Feet for _____ Stages

Horsepower for _____ Stages




Peerless Pump Company
Indianapolis, IN 46207-7025

VERTICAL TURBINE PUMPS
Model 15MA - 1160 Rpm

SECTION 140
Page 1160-39
October, 1974

Total Head in Feet for _____ Stages



Horsepower for _____ Stages


Head and Capacity Warranty Contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____												
	1	2617049	11"	43533	Item _____												
	2	2617049	10 1/2"	43627	Peerless Ref. No: _____												
	3	2617049	10"	44094	Laboratory Performance												
	4				<table border="1"> <tr> <td>SIZE</td> <td>15 MA</td> <td>RPM</td> <td>1160</td> <td>BOWL</td> <td>2617045 CIE</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td>CURVE</td> <td>2846677</td> </tr> </table>	SIZE	15 MA	RPM	1160	BOWL	2617045 CIE					CURVE	2846677
SIZE	15 MA	RPM	1160	BOWL	2617045 CIE												
				CURVE	2846677												

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 BOWL PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____
 FIELD

VERTICAL TURBINE PUMPS
Model 15MA - 1160 Rpm



Peerless Pump Company
Indianapolis, IN 46207-7025



CHANGE EFFICIENCY AS FOLLOWS	NUMBER OF POINTS	FOR NUMBER OF STAGES
LOWER	1	6
"	2	4
"	4	2
"	6	1

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY

Head and Capacity Warranty Contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____
	1	2617046	11"	43914	Item _____
	2	2617046	10 1/2"	44092	Peerless Ref. No: _____
	3	2617046	10"	44118	Laboratory Performance
	4				SIZE 15 MA RPM 1160 BOWL 2617045 CIE CURVE 2846728

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 BOWL PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____
 FIELD

Total Head in Feet for _____ Stages

Horsepower for _____ Stages



Peerless Pump Company
Indianapolis, IN 46207-7025


VERTICAL TURBINE PUMPS

Stages _____
for new orders

Section 140
10-74

CHANGE EFFICIENCY AS FOLLOWS	NUMBER OF POINTS	FOR NUMBER OF STAGES
LOWER	1	4
"	2	3
"	5	1

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY



SHUT OFF HEAD

1.	70.5 FT
2.	62.1 FT
3.	53.9 FT

SHUT OFF B.H.P.

1.	11.2 B.H.P.
2.	8.3 B.H.P.
3.	6.8 B.H.P.

HYDRAULIC PERFORMANCE WARRANTY at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer
	1	2617049	11"	43533	
	2	2617049	10 1/2"	43627	Item
	3	2617049	10"	44094	Peerless Ref. No:
					Laboratory Performance
		SIZE	15 MA	RPM	1460
				CURVE	2846676
				BOWL	2617045-E

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 BOWL PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____
 FIELD

Total Head in Feet for _____ Stages


140-50Hz Page 79

VERTICAL TURBINE PUMPS



Total Head in Feet for _____ Stages

Horsepower for _____ Stages



CHANGE EFFICIENCY AS FOLLOWS	NUMBER OF POINTS	FOR NUMBER OF STAGES
LOWER	1	6
"	2	4
"	4	2
"	6	1

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY

140-50Hz Page 80

HYDRAULIC PERFORMANCE WARRANTY Guaranteed at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____
	1	2617046	11"	43914	Item _____
	2	2617046	10½"	44092	Peerless Ref. No: _____
	3	2617046	10"	44118	Laboratory Performance
4					BOWL 2617045-E SIZE 15 MA RPM 1460 CURVE 2846729

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 BOWL FIELD PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____



Peerless Pump Company
Indianapolis, IN 46207-7025


VERTICAL TURBINE PUMPS

Stages _____ for horsepower

Section 140
10-74

CHANGE EFFICIENCY AS FOLLOWS	NUMBER OF POINTS	FOR NUMBER OF STAGES
LOWER	1	4
"	2	3
"	5	1

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY



Total Head in Feet for _____ Stages

140-50Hz Page 121

HYDRAULIC PERFORMANCE WARRANTY at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____
	1	2617049	11"	43533	Item _____
	2	2617049	10 1/2"	43627	Peerless Ref. No: _____
	3	2617049	10"	44094	Laboratory Performance
	4				SIZE 15 MA RPM 970 BOWL 2617045-E CURVE 2846678

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 BOWL PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____
 FIELD

VERTICAL TURBINE PUMPS


Horsepower for _____ stages _____



Peerless Pump Company
Indianapolis, IN 46207-7025

CHANGE EFFICIENCY AS FOLLOWS	NUMBER OF POINTS	FOR NUMBER OF STAGES
LOWER	1	6
"	2	4
"	4	2
"	6	1

NOTE: ANY CHANGE IN EFFICIENCY AFFECTS EITHER THE HEAD OR HORSE POWER CORRESPONDINGLY



HYDRAULIC PERFORMANCE WARRANTY at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____		
	1	2617046	11"	43914	Item _____		
	2	2617046	10 1/2"	44092	Peerless Ref. No: _____		
	3	2617046	10"	44118	Laboratory Performance		
4				SIZE 15 MA	RPM 970	BOWL 2617045-E	CURVE 2846727

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 BOWL PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____
 FIELD

Total Head in Feet for _____ Stages _____