




Peerless Pump Company
Indianapolis, IN 46207-7025

VERTICAL TURBINE PUMPS
Model 26HH-OH - 1185 Rpm

Horsepower for _____ Stages

SECTION 140
Page 1160-79
October, 1974

Total Head in Feet for _____ Stages



HEAD STAGING FACTOR
Deduct 4% of head developed for each additional stage.

EFFICIENCY FACTOR

- (a) One stage performance as indicated.
- (b) Deduct 1 point for 2 stages.
- (c) No deduction in efficiency for more than 2 stages.


Head and Capacity Warranty Contingent on: Proper flow to pump suction. Proper submergence. Fluid free of gas, air & abrasives. Proper lateral setting of impeller.	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____
	1	2629638	15 ¹¹ / ₃₂ X 19 ⁶ / ₁₆		Item _____
	2	2629638	14 X 19 ³ / ₈		Peerless Ref. No: _____
	3	2629638	12 ²³ / ₃₂ X 18 ²⁹ / ₃₂		Laboratory Performance
	4	2629638	11 ⁹ / ₁₆ X 18 ¹ / ₂		SIZE 26 HH - OH RPM 1185 CURVE 4805131

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 BOWL FIELD PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____

COMPUTER PLOTTED

SECTION 140
Page 870-16
October, 1974

Total Head in Feet for _____ Stages



HEAD STAGING FACTOR
Deduct 4% of head developed for each additional stage.

EFFICIENCY FACTOR

- (a) One stage performance as indicated.
- (b) Deduct 1 point for 2 stages.
- (c) No deduction in efficiency for more than 2 stages.

Horsepower for _____ Stages

VERTICAL TURBINE PUMPS
Model 26HH-OH- 885 Rpm

HYDRAULIC PERFORMANCE WARRANTY Guaranteed at designated point only, and contingent on: Proper flow to pump suction. Proper submergence. Fluid free of gas, air & abrasives. Proper lateral setting of impeller.	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____								
	1	2629638	15 ¹¹ / ₃₂ X 19 ⁶¹ / ₆₄		Item _____								
	2	2629638	14 X 19 ³ / ₈		Peerless Ref. No: _____								
	3	2629638	12 ²³ / ₃₂ X 18 ²⁹ / ₃₂		Laboratory Performance								
	4	2629638	11 ⁹ / ₁₆ X 18 ¹ / ₂		<table border="1"> <tr> <td>SIZE 26 HH - OH</td> <td>RPM 885</td> <td>BOWL 2629643</td> <td>CIE</td> </tr> <tr> <td colspan="2"></td> <td>CURVE 4805132</td> <td></td> </tr> </table>	SIZE 26 HH - OH	RPM 885	BOWL 2629643	CIE			CURVE 4805132	
SIZE 26 HH - OH	RPM 885	BOWL 2629643	CIE										
		CURVE 4805132											




Peerless Pump Company
Indianaapolis, IN 46207-7025

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 GUARANTEED BOWL PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____
 FIELD

COMPUTER PLOTTED

Total Head in Feet for _____ Stages



HEAD STAGING FACTOR
Deduct 4% of head developed for each additional stage.

EFFICIENCY FACTOR

- (a) One stage performance as indicated.
- (b) Deduct 1 point for 2 stages.
- (c) No deduction in efficiency for more than 2 stages.

SHUT OFF HEAD

1. 89.4 FT.
2. 78.1 FT.
3. 68.7 FT.
4. 64.4 FT.

SHUT OFF B.H.P.

1. 171.3 B.H.P.
2. 158.7 B.H.P.
3. 145.8 B.H.P.
4. 142.0 B.H.P.

SECTION 140
Page 870-18
October, 1974

VERTICAL TURBINE PUMPS
Model 26HH-OH - 885 Rpm

Stages _____ for _____ Horsepower



Peerless Pump Company
Indianapolis, IN 46207-7026

HYDRAULIC PERFORMANCE WARRANTY Guaranteed at designated point only, and contingent on: Proper flow to pump suction. Proper submergence. Fluid free of gas, air & abrasives. Proper lateral setting of impeller.	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____
	1	2629638	15 ¹¹ / ₃₂ X 19 ⁶¹ / ₆₄		Item _____
	2	2629638	14 X 19 ³ / ₈		Peerless Ref. No: _____
	3	2629638	12 ²³ / ₃₂ X 18 ²⁹ / ₃₂		Laboratory Performance
4	2629638	11 ⁹ / ₁₆ X 18 ¹ / ₂		SIZE 26 HH - OH	RPM 885
					BOWL 2629643
					CURVE 4805132
					CIE


PUMP DESCRIPTION: Driver _____; Head _____; Column _____

GUARANTEED BOWL PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____

FIELD

COMPUTER PLOTTED

Total Head in Feet for _____ Stages



Peerless Pump Company
Indianapolis, IN 46207-7025

_____ Stages for _____ Horsepower


VERTICAL TURBINE PUMPS

HYDRAULIC PERFORMANCE WARRANTY at designated point only, and contingent on: Proper flow to pump suction. Proper submergence. Fluid free of gas, air & abrasives. Proper lateral setting of impeller.	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____
	1	2629638	15 ¹¹ / ₃₂ X 19 ⁶¹ / ₆₄		Item _____
	2	2629638	14 X 19 ³ / ₈		Peerless Ref. No: _____
	3	2629638	12 ²³ / ₃₂ X 18 ²⁹ / ₃₂		Laboratory Performance
	4	2629638	11 ⁹ / ₁₆ X 18 ¹ / ₂		BOWL 2629643 ^{CI} PLASTIC COATED CURVE 4805133 SIZE 26 HH - OH RPM 985

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 BOWL PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____
 FIELD

COMPUTER PLOTTED

Total Head in Feet for _____ Stages



HEAD STAGING FACTOR
Deduct 4% of head developed for each additional stage.

EFFICIENCY FACTOR

- (A) One stage performance as indicated.
- (B) Deduct 1 point for 2 stages.
- (C) No deduction in efficiency for more than 2 stages.

PEERLESS PUMP
Peerless Pump Company
Indianapolis, IN 46207-7026

Stages _____
Horsepower for _____

VERTICAL TURBINE PUMPS

140-50Hz Page 171

HYDRAULIC PERFORMANCE WARRANTY at designated point only, and contingent on: Proper flow to pump suction. Proper submergence. Fluid free of gas, air & abrasives. Proper lateral setting of impeller.	CURVE NO. 1	IMPELLER NO. 2629638	IMPELLER DIA. 15 ¹¹ / ₃₂ X 19 ⁶¹ / ₆₄	TAKEN FROM	Customer _____
	CURVE NO. 2	IMPELLER NO. 2629638	IMPELLER DIA. 14 X 19 ³ / ₈	TAKEN FROM	Item _____
	CURVE NO. 3	IMPELLER NO. 2629638	IMPELLER DIA. 12 ²³ / ₃₂ X 18 ²⁹ / ₃₂	TAKEN FROM	Peerless Ref. No: _____
	CURVE NO. 4	IMPELLER NO. 2629638	IMPELLER DIA. 11 ⁹ / ₁₆ X 18 ¹ / ₂	TAKEN FROM	Peerless Ref. No: _____
Laboratory Performance					BOWL 2629643 CI PLASTIC COATED
		SIZE 26 HH - OH	RPM 735	CURVE 4805134	


PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 BOWL PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____
 FIELD



Peerless Pump Company
Indianapolis, IN 46207-7025

VERTICAL TURBINE PUMPS

Section 140
11-85



HORSEPOWER FOR STAGE


TOTAL HEAD IN FEET FOR STAGE

FEET IN HPSH

HYDRAULIC PERFORMANCE WARRANTY	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____
at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	1	2621599	14-3/16" x 18-1/2"	37695	Item _____
	2	2621599	13-5/32" x 18-9/32"	37701	Peerless Ref. No: _____
	3	2621599	12-3/4" x 18"	37710	Laboratory Performance
	4	2621599	12-1/8" x 17-23/32"	37721	SIZE 26HH RPM 585 BOWL 2620666C1 PLASTIC COATED
	M	2621599	FULL DIAMETER EXTENDED PERFORMANCE	58357	CURVE 4806323

PUMP DESCRIPTION: Driver _____; Head _____; Column _____

PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____



HORSEPOWER FOR STAGE

TOTAL HEAD IN FEET FOR STAGE

US GALLONS PER MINUTE

HYDRAULIC PERFORMANCE WARRANTY at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____		
	1	2620629	15-11/32" x 19-39/32"	36758	Item _____		
	2	2620629	14" x 19-3/8"	36783	Peerless Ref. No: _____		
	3	2620629	12-23/32" x 18-29/32"	36814	Laboratory Performance		BOWL 2620666CI PLASTIC COATED
	4	2620629	11-9/16" x 18-1/2"	36837	SIZE 26HH	RPM 585	CURVE 4806324
M	2620629	FULL DIAMETER EXTENDED PERFORMANCE	58320				

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 BOWL
 FIELD PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____