


VERTICAL TURBINE PUMPS
Model 20HH - 1785 Rpm



Peerless Pump Company
Indianapolis, IN 46207-7025



HYDRAULIC PERFORMANCE WARRANTY Guaranteed at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____
	1	4600653	11-5/16" x 14-3/4"	57403	Item _____
	2	4600653	10-5/16" x 14-5/16"	57652	Peerless Ref. No: _____
	3	4600653	9-5/8" x 14-3/32"	57803	Laboratory Performance
M	4600653	FULL DIAMETER EXTENDED PERFORMANCE	57426	SIZE 20HH	RPM 1785

BOWL 4600117 C.I. PLASTIC COATED
CURVE 4806207r


PUMP DESCRIPTION: Driver _____; Head _____; Column _____
GUARANTEED BOWL PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____
FIELD



Peerless Pump Company
Indianapolis, IN 46207-7025


VERTICAL TURBINE PUMPS
Model 20HH - 1785 Rpm

SECTION 140
Page 1760-85
June, 1984



HYDRAULIC PERFORMANCE WARRANTY Guaranteed at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____
	1	4600652	11-29/32" x 15-17/32"	57177	Item _____
	2	4600652	11-13/32" x 15-5/16"	57494	Peerless Ref. No. _____
	3	4600652	10-27/32" x 15-1/16"	57550	Laboratory Performance
	4	4600652	10" x 14-23/32"	57575	SIZE 20HH RPM 1785
M	4600652	FULL DIAMETER EXTENDED PERFORMANCE	57290	BOWL 4600117 C.I. PLASTIC COATED	
					CURVE 4806188

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 GUARANTEED BOWL PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____
 FIELD



Head and Capacity Warranty Contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____
	1	4600653	11-5/16" x 14-3/4"	57403	Item _____
	2	4600653	10-5/16" x 14-5/16"	57652	Pearless Ref. No: _____
	3	4600653	9-5/8" x 14-3/32"	57803	Laboratory Performance
	M	4600653	FULL DIAMETER EXTENDED PERFORMANCE	57426	SIZE 20HH RPM 1185 BOWL 4600117 C.I. PLASTIC COATED CURVE 4806206


PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 BOWL PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____
 FIELD



Peerless Pump Company
Indianapolis, IN 46207-7026

VERTICAL TURBINE PUMPS
Model 20HH - 1185 Rpm

SECTION 140
Page 1160-61
June, 1984




Head and Capacity Warranty Contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____											
	1	4600652	11-29/32" x 15-17/32"	57177	Item _____											
	2	4600652	11-13/32" x 15-5/16"	57494	Peerless Ref. No. _____											
	3	4600652	10-27/32" x 15-1/16"	57550	Laboratory Performance											
	4	4600652	10" x 14-23/32"	57575	<table border="1"> <tr> <td>SIZE</td> <td>20HH</td> <td>RPM</td> <td>1185</td> <td>BOWL</td> <td>4600117 C.I. PLASTIC COATED</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td>CURVE</td> <td>4806181</td> </tr> </table>	SIZE	20HH	RPM	1185	BOWL	4600117 C.I. PLASTIC COATED					CURVE
SIZE	20HH	RPM	1185	BOWL	4600117 C.I. PLASTIC COATED											
				CURVE	4806181											
M	4600652	FULL DIAMETER EXTENDED PERFORMANCE	57290													

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 BOWL PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____
 FIELD

VERTICAL TURBINE PUMPS
Model 20HH - 885 Rpm



Peerless Pump Company
Indianapolis, IN 46207-7025



HYDRAULIC PERFORMANCE WARRANTY	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____					
Guaranteed at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	1	4600653	11-5/16" x 14-3/4"	57403	Item _____					
	2	4600653	10-5/16" x 14-5/16"	57652	Peerless Ref. No: _____					
	3	4600653	9-5/8" x 14-3/32"	57803	Laboratory Performance					
	M	4600653	FULL DIAMETER EXTENDED PERFORMANCE	57426	<table border="1"> <tr> <td>SIZE 20HH</td> <td>RPM 885</td> <td>BOWL 4600117 C.I. PLASTIC COATED</td> </tr> <tr> <td colspan="2"></td> <td>CURVE 4806221</td> </tr> </table>	SIZE 20HH	RPM 885	BOWL 4600117 C.I. PLASTIC COATED		
SIZE 20HH	RPM 885	BOWL 4600117 C.I. PLASTIC COATED								
		CURVE 4806221								


PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 GUARANTEED BOWL PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____
 FIELD



Peerless Pump Company
Indianapolis, IN 46207-7025


VERTICAL TURBINE PUMPS
Model 20HH - 885 Rpm

SECTION 140
Page 870-3
June 1984



HYDRAULIC PERFORMANCE WARRANTY Guaranteed at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____
	1	4600652	11-29/32" x 15-17/32"	57177	Item _____
	2	4600652	11-13/32" x 15-5/16"	57494	Peerless Ref. No: _____
	3	4600652	10-27/32" x 15-1/16"	57550	Laboratory Performance
	4	4600652	10" x 14-23/32"	57575	SIZE 20HH RPM 885 BOWL 4600117 C.I. PLASTIC COATED
M	4600652	FULL DIAMETER EXTENDED PERFORMANCE	57290	CURVE 4806189	

PUMP DESCRIPTION: _____; Head _____; Column _____
GUARANTEED BOWL Driver _____
FIELD PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____




HYDRAULIC PERFORMANCE WARRANTY at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____
	1	4600653	11-5/16" x 14-3/4"	57403	Item _____
	2	4600653	10-5/16" x 14-5/16"	57652	Peerless Ref. No: _____
	3	4600653	9-5/8" x 14-3/32"	57803	Laboratory Performance
M	4600653	FULL DIAMETER EXTENDED PERFORMANCE	57426	SIZE 20HH	RPM 1485
					BOWL 4600117 C.I. PLASTIC COATED
					CURVE 4806223

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 BOWL
 FIELD PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____



Peerless Pump Company
Indianapolis, IN 46207-7025

VERTICAL TURBINE PUMPS




HYDRAULIC PERFORMANCE WARRANTY	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer
	at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	1	4600652	11-29/32" x 15-17/32"	57177
2		4600652	11-13/32" x 15-5/16"	57494	Peerless Ref. No:
3		4600652	10-27/32" x 15-1/16"	57550	Laboratory Performance
4		4600652	10" x 14-23/32"	57575	SIZE 20HH
M		4600652	FULL DIAMETER EXTENDED PERFORMANCE	57290	RPM 1485
					BOWL 4600117 C.I. PLASTIC COATED
					CURVE 4806190

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 BOWL FIELD PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____



Peerless Pump Company
Indianapolis, IN 46207-7025

VERTICAL TURBINE PUMPS




FEET IN HSN

HORSEPOWER FOR STAGE

HYDRAULIC PERFORMANCE WARRANTY at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____		
	1	4600653	11-5/16" x 14-3/4"	57403	Item _____		
	2	4600653	10-5/16" x 14-5/16"	57652	Peerless Ref. No: _____		
	3	4600653	9-5/8" x 14-3/32"	57803	Laboratory Performance		
M	4600653	FULL DIAMETER EXTENDED PERFORMANCE	57426	SIZE 20HH	RPM 985	BOWL 4600117 C.I. PLASTIC COATED	CURVE 4806222

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 BOWL PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____
 FIELD



HYDRAULIC PERFORMANCE WARRANTY	CURVE NO.	IMPELLER NO.	IMPELLER DIA.	TAKEN FROM	Customer _____		
					Item _____		
at designated point only, and contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller	1	4600652	11-29/32" x 15-17/32"	57177	Peerless Ref. No: _____		
	2	4600652	11-13/32" x 15-5/16"	57494	Laboratory Performance		
	3	4600652	10-27/32" x 15-1/16"	57550	SIZE 20HH	RPM 985	BOWL 4600117 C.I. PLASTIC COATED
	4	4600652	10" x 14-23/32"	57575	CURVE 4806191		
	M	4600652	FULL DIAMETER EXTENDED PERFORMANCE		57290		

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 BOWL PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____
 FIELD