




Peerless Pump Company
Indianapolis, IN 46207-7026


VERTICAL TURBINE PUMPS
Model 66HH - 505 Rpm

SECTION 140
Page 505-29
February, 1977



| Head and Capacity Warranty Contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller | CURVE NO. | IMPELLER NO. | IMPELLER DIA. | TAKEN FROM | Customer _____ |
|--|-----------|--------------|---|------------|---|
| | 1 | 2634713 | 38 ¹⁵ / ₁₆ " x 50 ¹ / ₂ " | 36758 | Item _____ |
| | 2 | 2634713 | 35 ¹⁷ / ₃₂ " x 49 ⁵ / ₃₂ " | 36783 | Peerless Ref. No: _____ |
| | 3 | 2634713 | 32 ⁹ / ₃₂ " x 47 ³¹ / ₃₂ " | 36814 | Laboratory Performance |
| | 4 | 2634713 | 29 ¹¹ / ₃₂ " x 46 ¹⁵ / ₁₆ " | 36837 | SIZE 66 HH RPM 505 |
| | | | | | BOWL 2634714 CI PLASTIC COATED CURVE 4805722 |

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 BOWL PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____
 FIELD



VERTICAL TURBINE PUMPS
Model 66HH - 505 Rpm



Pearless Pump Company
Indianapolis, IN 46207-7025

| Head and Capacity Warranty Contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller | CURVE NO. | IMPELLER NO. | IMPELLER DIA. | TAKEN FROM | Customer _____ |
|---|-----------|---|---|------------|-------------------------------|
| | 1 | 2634788 | 36" x 46 ¹⁵ / ₁₆ " | 37695 | Item _____ |
| | 2 | 2634788 | 33 ³ / ₈ " x 46 ¹³ / ₃₂ " | 37701 | Pearless Ref. No: _____ |
| | 3 | 2634788 | 32 ³ / ₈ " x 45 ¹¹ / ₁₆ " | 37710 | Laboratory Performance |
| 4 | 2634788 | 30 ²⁵ / ₃₂ " x 44 ³¹ / ₃₂ " | 37721 | SIZE 66 HH | |
| | | | | | RPM 505 |
| | | | | | BOWL 2634714C1 PLASTIC COATED |
| | | | | | CURVE 4805749 |


PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 BOWL PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____
 FIELD



Peerless Pump Company
Indianapolis, IN 46207-7025


VERTICAL TURBINE PUMPS
Model 66HH - 440 Rpm

SECTION 140
Page 505-31
February, 1977



| Head and Capacity Warranty Contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller | CURVE NO. | IMPELLER NO. | IMPELLER DIA. | TAKEN FROM | Customer _____ |
|---|-----------|--------------|---|------------|--|
| | 1 | 2634713 | 38 ¹⁵ / ₁₆ " x 50 ¹ / ₂ " | 36758 | Item _____ |
| | 2 | 2634713 | 35 ¹⁷ / ₃₂ " x 49 ³ / ₃₂ " | 36783 | Peerless Ref. No: _____ |
| | 3 | 2634713 | 32 ⁹ / ₃₂ " x 47 ³¹ / ₃₂ " | 36814 | Laboratory Performance |
| | 4 | 2634713 | 29 ¹¹ / ₃₂ " x 46 ¹⁵ / ₁₆ " | 36837 | BOWL 2634714 CI PLASTIC COATED |
| | | | | | SIZE 66 HH RPM 440 CURVE 4805720 |

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 BOWL PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____
 FIELD



1000 US GALLONS PER MINUTE

| Head and Capacity Warranty Contingent on: Proper flow to pump suction Proper submergence Fluid free of gas, air & abrasives Proper lateral setting of impeller | CURVE NO. | IMPELLER NO. | IMPELLER DIA. | TAKEN FROM | Customer |
|--|-----------|--------------|---|--|--------------------------------|
| | | 1 | 2634788 | 36" x 46 ¹⁵ / ₁₆ " | 37695 |
| | 2 | 2634788 | 33 ³ / ₈ " x 46 ¹³ / ₃₂ " | 37701 | Peerless Ref. No: |
| | 3 | 2634788 | 32 ³ / ₈ " x 45 ¹¹ / ₁₆ " | 37710 | Laboratory Performance |
| | 4 | 2634788 | 30 ²⁵ / ₃₂ " x 44 ³¹ / ₃₂ " | 37721 | BOWL 2634714 CI PLASTIC COATED |

| | | |
|------------|---------|---------------|
| SIZE 66 HH | RPM 440 | CURVE 4805748 |
|------------|---------|---------------|

PUMP DESCRIPTION: Driver _____; Head _____; Column _____
 BOWL PERFORMANCE: Capacity _____ gpm; Head _____ ft; Eff _____ %; BHP _____
 FIELD

VERTICAL TURBINE PUMPS
Model 66HH - 440 Rpm



Peerless Pump Company
Indianapolis, IN 46207-7025