


TYPE PL
 BELOW BASE
 ELBOWS



For dimensions not shown opposite:

A, D - see section 330, page 9

T - see Section 330, page 5


X - 1" dia, 4 holes

Y - 1/4-7UNC,
 4 tapped holes
 on 30" and
 larger elbows.
 Holes are used
 for leveling screws.

TYPE PL BELOW BASE DIMENSIONS

ELBOW SIZE (S)	BOWL SIZE	K (MIN)	L (MIN)	C	E	F	B	B2	G	G2
10 ³ / ₄	10	3'8 ³ / ₈ "	4'7"	1'4"	1'7"	³ / ₄ "	2'4"	1'9 ³ / ₄ "	2'1"	1'6 ³ / ₈ "
	12	3'1 ¹ / ₂ "	4'1 ³ / ₄ "							
12 ³ / ₄	10	4'11"	5'9 ⁵ / ₈ "							
	12	4'4"	5'4 ¹ / ₄ "	1'5 ¹ / ₂ "	1'8"	³ / ₄ "	2'6 ¹ / ₂ "	2'0 ³ / ₄ "	2'3 ¹ / ₂ "	1'9 ³ / ₄ "
	14	3'10"	5'1 ¹ / ₂ "							
14	12	5'0 ¹ / ₂ "	6'0 ³ / ₄ "							
	14	3'8 ⁵ / ₈ "	5'0 ¹ / ₈ "	1'9"	1'9"	1"	3'1"	2'5"	2'9"	2'1"
	16	4'0"	5'5 ¹ / ₂ "							
16	14	5'0"	6'3 ¹ / ₂ "							
	16	4'3 ¹ / ₂ "	5'9"	1'11"	1'10"	1"	3'4"	2'7 ¹ / ₄ "	3'0"	2'3 ¹ / ₄ "
	18	4'4"	5'11 ³ / ₄ "							
18	16	5'4 ⁵ / ₈ "	6'10 ¹ / ₈ "							
	18	4'8 ¹ / ₂ "	6'4 ¹ / ₄ "	2'1"	1'11"	1"	3'6"	3'0"	3'2"	2'8"
	20	4'6"	6'5 ³ / ₄ "							
20	18	6'1"	7'8 ³ / ₄ "							
	20	4'5 ¹ / ₂ "	6'5 ¹ / ₄ "	2'3"	2'2"	1"	3'10"	3'2"	3'6"	2'10"
	24	4'11"	6'9 ⁵ / ₈ "							
24	20	6'10 ⁵ / ₈ "	8'10 ³ / ₈ "							
	24	6'1"	7'11 ⁵ / ₈ "	2'6"	2'4"	1 ¹ / ₈ "	4'3"	3'9"	3'11"	3'5"
	30	5'5"	7'9 ³ / ₄ "							
30	24	10'1"	11'11 ⁵ / ₈ "							
	30	8'0"	10'4 ³ / ₄ "	2'11"	3'1"	1 ¹ / ₈ "	4'11"	4'5"	4'6"	3'11"
	36	6'7"	9'0 ³ / ₄ "							
36	30	11'6"	13'10 ³ / ₄ "							
	36	9'4 ¹ / ₂ "	11'10 ¹ / ₄ "	3'7"	3'4"	1 ¹ / ₄ "	5'10"	5'0 ¹ / ₂ "	5'5"	4'7 ¹ / ₂ "
	42	6'11 ¹ / ₂ "	9'10 ¹ / ₈ "							
42	36	13'1"	15'6 ³ / ₄ "							
	42	10'8"	13'6 ⁵ / ₈ "	4'3"	3'9"	1 ¹ / ₄ "	7'0"	5'8 ¹ / ₂ "	6'7"	5'3 ¹ / ₂ "
	48	8'0"	11'6"							
48	42	14'5"	17'3 ⁵ / ₈ "							
	48	11'9"	15'3"	4'10"	4'1"	1 ¹ / ₂ "	7'9"	6'6"	7'4"	6'1"
	54	9'4"	13'2 ⁵ / ₈ "							
54	48	15'2"	18'8"							
	54	12'9"	16'7 ⁵ / ₈ "	5'4"	4'4"	2"	8'6"	7'1 ¹ / ₂ "	8'1"	6'8 ¹ / ₂ "
	60	10'4"	14'8"							
60	54	16'2 ¹ / ₂ "	20'0 ¹ / ₈ "	5'8"	4'7"	2"	9'3"	7'3 ¹ / ₂ "	8'10"	6'10 ¹ / ₂ "
	60	13'10"	18'2"							

**TYPE PL
 ABOVE BASE
 ELBOWS**




For dimensions not shown opposite:

A, D - see Section 330, page 9

T - see Section 330, page 5

X - 1" dia, 4 holes

Y - 1 1/4-7UNC,
 4 tapped holes
 on 30" and
 larger elbows






TYPE PL ABOVE BASE DIMENSIONS

ELBOW SIZE (S)	BOWL SIZE	K (MIN)	L (MIN)	C	J	H	E	F	B	G
10 ³ / ₄	10	1' 1 ³ / ₈ "	2' 0"	1' 4"	2' 7 ³ / ₄ "	4' 7 ³ / ₄ "	1' 1"	3/4"	1' 9 ³ / ₄ "	1' 6 ³ / ₄ "
	12	0' 6 ¹ / ₂ "	1' 6 ³ / ₄ "			4' 2 ¹ / ₂ "				
12 ³ / ₄	10	2' 1"	2' 11 ⁵ / ₈ "	1' 5 ¹ / ₂ "	2' 10 ³ / ₄ "	5' 10 ³ / ₈ "	1' 3"	3/4"	2' 0 ³ / ₄ "	1' 9 ³ / ₄ "
	12	1' 6"	2' 6 ¹ / ₄ "			5' 5"				
	14	1' 0"	2' 3 ¹ / ₂ "			5' 2 ¹ / ₄ "				
14	12	2' 0 ¹ / ₂ "	3' 0 ³ / ₄ "	1' 9"	3' 1"	6' 1 ³ / ₄ "	1' 4"	1"	2' 5"	2' 1"
	14	0' 8 ⁵ / ₈ "	2' 0 ¹ / ₈ "			5' 1 ¹ / ₈ "				
	16	1' 0"	2' 5 ¹ / ₂ "			5' 6 ¹ / ₂ "				
16	14	1' 8"	2' 11 ¹ / ₂ "	1' 11"	3' 5"	6' 4 ¹ / ₂ "	1' 7"	1"	2' 7 ¹ / ₄ "	2' 3 ¹ / ₄ "
	16	11 ¹ / ₂ "	2' 5"			5' 10"				
	18	1' 0"	2' 7 ³ / ₄ "			6' 0 ³ / ₄ "				
18	16	1' 10 ⁵ / ₈ "	3' 4 ¹ / ₈ "	2' 1"	3' 7"	6' 11 ¹ / ₈ "	1' 8"	1"	3' 0"	2' 8"
	18	1' 2 ¹ / ₂ "	2' 10 ¹ / ₄ "			6' 5 ¹ / ₄ "				
	20	1' 0"	2' 11 ³ / ₄ "			6' 6 ³ / ₄ "				
20	18	2' 2"	3' 9 ³ / ₄ "	2' 3"	4' 0"	7' 9 ³ / ₄ "	1' 10"	1"	3' 2"	2' 10"
	20	6 ¹ / ₂ "	2' 6 ¹ / ₄ "			6' 6 ¹ / ₄ "				
	24	1' 0"	2' 10 ⁵ / ₈ "			6' 10 ⁵ / ₈ "				
24	20	2' 5 ⁵ / ₈ "	4' 5 ³ / ₈ "	2' 6"	4' 6 ¹ / ₈ "	8' 11 ¹ / ₂ "	2' 2"	1 ¹ / ₈ "	3' 9"	3' 5"
	24	1' 8"	3' 6 ⁵ / ₈ "			8' 0 ³ / ₄ "				
	30	1' 0"	3' 4 ³ / ₄ "			7' 10 ⁷ / ₈ "				
30	24	4' 6"	6' 4 ⁵ / ₈ "	2' 11"	5' 8 ¹ / ₈ "	12' 0 ³ / ₄ "	2' 7"	1 ¹ / ₈ "	4' 5"	4' 0"
	30	2' 5"	4' 9 ³ / ₄ "			10' 5 ⁷ / ₈ "				
	36	1' 0"	3' 5 ³ / ₄ "			9' 1 ¹ / ₈ "				
36	30	5' 3"	7' 7 ³ / ₄ "	3' 7"	6' 4 ¹ / ₄ "	14' 0"	3' 0"	1 ¹ / ₂ "	5' 0 ¹ / ₂ "	4' 7 ¹ / ₂ "
	36	3' 1 ¹ / ₂ "	5' 7 ¹ / ₄ "			11' 11 ¹ / ₂ "				
	42	8 ¹ / ₂ "	3' 7 ¹ / ₈ "			9' 11 ³ / ₈ "				
42	36	6' 0"	8' 5 ³ / ₄ "	4' 3"	7' 2 ¹ / ₄ "	15' 8"	3' 5"	1 ¹ / ₄ "	5' 8 ¹ / ₂ "	5' 3 ¹ / ₂ "
	42	3' 7"	6' 5 ⁵ / ₈ "			13' 7 ⁷ / ₈ "				
	48	11"	4' 5"			11' 7 ¹ / ₄ "				
48	42	6' 5"	9' 3 ⁵ / ₈ "	4' 10"	8' 1 ¹ / ₂ "	17' 4 ¹ / ₂ "	4' 1"	1 ¹ / ₂ "	6' 6"	6' 1"
	48	3' 9"	7' 3"			15' 4 ¹ / ₂ "				
	54	1' 4"	5' 2 ⁵ / ₈ "			13' 4 ¹ / ₈ "				
54	48	6' 7"	10' 1"	5' 4"	8' 9"	18' 10"	4' 5"	2"	7' 1 ¹ / ₂ "	6' 8 ¹ / ₂ "
	54	4' 2"	8' 0 ⁵ / ₈ "			16' 9 ⁵ / ₈ "				
	60	1' 9"	6' 1"			14' 10"				
60	54	7' 0 ¹ / ₂ "	10' 11 ¹ / ₈ "	5' 8"	9' 4"	20' 3 ¹ / ₈ "	4' 9"	2"	7' 3 ¹ / ₂ "	6' 10 ¹ / ₂ "
	60	4' 8"	9' 0"			18' 4"				

TYPE MF
 BELOW BASE
 ELBOWS



For dimensions not shown opposite:

A, D - see section 330, page 9

T - see section 330, page 5

X - 1" dia, 4 holes

Y - 1 1/4-7UNC
 4 tapped holes
 on 30" and
 larger elbows.
 Holes are used
 for leveling screws.





TYPE MF BELOW BASE DIMENSIONS

ELBOW SIZE (S)	BOWL SIZE	K (MIN)	L (MIN)	C	E	F	B	B2	G	G2
10 ³ / ₄	10	4'5"	5'3 ³ / ₈ "	1'4"	1'5"	3/4"	2'4"	1'9 ³ / ₄ "	2'1"	1'6 ³ / ₄ "
	12	3'11"	4'10 ⁷ / ₈ "							
12 ³ / ₄	10	5'7"	6'5 ³ / ₈ "	1'5 ¹ / ₂ "	1'8"	3/4"	2'6 ¹ / ₂ "	2'0 ³ / ₄ "	2'3 ¹ / ₂ "	1'9 ³ / ₄ "
	12	5'1"	6'0 ⁷ / ₈ "							
	14	4'0 ¹ / ₄ "	5'3 ¹ / ₂ "							
14	12	5'10 ¹ / ₂ "	6'10 ³ / ₈ "	1'9"	1'9"	1"	3'1"	2'5"	2'9"	2'1"
	14	4'10"	6'1 ¹ / ₄ "							
	16	4'3"	5'7 ³ / ₄ "							
16	14	6'2"	7'5 ¹ / ₄ "	1'11"	1'10"	1"	3'4"	2'7 ¹ / ₄ "	3'0"	2'3 ¹ / ₄ "
	16	5'6 ³ / ₄ "	6'11 ¹ / ₂ "							
	18	5'0"	6'6 ³ / ₄ "							
18	16	6'8"	8'0 ³ / ₄ "	2'1"	1'11"	1"	3'6"	3'0"	3'2"	2'8"
	18	6'1 ¹ / ₂ "	7'8 ¹ / ₄ "							
	20	4'11 ¹ / ₄ "	6'10 ³ / ₈ "							
20	18	7'6"	9'0 ³ / ₄ "	2'3"	2'2"	1"	3'10"	3'2"	3'6"	2'10"
	20	6'3"	8'2 ¹ / ₈ "							
	24	5'7"	7'8 ¹ / ₂ "							
24	20	8'8 ¹ / ₂ "	10'7 ⁵ / ₈ "	2'6"	2'4"	1 ¹ / ₈ "	4'3"	3'9"	3'11"	3'5"
	24	8'0"	10'1 ¹ / ₂ "							
	30	6'5 ¹ / ₂ "	9'0 ¹ / ₄ "							
30	24	12'0"	14'1 ¹ / ₂ "	2'11"	3'1"	1 ¹ / ₈ "	4'11"	4'5"	4'6"	4'0"
	30	10'5 ¹ / ₂ "	13'0 ¹ / ₄ "							
	36	8'10"	12'0"							
36	30	14'0"	16'6 ³ / ₄ "	3'7"	3'4"	1 ¹ / ₄ "	5'10"	5'0 ¹ / ₂ "	5'5"	4'7 ¹ / ₂ "
	36	12'4 ¹ / ₂ "	15'6 ¹ / ₂ "							
	42	10'7"	14'1 ¹ / ₈ "							
42	36	16'1"	19'3"	4'3"	3'9"	1 ¹ / ₄ "	7'0"	5'8 ¹ / ₂ "	6'7"	5'3 ¹ / ₂ "
	42	14'3 ¹ / ₂ "	17'9 ⁵ / ₈ "							
	48	12'1 ¹ / ₂ "	16'2 ¹ / ₂ "							
48	42	18'1"	21'7 ¹ / ₈ "	4'10"	4'1"	1 ¹ / ₂ "	7'9"	6'6"	7'4"	6'1"
	48	15'11"	20'0"							
	54	13'6 ¹ / ₂ "	18'1 ¹ / ₂ "							
54	48	19'4 ¹ / ₂ "	23'5 ¹ / ₂ "	5'4"	4'4"	2"	8'6"	7'1 ¹ / ₂ "	8'1"	6'8 ¹ / ₂ "
	54	17'5 ¹ / ₂ "	22'0 ¹ / ₂ "							
	66	14'6"	20'5 ⁵ / ₈ "							
60	54	20'9"	25'4"	5'8"	4'7"	2"	9'3"	7'3 ¹ / ₂ "	8'10"	6'10 ¹ / ₂ "
	60	17'1"	23'0 ⁵ / ₈ "							

Dimensions shown are not certified and are subject to change without notice

TYPE MF
 ABOVE BASE
 ELBOWS



For dimensions not shown opposite:

A, D - see page 9

T - see page 5

X - 1" dia, 4 holes

Y - 1 1/4-7UNC,
 4 tapped holes
 on 30" and
 larger elbows




TYPE MF ABOVE BASE DIMENSIONS

ELBOW SIZE (S)	BOWL SIZE	K (MIN)	L (MIN)	C	J	H	E	F	B	G
10 ³ / ₄	10	1'10"	2'8 ³ / ₈ "	1'4"	2'7 ³ / ₄ "	5'4 ¹ / ₈ "	1'1"	3/4"	1'9 ³ / ₄ "	1'6 ³ / ₄ "
	12	1'4"	2'3 ⁷ / ₈ "			4'11 ⁵ / ₈ "				
12 ³ / ₄	10	2'9"	3'7 ³ / ₈ "	1'5 ¹ / ₂ "	2'10 ³ / ₄ "	6'6 ¹ / ₈ "	1'3"	3/4"	2'0 ³ / ₄ "	1'9 ³ / ₄ "
	12	2'3"	3'2 ⁷ / ₈ "			6'1 ⁵ / ₈ "				
	14	1'2 ¹ / ₄ "	2'5 ¹ / ₂ "			5'4 ¹ / ₄ "				
14	12	2'10 ¹ / ₂ "	3'10 ³ / ₈ "	1'9"	3'1"	6'11 ³ / ₈ "	1'4"	1"	2'5"	2'1"
	14	1'10"	3'1 ¹ / ₄ "			6'2 ¹ / ₄ "				
	16	1'3"	2'7 ³ / ₄ "			5'8 ³ / ₄ "				
16	14	2'10"	4'1 ¹ / ₄ "	1'11"	3'5"	7'6 ¹ / ₄ "	1'7"	1"	2'7 ¹ / ₂ "	2'3 ¹ / ₄ "
	16	2'2 ³ / ₄ "	3'7 ¹ / ₂ "			7'0 ¹ / ₂ "				
	18	1'8"	3'2 ³ / ₄ "			6'7 ³ / ₄ "				
18	16	3'2"	4'6 ³ / ₄ "	2'1"	3'7"	8'1 ³ / ₄ "	1'8"	1"	3'0"	2'8"
	18	2'7 ¹ / ₂ "	4'2 ¹ / ₄ "			7'9 ¹ / ₄ "				
	20	1'5 ¹ / ₄ "	3'4 ³ / ₈ "			6'11 ³ / ₈ "				
20	18	3'7"	5'1 ³ / ₄ "	2'3"	4'0"	9'1 ³ / ₄ "	1'10"	1"	3'2"	2'10"
	20	2'4 ³ / ₄ "	4'3 ⁷ / ₈ "			8'3 ⁷ / ₈ "				
	24	1'8"	3'9 ¹ / ₂ "			7'9 ¹ / ₂ "				
24	20	4'3 ¹ / ₂ "	6'2 ⁵ / ₈ "	2'6"	4'6 ¹ / ₈ "	10'8 ³ / ₄ "	2'2"	1 ¹ / ₈ "	3'9"	3'5"
	24	3'7"	5'8 ¹ / ₂ "			10'2 ⁵ / ₈ "				
	30	2'0 ¹ / ₂ "	4'7 ¹ / ₄ "			9'1 ³ / ₈ "				
30	24	6'5"	8'6 ¹ / ₂ "	2'11"	5'8 ¹ / ₈ "	14'2 ⁵ / ₈ "	2'7"	1 ¹ / ₈ "	4'5"	4'0"
	30	4'10 ¹ / ₂ "	7'5 ¹ / ₄ "			13'1 ³ / ₈ "				
	36	3'4"	6'5"			12'1 ¹ / ₈ "				
36	30	7'9"	10'3 ³ / ₄ "	3'7"	6'4 ¹ / ₄ "	16'8"	3'0"	1 ¹ / ₄ "	5'0 ¹ / ₂ "	4'7 ¹ / ₂ "
	36	6'1 ¹ / ₂ "	9'3 ¹ / ₂ "			15'7 ³ / ₄ "				
	42	4'4"	7'10 ¹ / ₈ "			14'2 ³ / ₈ "				
42	36	9'0"	12'2"	4'3"	7'2 ¹ / ₄ "	19'4 ¹ / ₄ "	3'5"	1 ¹ / ₄ "	5'8 ¹ / ₂ "	5'3 ¹ / ₂ "
	42	7'2 ¹ / ₂ "	10'8 ⁵ / ₈ "			17'10 ⁷ / ₈ "				
	48	5'0 ¹ / ₂ "	9'1 ¹ / ₂ "			16'3 ³ / ₄ "				
48	42	10'1"	13'7 ¹ / ₈ "	4'10"	8'1 ¹ / ₂ "	21'8 ⁵ / ₈ "	4'1"	1 ¹ / ₂ "	6'6"	6'1"
	48	7'11"	12'0"			20'1 ¹ / ₂ "				
	54	5'6 ¹ / ₂ "	10'1 ¹ / ₂ "			18'3"				
54	48	10'9 ¹ / ₂ "	14'10 ¹ / ₂ "	5'4"	8'9"	23'7 ¹ / ₂ "	4'5"	2"	7'1 ¹ / ₂ "	6'8 ¹ / ₂ "
	54	8'10 ¹ / ₂ "	13'5 ¹ / ₂ "			22'2 ¹ / ₂ "				
	66	5'11"	11'10 ⁵ / ₈ "			20'7 ⁵ / ₈ "				
60	54	11'7"	16'2"	5'8"	9'4"	25'6"	4'9"	2"	7'3 ¹ / ₂ "	6'10 ¹ / ₂ "
	66	7'11"	13'10 ⁵ / ₈ "			23'2 ⁵ / ₈ "				

Dimensions shown are not certified and are subject to change without notice

**TYPE HH
 BELOW BASE
 ELBOWS**



For dimensions not shown opposite:

A, D - see Section 125

T - see page 5

X - 1" dia, 4 holes


Y - 1 1/4-7UNC,
 4 tapped holes
 on 30" and
 larger elbows.
 Holes are used
 for leveling screws.



TYPE HH BELOW BASE DIMENSIONS

ELBOW SIZE (S)	BOWL SIZE	K (MIN)	L (MIN)	C	E	F	B	B2	G	G2
14	16	3'8 ¹ / ₂ "	6'6 ³ / ₄ "	1'9"	1'9"	1"	3'1"	2'3"	2'9"	1'11"
16	16	4'5"	7'3 ¹ / ₄ "	1'11"	1'10"	1"	3'4"	2'5"	3'0"	2'1"
	18	5'5"	7'8 ¹ / ₈ "							
	20	5'5"	7'9 ³ / ₄ "							
18	16	6'2"	9'0 ¹ / ₄ "	2'1"	1'11"	1"	3'6"	2'7"	3'2"	2'3"
	18	6'7"	8'10 ¹ / ₈ "							
	20	6'7"	8'11 ³ / ₄ "							
20	18	7'11"	10'2 ¹ / ₈ "	2'3"	2'2"	1 ¹ / ₈ "	3'10"	2'9"	3'6"	2'5"
	20	7'4"	9'8 ³ / ₄ "							
	24	6'4 ¹ / ₄ "	8'11 ¹³ / ₁₆ "							
24	20	9'4 ⁵ / ₁₆ "	11'9"	2'6"	2'4"	1 ¹ / ₈ "	4'3"	3'8"	3'11"	3'4"
	24	8'10"	11'5 ⁵ / ₁₆ "							
	26	7'10"	10'10 ¹ / ₄ "							
	30	6'4"	10'1 ⁷ / ₈ "							
30	24	12'10"	15'5 ⁵ / ₁₆ "	2'11"	3'1"	1 ¹ / ₄ "	4'11"	3'11"	4'6"	3'6"
	26	11'11"	14'11 ¹ / ₄ "							
	30	10'4"	14'1 ⁷ / ₈ "							
	36	9'2"	13'2 ¹ / ₁₆ "							
36	30	13'11"	17'8 ⁷ / ₈ "	3'7"	3'4"	1 ¹ / ₄ "	5'10"	4'11"	5'5"	4'6"
	36	12'11"	16'11 ¹ / ₁₆ "							
42	36	16'5"	20'5 ¹ / ₁₆ "	4'3"	3'9"	1 ³ / ₈ "	7'0"	4'11"	6'7"	4'6"

Dimensions shown are not certified and are subject to change without notice



TYPE HH
 ABOVE BASE
 ELBOWS


For dimensions not shown opposite:

A, D - see Section 125

T - see page 5

X - 1" dia, 4 holes

Y - 1 1/4-7UNC,
 4 tapped holes
 on 30" and
 larger elbows






TYPE HH ABOVE BASE DIMENSIONS

Elbow Size (S)	Bowl Size	K (MIN)	L (MIN)	C	J	H	E	F	B	G
14	16	0'8-1/2"	3'6-3/4"	1'9"	3'1"	6'7-3/4"	1'4"	1"	2'3"	1'11"
16	16	1'1"	3'11-3/4"	1'11"	3'5"	7'4-1/4"	1'7"	1"	2'5"	2'1"
	18	2'1"	4'4-1/8"			7'9-1/8"				
	20	1'0"	3'4-3/4"			6'9-3/4"				
18	16	2'8"	5'6-1/4"	2'1"	3'7"	9'1-1/4"	1'8"	1"	2'7"	2'3"
	18	3'1"	5'4-1/8"			8'11-1/8"				
	20	1'11"	4'3-3/4"			7'10-3/4"				
20	18	4'0"	6'3-1/8"	2'3"	4'0-1/8"	10'3-1/4"	1'10"	1-1/8"	2'9"	2'5"
	20	2'11"	5'3-3/4"			9'3-7/8"				
	24	2'5-1/2"	5'0-13/16"			9'0-15/16"				
24	20	5'0"	7'5"	2'6"	4'6-1/8"	11'11-1/8"	2'2"	1-1/8"	3'8"	3'4"
	24	4'5"	7'0-15/16"			11'6-7/16"				
	26	3'5"	6'5-1/4"			10'11-3/8"				
	30	1'11"	5'8-7/8"			10'3"				
30	24	7'3"	9'10-5/16"	2'11"	5'8-1/4"	15'6-9/16"	2'7"	1-1/4"	3'11"	3'6"
	26	6'4"	9'4-1/4"			15'0-1/2"				
	30	4'9"	8'6-7/8"			14'0-3/8"				
	36	3'7"	7'7-1/16"			13'3-3/16"				
36	30	7'8"	11'5-7/8"	3'7"	6'4-1/4"	17'10-1/16"	3'0"	1-1/4"	4'11"	4'6"
	36	6'8"	10'8-1/16"			17'0-5/16"				
42	36	9'4"	13'4-1/16"	4'3"	7'2-3/8"	20'6-7/16"	3'5"	1-3/8"	4'11"	4'6"

Dimensions shown are not certified and are subject to change without notice

BASKET STRAINERS
Clip - On Type
For
MF, PL and HH Bell Type Suction Manifolds



BOWL SIZE	MF				PL				HH			
	HEIGHT	O.D.	MAX. D	MESH SIZE	HEIGHT	O.D.	MAX. D	MESH SIZE	HEIGHT	O.D.	MAX. D	MESH SIZE
10	10 ³ / ₈	13 ¹ / ₈	13 ⁷ / ₈	1 ¹ / ₂	10 ¹ / ₄	13 ¹ / ₂	14 ¹ / ₄	1 ¹ / ₂	—	—	—	—
12	10 ³ / ₈	14 ³ / ₈	15 ¹ / ₈	1 ¹ / ₂	10 ¹ / ₄	15 ¹ / ₄	16	1 ¹ / ₂	—	—	—	—
14	12 ³ / ₈	17 ⁷ / ₈	18 ⁵ / ₈	1 ¹ / ₂	12 ¹ / ₄	19 ³ / ₈	20 ¹ / ₈	1 ¹ / ₂	—	—	—	—
16	15 ¹ / ₂	19 ³ / ₄	20 ¹ / ₂	1 ¹ / ₂	15 ⁵ / ₈	21 ⁵ / ₈	22 ³ / ₈	1 ¹ / ₂	15	19	19 ⁷ / ₈	1/2
18	18 ⁵ / ₈	21 ⁵ / ₈	22 ³ / ₈	1 ¹ / ₂	18 ¹ / ₄	23 ⁷ / ₈	24 ⁵ / ₈	1 ¹ / ₂	16	20	20 ⁷ / ₈	3/4
20	20 ¹ / ₂	25 ⁵ / ₈	26 ³ / ₈	1 ¹ / ₂	20 ¹ / ₄	28 ⁵ / ₈	29 ³ / ₈	1 ¹ / ₂	16	20 ¹ / ₂	22 ¹ / ₄	1"
24	20 ⁵ / ₈	28 ¹ / ₄	29	1 ¹ / ₂	20 ¹ / ₄	30 ³ / ₄	31 ¹ / ₂	1 ¹ / ₂	20 ¹ / ₄	25 ¹ / ₂	26 ¹ / ₂	1"
26	—	—	—	—	—	—	—	—	23 ⁵ / ₈	29 ¹ / ₂	30 ³ / ₈	1"
30	20 ⁵ / ₈	33 ¹ / ₄	34	1 ¹ / ₂	20 ¹ / ₄	37 ³ / ₄	38 ¹ / ₂	1 ¹ / ₂	29 ¹ / ₄	36 ¹ / ₈	37 ¹ / ₄	1 ¹ / ₂
36	24 ⁵ / ₈	39	39 ³ / ₄	1 ¹ / ₂	24 ¹ / ₄	45 ¹ / ₂	46 ¹ / ₄	1 ¹ / ₂	32 ¹ / ₄	39 ¹ / ₂	40 ³ / ₈	1 ¹ / ₂
42	24 ¹ / ₂	45	45 ³ / ₄	1 ¹ / ₂	24 ¹ / ₄	52 ¹ / ₂	53 ¹ / ₄	1 ¹ / ₂	—	—	—	—
48	30 ³ / ₄	52 ¹ / ₄	53	1 ¹ / ₂	30 ¹ / ₄	61 ³ / ₄	62 ¹ / ₂	1 ¹ / ₂	42 ¹ / ₄	51 ⁷ / ₈	52 ³ / ₄	1 ¹ / ₂
54	REFER TO FACTORY								—	—	—	—
56	—	—	—	—	—	—	—	—	REFER TO FACTORY			
60	—	—	—	—	REFER TO FACTORY				—	—	—	—
66	REFER TO FACTORY				—	—	—	—	—	—	—	—