

HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL <input type="checkbox"/> FIELD
PERFORMANCE
CAPACITY GPM
TOTAL DYNAMIC HEAD FT
EFFICIENCY
BRAKE HORSEPOWER BHP

PEERLESS PUMP Peerless Pump Company
 Indianapolis, IN 46207-7025

LABORATORY PERFORMANCE	
SIZE	12 MF
RPM	1760
CURVE NUMBER	2845306

DESCRIPTION: Hydro-Foil Pump with: Bowl **V2609C** ; Impeller **V2603C** -
 above Elbow below base dia with x inner column

Driver: _____

Customer _____

Item _____


Peerless Ref. No. _____ Pump No. _____

HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL <input type="checkbox"/> FIELD
PERFORMANCE
CAPACITY GPM
TOTAL DYNAMIC HEAD FT
EFFICIENCY
BRAKE HORSEPOWER BHP



LABORATORY PERFORMANCE
SIZE 12 MF
RPM 1760
CURVE NUMBER 2845309



DESCRIPTION: Hydro-Foil Pump with: Bowl **V2609C** ; Impeller **V2610C** -


Elbow above below base dia with x inner column

Driver: _____

Customer _____

Item _____

Peerless Ref. No. _____ Pump No. _____



HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL	<input type="checkbox"/> FIELD
PERFORMANCE	
CAPACITY	GPM
TOTAL DYNAMIC HEAD	FT
EFFICIENCY	
BRAKE HORSEPOWER	BHP



LABORATORY PERFORMANCE	
SIZE	12 MF
RPM	1460
CURVE NUMBER	2845307

DESCRIPTION: Hydro-Foil Pump with; Bowl **V2609C** ; Impeller **V2603C** -
 Elbow above below base dia with x inner column

Driver: _____


Customer _____

Item _____


Peerless Ref. No. _____ Pump No. _____

HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL
<input type="checkbox"/> FIELD
PERFORMANCE
CAPACITY
GPM
TOTAL DYNAMIC HEAD
FT
EFFICIENCY
BRAKE HORSEPOWER
BHP



LABORATORY PERFORMANCE	
SIZE	12 MF
RPM	1460
CURVE NUMBER	2845310




DESCRIPTION: Hydro-Foil Pump with; Bowl **V2609C** ; Impeller **V2610C** -
 above
 Elbow below base dia with x inner column

Driver: _____

Customer _____

Item _____

Peerless Ref. No. _____ Pump No. _____



HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL <input type="checkbox"/> FIELD	
PERFORMANCE	
CAPACITY	GPM
TOTAL DYNAMIC HEAD	FT
EFFICIENCY	
BRAKE HORSEPOWER	BHP

PEERLESS PUMP Peerless Pump Company
 Indianapolis, IN 46207-7025

LABORATORY PERFORMANCE	
SIZE	12 MF
RPM	1170
CURVE NUMBER	2845308

DESCRIPTION: Hydro-Foil Pump with: Bowl **V2609C** ; Impeller **V2603C** -

Elbow above
 below base dia with x inner column

Driver: _____

Customer _____

Item _____

Peerless Ref. No. _____


Pump No. _____

HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL
<input type="checkbox"/> FIELD
PERFORMANCE
CAPACITY
GPM
TOTAL DYNAMIC HEAD
FT
EFFICIENCY
BRAKE HORSEPOWER
BHP

PEARLESS PUMP Peerless Pump Company
 Indianapolis, IN 46207-7026

LABORATORY PERFORMANCE	
SIZE	12 MF
RPM	1170
CURVE NUMBER	2845311



DESCRIPTION: Hydro-Foil Pump with; Bowl **V2609C** ; Impeller **V2610C** -
 above
 below base dia with x inner column
 Driver: _____

Customer _____
 Item _____
 Peerless Ref. No. _____ Pump No. _____