

HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL	<input type="checkbox"/> FIELD
PERFORMANCE	
CAPACITY	GRM
TOTAL DYNAMIC HEAD	FT
EFFICIENCY	
BRAKE HORSEPOWER	BHP

PEERLESS PUMP Peerless Pump Company
 Indianapolis, IN 46207-7026

LABORATORY PERFORMANCE	
SIZE	14 MF
RPM	1460
CURVE NUMBER	2845312

DESCRIPTION: Hydro-Foil Pump with; Bowl **V2836C** ; Impeller **V2841C** -

Elbow above
 below base

dia with _____ x _____ inner column

Driver: _____

Customer _____

Item _____


Peerless Ref. No. _____ Pump No. _____

HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL
<input type="checkbox"/> FIELD
PERFORMANCE
CAPACITY
GPM
TOTAL DYNAMIC HEAD
FT
EFFICIENCY
BRAKE HORSEPOWER
BHP

PEERLESS PUMP Peerless Pump Company
 Indianapolis, IN 46207-7026

LABORATORY PERFORMANCE
SIZE
14 MF
RPM
1460
CURVE NUMBER
2845316




DESCRIPTION: Hydro-Foil Pump with: Bowl **V2836C** ; Impeller **V2840C** -
 above
 Elbow below base dia with x inner column

Driver: _____

Customer _____

Item _____

Peerless Ref. No. _____ Pump No. _____



HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

BOWL
 FIELD

PERFORMANCE

CAPACITY _____ GPM

TOTAL DYNAMIC HEAD _____ FT

EFFICIENCY _____

BRAKE HORSEPOWER _____ BHP

PEERLESS PUMP Peerless Pump Company
 Indianapolis, IN 46207-7026

LABORATORY PERFORMANCE

SIZE 14 MF

RPM 1175

CURVE NUMBER 2845313

DESCRIPTION: Hydro-Foil Pump with: Bowl **V2836C** ; Impeller **V2841C** -
 above
 below base dia with x inner column

Driver: _____

Customer _____

Item _____


Peerless Ref. No. _____ Pump No. _____

HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL
<input type="checkbox"/> FIELD
PERFORMANCE
CAPACITY
GPM
TOTAL DYNAMIC HEAD
FT
EFFICIENCY
BRAKE HORSEPOWER
BHP



LABORATORY PERFORMANCE
SIZE
14 MF
RPM
1175
CURVE NUMBER
2845317



DESCRIPTION: Hydro-Foil Pump with: Bowl **V2836C** ; Impeller **V2840C** -


Elbow above below base dia with x inner column

Driver:

Customer _____

Item _____

Peerless Ref. No. _____ Pump No. _____



HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL <input type="checkbox"/> FIELD	
PERFORMANCE	
CAPACITY	GPM
TOTAL DYNAMIC HEAD	FT
EFFICIENCY	
BRAKE HORSEPOWER	BHP




LABORATORY PERFORMANCE	
SIZE	14 MF
RPM	970
CURVE NUMBER	2845314R

DESCRIPTION: Hydro-Foil Pump with: Bowl **V2836C** ; Impeller **V2841C** -
 Elbow above below base dia with x inner column
 Driver:

Customer _____
 Item _____
 Peerless Ref. No. _____ Pump No. _____

HYDRO-FOIL PUMPS

SECTION 340



HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller


<input type="checkbox"/> BOWL	<input type="checkbox"/> FIELD
PERFORMANCE	
CAPACITY	GPM
TOTAL DYNAMIC HEAD	FT
EFFICIENCY	
BRAKE HORSEPOWER	BHP



LABORATORY PERFORMANCE	
SIZE	14 MF
RPM	970
CURVE NUMBER	2845318

DESCRIPTION: Hydro-Foil Pump with; Bowl **V 2836C** ; Impeller **V 2840C** -
 Elbow above below base dia with x inner column
 Driver: _____

Customer _____
 Item _____
 Peerless Ref. No. _____ Pump No. _____



HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL	<input type="checkbox"/> FIELD
PERFORMANCE	
CAPACITY	GPM
TOTAL DYNAMIC HEAD	FT
EFFICIENCY	
BRAKE HORSEPOWER	BHP



LABORATORY PERFORMANCE	
SIZE	14 MF
RPM	875
CURVE NUMBER	2845315

DESCRIPTION: Hydro-Foil Pump with: Bowl **V2836C** ; Impeller **V2841C** -


Elbow above below base dia with inner column

Driver: _____

Customer: _____

Item: _____

Peerless Ref. No. _____ Pump No. _____



HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL	<input type="checkbox"/> FIELD
PERFORMANCE	
CAPACITY	GPM
TOTAL DYNAMIC HEAD	FT
EFFICIENCY	
BRAKE HORSEPOWER	BHP



LABORATORY PERFORMANCE	
SIZE	14 MF
RPM	875
CURVE NUMBER	2845319

DESCRIPTION: Hydro-Foil Pump with: Bowl V2836C ; Impeller V2840C -
 Elbow above below base dia with x inner column
 Driver: _____

Customer _____
 Item _____
 Peerless Ref. No. _____ Pump No. _____