

HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL <input type="checkbox"/> FIELD
PERFORMANCE
CAPACITY GPM
TOTAL DYNAMIC HEAD FT
EFFICIENCY
BRAKE HORSEPOWER BHP

PEERLESS PUMP Peerless Pump Company
 Indianapolis, IN 46207-7026

LABORATORY PERFORMANCE
SIZE 16 MF
RPM 1475
CURVE NUMBER 2845320

DESCRIPTION: Hydro-Foil Pump with; Bowl **V1857C** ; Impeller **V1858C** -
 Elbow above below base dia with x inner column
 Driver: _____

Customer _____
 Item _____
 Peerless Ref. No. _____ Pump No. _____

HYDRO-FOIL PUMPS

SECTION 340

HYDRAULIC PERFORMANCE WARRANTY

Guaranteed at designated point only, and contingent on:

- Proper sump configuration
- Proper submergence
- Fluid free of gas, air & abrasives
- Proper lateral setting of impeller

- BOWL
- FIELD

PERFORMANCE

CAPACITY

GPM

TOTAL DYNAMIC HEAD

FT

EFFICIENCY

BRAKE HORSEPOWER

BHP




Peerless Pump Company
Indianapolis, IN 46207-7026

LABORATORY PERFORMANCE

SIZE
16 MF

RPM
1475

CURVE NUMBER
2845324



DESCRIPTION: Hydro-Foil Pump with; Bowl V1857C ; Impeller V1859C -


Elbow above below base dia with x inner column

Driver: _____

Customer _____

Item _____

Peerless Ref. No. _____ Pump No. _____



HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL <input type="checkbox"/> FIELD
PERFORMANCE
CAPACITY GPM
TOTAL DYNAMIC HEAD FT
EFFICIENCY
BRAKE HORSEPOWER BHP

PEERLESS PUMP Peerless Pump Company
 Indianapolis, IN 46207-7025

LABORATORY PERFORMANCE
SIZE 16 MF
RPM 1175
CURVE NUMBER 2845321

DESCRIPTION: Hydro-Foil Pump with; Bowl **V1857C** ; Impeller **V1858C** -
 above
 below base dia with x inner column


Driver: _____

Customer _____

Item _____

Peerless Ref. No. _____ Pump No. _____

HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller




<input type="checkbox"/> BOWL <input type="checkbox"/> FIELD
PERFORMANCE
CAPACITY _____ GPM
TOTAL DYNAMIC HEAD _____ FT
EFFICIENCY _____
BRAKE HORSEPOWER _____ BHP

PEERLESS PUMP Peerless Pump Company
 Indianapolis, IN 46207-7026

LABORATORY PERFORMANCE
SIZE 16 MF
RPM 1175
CURVE NUMBER 2845325

DESCRIPTION: Hydro-Foil Pump with; Bowl **V1857C** ; Impeller **V1859C** -
 Elbow above below base dia with _____ x _____ inner column
 Driver: _____

Customer _____
 Item _____
 Peerless Ref. No. _____ Pump No. _____



HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL	<input type="checkbox"/> FIELD
PERFORMANCE	
CAPACITY	GPM
TOTAL DYNAMIC HEAD	FT
EFFICIENCY	
BRAKE HORSEPOWER	BHP

PEERLESS PUMP Peerless Pump Company
 Indianapolis, IN 46207-7026

LABORATORY PERFORMANCE	
SIZE	16 MF
RPM	975
CURVE NUMBER	2845322

DESCRIPTION: Hydro-Foil Pump with; Bowl **V1857C** ; Impeller **V1858C** -
 Elbow above below base dia with _____ x _____ inner column
 Driver: _____


Customer _____
 Item _____
 Peerless Ref. No. _____ Pump No. _____

HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL
<input type="checkbox"/> FIELD
PERFORMANCE
CAPACITY _____ GPM
TOTAL DYNAMIC HEAD _____ FT
EFFICIENCY _____
BRAKE HORSEPOWER _____ BHP



LABORATORY PERFORMANCE
SIZE 16 MF
RPM 975
CURVE NUMBER 2845326



DESCRIPTION: Hydro-Foil Pump with: Bowl **V1857C** ; Impeller **V1859C** -


Elbow above below base dia with _____ x _____ inner column

Driver: _____

Customer _____

Item _____

Peerless Ref. No. _____ Pump No. _____



HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL	<input type="checkbox"/> FIELD
PERFORMANCE	
CAPACITY	GPM
TOTAL DYNAMIC HEAD	FT
EFFICIENCY	
BRAKE HORSEPOWER	BHP

PEERLESS PUMP Peerless Pump Company
 Indianapolis, IN 46207-7026

LABORATORY PERFORMANCE	
SIZE	16 MF
RPM	875
CURVE NUMBER	2845323

DESCRIPTION: Hydro-Foil Pump with; Bowl V1857C ; Impeller V1858C -

Elbow above below base dia with x inner column

Driver:


Customer

Item


Peerless Ref. No. Pump No.

HYDRAULIC PERFORMANCE WARRANTY
 Guaranteed at designated point only, and contingent on:
 Proper sump configuration
 Proper submergence
 Fluid free of gas, air & abrasives
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL
<input type="checkbox"/> FIELD
PERFORMANCE
CAPACITY GPM
TOTAL DYNAMIC HEAD FT
EFFICIENCY
BRAKE HORSEPOWER BHP

 Peerless Pump Company
 Indianapolis, IN 46207-7026

LABORATORY PERFORMANCE	
SIZE	16 MF
RPM	875
CURVE NUMBER	2845327



DESCRIPTION: Hydro-Foil Pump with: Bowl **V1857C** ; Impeller **V1859C** -
 above
 Elbow below base dia with x inner column

Driver: _____

Customer _____

Item _____

Peerless Ref. No. _____ Pump No. _____