

**HYDRAULIC PERFORMANCE WARRANTY**  
 Guaranteed at designated point only, and contingent on:  
 Proper sump configuration  
 Proper submergence  
 Fluid free of gas, air & abrasives  
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL	<input type="checkbox"/> FIELD
<b>PERFORMANCE</b>	
CAPACITY	GPM
TOTAL DYNAMIC HEAD	FT
EFFICIENCY	
BRAKE HORSEPOWER	BHP

**PEERLESS PUMP** Peerless Pump Company  
 Indianapolis, IN 46207-7026

<b>LABORATORY PERFORMANCE</b>	
SIZE	18 MF
RPM	1175
CURVE NUMBER	2845328

**DESCRIPTION:** Hydro-Foil Pump with: Bowl **V 2140C** ; Impeller **V 2473C** -


Elbow  above  below base      dia with      x      inner column

Driver: \_\_\_\_\_

Customer \_\_\_\_\_

Item \_\_\_\_\_

Peerless Ref. No. \_\_\_\_\_ Pump No. \_\_\_\_\_



**HYDRAULIC PERFORMANCE WARRANTY**  
 Guaranteed at designated point only, and contingent on:  
 Proper sump configuration  
 Proper submergence  
 Fluid free of gas, air & abrasives  
 Proper lateral setting of impeller


<input type="checkbox"/> BOWL <input type="checkbox"/> FIELD
<b>PERFORMANCE</b>
CAPACITY GPM
TOTAL DYNAMIC HEAD FT
EFFICIENCY
BRAKE HORSEPOWER BHP

**PEERLESS PUMP** Peerless Pump Company  
 Indianapolis, IN 46207-7026

<b>LABORATORY PERFORMANCE</b>
SIZE 18 MF
RPM 1175
<b>CURVE NUMBER</b> 2845332

DESCRIPTION: Hydro-Foil Pump with: Bowl V2140C ; Impeller V2144C -  
 Elbow  above  below base dia with x inner column  
 Driver:

Customer \_\_\_\_\_  
 Item \_\_\_\_\_  
 Peerless Ref. No. \_\_\_\_\_ Pump No. \_\_\_\_\_



**HYDRAULIC PERFORMANCE WARRANTY**  
 Guaranteed at designated point only, and contingent on:  
 Proper sump configuration  
 Proper submergence  
 Fluid free of gas, air & abrasives  
 Proper lateral setting of impeller


<input type="checkbox"/> BOWL <input type="checkbox"/> FIELD
<b>PERFORMANCE</b>
CAPACITY _____ GPM
TOTAL DYNAMIC HEAD _____ FT
EFFICIENCY _____
BRAKE HORSEPOWER _____ BHP

**PEERLESS PUMP** Peerless Pump Company  
 Indianapolis, IN 46207-7026

<b>LABORATORY PERFORMANCE</b>
SIZE 18 MF
RPM 975
CURVE NUMBER 2845329

DESCRIPTION: Hydro-Foil Pump with; Bowl **V 2140C** ; Impeller **V 2473C** -  
 above Elbow  below base dia with \_\_\_\_\_ x \_\_\_\_\_ inner column  
 Driver: \_\_\_\_\_

Customer \_\_\_\_\_  
 Item \_\_\_\_\_  
 Peerless Ref. No. \_\_\_\_\_ Pump No. \_\_\_\_\_



**HYDRAULIC PERFORMANCE WARRANTY**  
 Guaranteed at designated point only, and contingent on:  
 Proper sump configuration  
 Proper submergence  
 Fluid free of gas, air & abrasives  
 Proper lateral setting of impeller

<b>GUARANTEED</b>	
<input type="checkbox"/> BOWL	<input type="checkbox"/> FIELD
<b>PERFORMANCE</b>	
CAPACITY	GPM
TOTAL DYNAMIC HEAD	FT
EFFICIENCY	
BRAKE HORSEPOWER	BHP



<b>LABORATORY PERFORMANCE</b>	
SIZE	18 MF
RPM	975
CURVE NUMBER	2845333

DESCRIPTION: Hydro-Foil Pump with; Bowl **V2140C** ; Impeller **V2144C** -

Elbow  above  below base      dia with      x      inner column


Driver: \_\_\_\_\_

Customer \_\_\_\_\_

Item \_\_\_\_\_

Peerless Ref. No. \_\_\_\_\_ Pump No. \_\_\_\_\_





**HYDRAULIC PERFORMANCE WARRANTY**  
 Guaranteed at designated point only, and contingent on:  
 Proper sump configuration  
 Proper submergence  
 Fluid free of gas, air & abrasives  
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL
<input type="checkbox"/> FIELD
<b>PERFORMANCE</b>
CAPACITY
GPM
TOTAL DYNAMIC HEAD
FT
EFFICIENCY
BRAKE HORSEPOWER
BHP

**PEERLESS PUMP** Peerless Pump Company  
 Indianapolis, IN 46207-7026

<b>LABORATORY PERFORMANCE</b>
SIZE
18 MF
RPM
875
CURVE NUMBER
2845330


DESCRIPTION: Hydro-Foil Pump with: Bowl **V2140C** ; Impeller **V2473C** -  
 above Elbow  below base      dia with      x      inner column

Driver: \_\_\_\_\_

Customer \_\_\_\_\_

Item \_\_\_\_\_

Peerless Ref. No. \_\_\_\_\_ Pump No. \_\_\_\_\_



**HYDRAULIC PERFORMANCE WARRANTY**  
 Guaranteed at designated point only, and contingent on:  
 Proper sump configuration  
 Proper submergence  
 Fluid free of gas, air & abrasives  
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL
<input type="checkbox"/> FIELD
<b>PERFORMANCE</b>
CAPACITY
GPM
TOTAL DYNAMIC HEAD
FT
EFFICIENCY
BRAKE HORSEPOWER
BHP

**PEERLESS PUMP** Peerless Pump Company  
 Indianapolis, IN 46207-7026

<b>LABORATORY PERFORMANCE</b>
SIZE
18 MF
RPM
875
CURVE NUMBER
2845334

**DESCRIPTION:** Hydro-Foil Pump with: Bowl **V2140C** ; Impeller **V2144C** -


Elbow  above  below base      dia with      x      inner column

Driver: \_\_\_\_\_

Customer \_\_\_\_\_

Item \_\_\_\_\_

Peerless Ref. No. \_\_\_\_\_ Pump No. \_\_\_\_\_



**HYDRAULIC PERFORMANCE WARRANTY**  
 Guaranteed at designated point only, and contingent on:  
 Proper sump configuration  
 Proper submergence  
 Fluid free of gas, air & abrasives  
 Proper lateral setting of impeller


<input type="checkbox"/> BOWL	<input type="checkbox"/> FIELD
<b>PERFORMANCE</b>	
CAPACITY	GPM
TOTAL DYNAMIC HEAD	FT
EFFICIENCY	
BRAKE HORSEPOWER	BHP

**PEERLESS PUMP** Peerless Pump Company  
 Indianapolis, IN 46207-7026

<b>LABORATORY PERFORMANCE</b>	
SIZE	18 MF
RPM	735
CURVE NUMBER	2845331

DESCRIPTION: Hydro-Foil Pump with; Bowl **V2140C** ; Impeller **V2473C** -  
 Elbow  above  below base dia with x inner column  
 Driver:

Customer \_\_\_\_\_  
 Item \_\_\_\_\_  
 Peerless Ref. No. \_\_\_\_\_ Pump No. \_\_\_\_\_



**HYDRAULIC PERFORMANCE WARRANTY**  
 Guaranteed at designated point only, and contingent on:  
 Proper sump configuration  
 Proper submergence  
 Fluid free of gas, air & abrasives  
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL
<input type="checkbox"/> FIELD
<b>PERFORMANCE</b>
CAPACITY _____ GPM
TOTAL DYNAMIC HEAD _____ FT
EFFICIENCY _____
BRAKE HORSEPOWER _____ BHP

**PEERLESS PUMP** Peerless Pump Company  
 Indianapolis, IN 46207-7026

<b>LABORATORY PERFORMANCE</b>
SIZE <b>18 MF</b>
RPM <b>735</b>
<b>CURVE NUMBER</b> <b>2845335</b>

DESCRIPTION: Hydro-Foil Pump with: Bowl **V2140C** ; Impeller **V2144C** -  
 above  
 Elbow  below base          dia with \_\_\_\_\_ x \_\_\_\_\_ inner column

Driver: \_\_\_\_\_

Customer \_\_\_\_\_

Item \_\_\_\_\_

Peerless Ref. No. \_\_\_\_\_ Pump No. \_\_\_\_\_