

**HYDRAULIC PERFORMANCE WARRANTY**  
 Guaranteed at designated point only, and contingent on:  
 Proper sump configuration  
 Proper submergence  
 Fluid free of gas, air & abrasives  
 Proper lateral setting of impeller


|   |
|---|
| <input type="checkbox"/> BOWL<br><input type="checkbox"/> FIELD |
| <b>PERFORMANCE</b>  |
| CAPACITY <span style="float: right;">GPM</span>                 |
| TOTAL DYNAMIC HEAD <span style="float: right;">FT</span>        |
| EFFICIENCY  |
| BRAKE HORSEPOWER <span style="float: right;">BHP</span>         |

**PEERLESS PUMP** Peerless Pump Company  
 Indianapolis, IN 46207-7026

|                               |
|-------------------------------|
| <b>LABORATORY PERFORMANCE</b> |
| SIZE<br>20 MFAL               |
| RPM<br>1180                   |
| CURVE NUMBER<br>2847168R      |

DESCRIPTION: Hydro-Foil Pump with: Bowl V2318 ; Impeller 2628686 -  
 Elbow  above  below base dia with x inner column  
 Driver:

Customer \_\_\_\_\_  
 Item \_\_\_\_\_  
 Peerless Ref. No. \_\_\_\_\_ Pump No. \_\_\_\_\_



**HYDRAULIC PERFORMANCE WARRANTY**  
 Guaranteed at designated point only, and contingent on:  
 Proper sump configuration  
 Proper submergence  
 Fluid free of gas, air & abrasives  
 Proper lateral setting of impeller

|                                |
|--------------------------------|
| <input type="checkbox"/> BOWL  |
| <input type="checkbox"/> FIELD |
| <b>PERFORMANCE</b>             |
| CAPACITY                       |
| GPM                            |
| TOTAL DYNAMIC HEAD             |
| FT                             |
| EFFICIENCY                     |
| BRAKE HORSEPOWER               |
| BHP                            |

**PEERLESS PUMP** Peerless Pump Company  
 Indianapolis, IN 46207-7026

|                               |
|-------------------------------|
| <b>LABORATORY PERFORMANCE</b> |
| SIZE                          |
| 20 MFAL                       |
| RPM                           |
| 980                           |
| CURVE NUMBER                  |
| 2847169R                      |

DESCRIPTION: Hydro-Foil Pump with; Bowl **V2318** ; Impeller **2628686** -


Elbow  above  below base      dia with      x      inner column

Driver: \_\_\_\_\_

Customer \_\_\_\_\_

Item \_\_\_\_\_

Peerless Ref. No. \_\_\_\_\_ Pump No. \_\_\_\_\_



**HYDRAULIC PERFORMANCE WARRANTY**  
 Guaranteed at designated point only, and contingent on:  
 Proper sump configuration  
 Proper submergence  
 Fluid free of gas, air & abrasives  
 Proper lateral setting of impeller

|                                |
|--------------------------------|
| <input type="checkbox"/> BOWL  |
| <input type="checkbox"/> FIELD |
| <b>PERFORMANCE</b>             |
| CAPACITY<br>GPM                |
| TOTAL DYNAMIC HEAD<br>FT       |
| EFFICIENCY                     |
| BRAKE HORSEPOWER<br>BHP        |

**PEERLESS PUMP** Peerless Pump Company  
 Indianapolis, IN 46207-7026

|                               |
|-------------------------------|
| <b>LABORATORY PERFORMANCE</b> |
| SIZE<br>20 MFAL               |
| RPM<br>880                    |
| CURVE NUMBER<br>2847170 R     |


DESCRIPTION: Hydro-Foil Pump with; Bowl **V2318** ; Impeller **2628686** -  
 above  
 below base                      dia with                      x                      inner column

Driver: \_\_\_\_\_

Customer \_\_\_\_\_

Item \_\_\_\_\_

Peerless Ref. No. \_\_\_\_\_ Pump No. \_\_\_\_\_



**HYDRAULIC PERFORMANCE WARRANTY**  
 Guaranteed at designated point only, and contingent on:  
 Proper sump configuration  
 Proper submergence  
 Fluid free of gas, air & abrasives  
 Proper lateral setting of impeller

|                                |
|--------------------------------|
| <input type="checkbox"/> BOWL  |
| <input type="checkbox"/> FIELD |
| <b>PERFORMANCE</b>             |
| CAPACITY _____ GPM             |
| TOTAL DYNAMIC HEAD _____ FT    |
| EFFICIENCY _____               |
| BRAKE HORSEPOWER _____ BHP     |

**PEERLESS PUMP** Peerless Pump Company  
 Indianapolis, IN 46207-7026

|  |
|--|
| <b>LABORATORY PERFORMANCE</b>          |
| SIZE<br><b>20 MFAL</b>                 |
| RPM<br><b>735</b>                      |
| <b>CURVE NUMBER</b><br><b>2847171R</b> |

DESCRIPTION: Hydro-Foil Pump with; Bowl **V2318** ; Impeller **2628686** -


Elbow  above  below base      dia with \_\_\_\_\_ x \_\_\_\_\_ inner column

Driver: \_\_\_\_\_

Customer \_\_\_\_\_

Item \_\_\_\_\_

Peerless Ref. No. \_\_\_\_\_ Pump No. \_\_\_\_\_



**HYDRAULIC PERFORMANCE WARRANTY**  
 Guaranteed at designated point only, and contingent on:  
 Proper sump configuration  
 Proper submergence  
 Fluid free of gas, air & abrasives  
 Proper lateral setting of impeller

|                               |                                |
|-------------------------------|--------------------------------|
| <input type="checkbox"/> BOWL | <input type="checkbox"/> FIELD |
| <b>PERFORMANCE</b>            |                                |
| CAPACITY                      | GPM                            |
| TOTAL DYNAMIC HEAD            | FT                             |
| EFFICIENCY                    |                                |
| BRAKE HORSEPOWER              | BHP                            |

**PEERLESS PUMP** Peerless Pump Company  
 Indianapolis, IN 46207-7026

|                               |                      |
|-------------------------------|----------------------|
| <b>LABORATORY PERFORMANCE</b> |                      |
| SIZE                          | 20 MFAL              |
| RPM                           | 690                  |
| CURVE NUMBER                  | 2847859 <sub>R</sub> |

DESCRIPTION: Hydro-Foil Pump with: Bowl V2318 ; Impeller 2628686 -  
 Elbow  above  below base      dia with      x      inner column  
 Driver: \_\_\_\_\_

Customer \_\_\_\_\_  
 Item \_\_\_\_\_  
 Peerless Ref. No. \_\_\_\_\_ Pump No. \_\_\_\_\_