

**HYDRAULIC PERFORMANCE WARRANTY**  
 Guaranteed at designated point only, and contingent on:  
 Proper sump configuration  
 Proper submergence  
 Fluid free of gas, air & abrasives  
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL	<input type="checkbox"/> FIELD
<b>PERFORMANCE</b>	
CAPACITY	
	GPM
TOTAL DYNAMIC HEAD	
	FT
EFFICIENCY	
BRAKE HORSEPOWER	
	BHP

**PEERLESS PUMP** Peerless Pump Company  
 Indianapolis, IN 46207-7026

<b>LABORATORY PERFORMANCE</b>	
SIZE	24 MF
RPM	980
CURVE NUMBER	
2845344	

**DESCRIPTION:** Hydro-Foil Pump with; Bowl **V2396D** ; Impeller **V2450C** -

Elbow  above  below base      dia with      x      inner column

Driver: \_\_\_\_\_

Customer \_\_\_\_\_

Item \_\_\_\_\_


Peerless Ref. No. \_\_\_\_\_ Pump No. \_\_\_\_\_

**HYDRAULIC PERFORMANCE WARRANTY**  
 Guaranteed at designated point only, and contingent on:  
 Proper sump configuration  
 Proper submergence  
 Fluid free of gas, air & abrasives  
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL <input type="checkbox"/> FIELD
<b>PERFORMANCE</b>
CAPACITY GPM
TOTAL DYNAMIC HEAD FT
EFFICIENCY
BRAKE HORSEPOWER BHP

**PEERLESS PUMP** Peerless Pump Company  
 Indianapolis, IN 46207-7026

<b>LABORATORY PERFORMANCE</b>
SIZE 24 MF
RPM 980
CURVE NUMBER 2845348



**DESCRIPTION:** Hydro-Foil Pump with: Bowl **V2396D** ; Impeller **V2556C** -


Elbow  above  below base      dia with      x      inner column

Driver: \_\_\_\_\_

Customer \_\_\_\_\_

Item \_\_\_\_\_

Peerless Ref. No. \_\_\_\_\_ Pump No. \_\_\_\_\_



**HYDRAULIC PERFORMANCE WARRANTY**  
 Guaranteed at designated point only, and contingent on:  
 Proper sump configuration  
 Proper submergence  
 Fluid free of gas, air & abrasives  
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL	<input type="checkbox"/> FIELD
<b>PERFORMANCE</b>	
CAPACITY	GPM
TOTAL DYNAMIC HEAD	FT
EFFICIENCY	
BRAKE HORSEPOWER	BHP

**PEERLESS PUMP** Peerless Pump Company  
 Indianapolis, IN 46207-7026

<b>LABORATORY PERFORMANCE</b>	
SIZE	24 MFH
RPM	730
CURVE NUMBER	4805585

**DESCRIPTION:** Hydro-Foil Pump with: Bowl V 2396 D ; Impeller 2619068 -

Elbow  above  below base      dia with      x      inner column

Driver: \_\_\_\_\_

Customer \_\_\_\_\_


Item \_\_\_\_\_

Peerless Ref. No. \_\_\_\_\_ Pump No. \_\_\_\_\_

SUBJECT TO CHANGE WITHOUT NOTICE

HYDRO-FOIL PUMPS

SECTION 340



**HYDRAULIC PERFORMANCE WARRANTY**  
 Guaranteed at designated point only, and contingent on:  
 Proper sump configuration  
 Proper submergence  
 Fluid free of gas, air & abrasives  
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL	<input type="checkbox"/> FIELD
<b>PERFORMANCE</b>	
CAPACITY	GPM
TOTAL DYNAMIC HEAD	FT
EFFICIENCY	
BRAKE HORSEPOWER	BHP

**PEERLESS PUMP** Peerless Pump Company  
 Indianapolis, IN 46207-7026

<b>LABORATORY PERFORMANCE</b>	
SIZE	24 MFH
RPM	690
CURVE NUMBER	4805586

DESCRIPTION: Hydro-Foil Pump with: Bowl **V2396D** ; Impeller **2619068** -

Elbow  above  below base      dia with      x      inner column

Driver: \_\_\_\_\_

Customer \_\_\_\_\_

Item \_\_\_\_\_

Peerless Ref. No. \_\_\_\_\_ Pump No. \_\_\_\_\_

SUBJECT TO CHANGE WITHOUT NOTICE