

**HYDRAULIC PERFORMANCE WARRANTY**  
 Guaranteed at designated point only, and contingent on:  
 Proper sump configuration  
 Proper submergence  
 Fluid free of gas, air & abrasives  
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL <input type="checkbox"/> FIELD	
<b>PERFORMANCE</b>	
CAPACITY	GPM
TOTAL DYNAMIC HEAD	FT
EFFICIENCY	
BRAKE HORSEPOWER	BHP

**PEERLESS PUMP** Peerless Pump Company  
 Indianapolis, IN 46207-7026

<b>LABORATORY PERFORMANCE</b>	
SIZE	42 MF
RPM	585
CURVE NUMBER	2845366

DESCRIPTION: Hydro-Foil Pump with: Bowl **V2756D** ; Impeller **V2774D** -  
 above  
 Elbow  below base      dia with      x      inner column

Driver: \_\_\_\_\_

Customer \_\_\_\_\_

Item \_\_\_\_\_


Peerless Ref. No. \_\_\_\_\_ Pump No. \_\_\_\_\_

**HYDRAULIC PERFORMANCE WARRANTY**  
 Guaranteed at designated point only, and contingent on:  
 Proper sump configuration  
 Proper submergence  
 Fluid free of gas, air & abrasives  
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL
<input type="checkbox"/> FIELD
<b>PERFORMANCE</b>
CAPACITY
GPM
TOTAL DYNAMIC HEAD
FT
EFFICIENCY
BRAKE HORSEPOWER
BHP



<b>LABORATORY PERFORMANCE</b>	
SIZE	42 MF
RPM	585
CURVE NUMBER	2845370



DESCRIPTION: Hydro-Foil Pump with; Bowl **V 2756D** ; Impeller **V 2772D** -


Elbow  above  below base      dia with      x      inner column

Driver: \_\_\_\_\_

Customer \_\_\_\_\_

Item \_\_\_\_\_

Peerless Ref. No. \_\_\_\_\_ Pump No. \_\_\_\_\_



**HYDRAULIC PERFORMANCE WARRANTY**  
 Guaranteed at designated point only, and contingent on:  
 Proper sump configuration  
 Proper submergence  
 Fluid free of gas, air & abrasives  
 Proper lateral setting of impeller


<input type="checkbox"/> BOWL <input type="checkbox"/> FIELD
<b>PERFORMANCE</b>
CAPACITY GPM
TOTAL DYNAMIC HEAD FT
EFFICIENCY
BRAKE HORSEPOWER BHP

**PEERLESS PUMP** Peerless Pump Company  
 Indianapolis, IN 46207-7026

<b>LABORATORY PERFORMANCE</b>	
SIZE	42 MF
RPM	500
CURVE NUMBER	2845367

DESCRIPTION: Hydro-Foil Pump with: Bowl **V 2756D** ; Impeller **V 2774D** -  
 above  
 Elbow  below base                      dia with                      x                      inner column  
 Driver: \_\_\_\_\_

Customer \_\_\_\_\_  
 Item \_\_\_\_\_  
 Peerless Ref. No. \_\_\_\_\_ Pump No. \_\_\_\_\_



**HYDRAULIC PERFORMANCE WARRANTY**  
 Guaranteed at designated point only, and contingent on:  
 Proper sump configuration  
 Proper submergence  
 Fluid free of gas, air & abrasives  
 Proper lateral setting of impeller

BOWL  
 FIELD

**PERFORMANCE**

CAPACITY \_\_\_\_\_ GPM

TOTAL DYNAMIC HEAD \_\_\_\_\_ FT

EFFICIENCY \_\_\_\_\_

BRAKE HORSEPOWER \_\_\_\_\_ BHP



**LABORATORY PERFORMANCE**

SIZE 42 MF

RPM 500

CURVE NUMBER 2845371

DESCRIPTION: Hydro-Foil Pump with; Bowl V2756D ; Impeller V2772D -


Elbow  above  below base      dia with \_\_\_\_\_ x \_\_\_\_\_ inner column

Driver: \_\_\_\_\_

Customer \_\_\_\_\_

Item \_\_\_\_\_

Peerless Ref. No. \_\_\_\_\_ Pump No. \_\_\_\_\_



**HYDRAULIC PERFORMANCE WARRANTY**  
 Guaranteed at designated point only, and contingent on:  
 Proper sump configuration  
 Proper submergence  
 Fluid free of gas, air & abrasives  
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL
<input type="checkbox"/> FIELD
<b>PERFORMANCE</b>
CAPACITY GPM
TOTAL DYNAMIC HEAD FT
EFFICIENCY
BRAKE HORSEPOWER BHP

**PEERLESS PUMP** Peerless Pump Company  
 Indianapolis, IN 46207-7026

<b>LABORATORY PERFORMANCE</b>
SIZE 42 MF
RPM 475
CURVE NUMBER 2845368

DESCRIPTION: Hydro-Foil Pump with; Bowl **V2756D** ; Impeller **V2774D** -  
 above  
 below base      dia with      x      inner column

Driver: \_\_\_\_\_

Customer \_\_\_\_\_

Item \_\_\_\_\_

Peerless Ref. No. \_\_\_\_\_ Pump No. \_\_\_\_\_

**HYDRAULIC PERFORMANCE WARRANTY**

Guaranteed at designated point only, and contingent on:

- Proper sump configuration
- Proper submergence
- Fluid free of gas, air & abrasives
- Proper lateral setting of impeller

- BOWL
- FIELD

**PERFORMANCE**

CAPACITY  
GPM

TOTAL DYNAMIC HEAD  
FT

EFFICIENCY

BRAKE HORSEPOWER  
BHP




**LABORATORY PERFORMANCE**

SIZE  
42 MF

RPM  
475

CURVE NUMBER  
2845372




DESCRIPTION: Hydro-Foil Pump with: Bowl **V2756D** ; Impeller **V2772D** -  
 above  
 Elbow  below base                      dia with                      x                      inner column

Driver:

Customer \_\_\_\_\_

Item \_\_\_\_\_

Peerless Ref. No. \_\_\_\_\_ Pump No. \_\_\_\_\_



**HYDRAULIC PERFORMANCE WARRANTY**  
 Guaranteed at designated point only, and contingent on:  
 Proper sump configuration  
 Proper submergence  
 Fluid free of gas, air & abrasives  
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL
<input type="checkbox"/> FIELD
<b>PERFORMANCE</b>
CAPACITY
GPM
TOTAL DYNAMIC HEAD
FT
EFFICIENCY
BRAKE HORSEPOWER
BHP



<b>LABORATORY PERFORMANCE</b>	
SIZE	42 MF
RPM	440
CURVE NUMBER	2845369

DESCRIPTION: Hydro-Foil Pump with: Bowl **V2756D** ; Impeller **V2774D** -  
 Elbow  above  below base      dia with      x      inner column  
 Driver: \_\_\_\_\_

Customer \_\_\_\_\_  
 Item \_\_\_\_\_  
 Peerless Ref. No. \_\_\_\_\_ Pump No. \_\_\_\_\_

HYDRO-FOIL PUMPS


SECTION 340

**HYDRAULIC PERFORMANCE WARRANTY**  
 Guaranteed at designated point only, and contingent on:  
 Proper sump configuration  
 Proper submergence  
 Fluid free of gas, air & abrasives  
 Proper lateral setting of impeller

<input type="checkbox"/> BOWL
<input type="checkbox"/> FIELD
<b>PERFORMANCE</b>
CAPACITY
GPM
TOTAL DYNAMIC HEAD
FT
EFFICIENCY
BRAKE HORSEPOWER
BHP

**PEERLESS PUMP** Peerless Pump Company  
 Indianapolis, IN 46207-7026

<b>LABORATORY PERFORMANCE</b>
SIZE
42 MF
RPM
440
CURVE NUMBER
2845373



DESCRIPTION: Hydro-Foil Pump with; Bowl **V2756D** ; Impeller **V2772D** -  
 Elbow  above  below base dia with x inner column  
 Driver:

Customer \_\_\_\_\_  
 Item \_\_\_\_\_  
 Peerless Ref. No. \_\_\_\_\_ Pump No. \_\_\_\_\_